

SEP 10 2009



**Chandler • Arizona**  
*Where Values Make The Difference*

**MEMORANDUM**

**Real Estate Council Memo No. RE10-001**

**DATE:** SEPTEMBER 10, 2009

**TO:** MAYOR AND COUNCIL

**THRU:** W. MARK PENTZ, CITY MANAGER  
R.J. ZEDER, PUBLIC WORKS DIRECTOR  
DANIEL W. COOK, DEPUTY PUBLIC WORKS DIRECTOR  
SHEINA HUGHES, ASSISTANT PUBLIC WORKS DIRECTOR/  
CITY ENGINEER

**FROM:** ERICH KUNTZE, REAL ESTATE MANAGER

**SUBJECT:** ORDINANCE NO. 4148 GRANTING SIX (6) NO COST 12KV POWER DISTRIBUTION EASEMENTS TO SALT RIVER PROJECT (SRP) TO RELOCATE AND UNDERGROUND THEIR POWER FACILITIES ALONG THE NORTH AND SOUTH SIDES OF PECOS ROAD AND THE EAST AND WEST SIDES OF COOPER ROAD FOR THE COOPER/PECOS ROAD IMPROVEMENT PROJECT, ST0602

RECOMMENDATION: Staff recommends introduction and tentative approval of Ordinance No. 4148 granting six (6) no cost 12kV power distribution easements to Salt River Project (SRP) to relocate and underground their power facilities along the north and south sides of Pecos Road and the east and west sides of Cooper Road for the Cooper/Pecos Road Improvement Project, ST0602.

BACKGROUND/DISCUSSION: In connection with the Cooper/Pecos Road Improvement Project, SRP is required to relocate and underground their existing overhead 12 kV power line facilities to accommodate the road improvements.

Construction on the Project has been completed. Staff confirms that SRP has prior rights in this area.

Council Meeting of 9/10/09  
RE10-001  
Page 2


FINANCIAL IMPLICATIONS: None

Cost: N/A  
Savings: N/A  
Long Term Costs: N/A

PROPOSED MOTION: Staff recommends introduction and tentative approval of Ordinance No. 4148 granting six (6) no cost 12kV power distribution easements to Salt River Project (SRP) to relocate and underground their power facilities along the north and south sides of Pecos Road and the east and west sides of Cooper Road for the Cooper/Pecos Road Improvement Project, ST0602.

Attachments: Site Map  
ORD 4148  
SRP Power Distribution Easements (6)

**GRANTING OF SIX NO COST  
POWER DISTRIBUTION EASEMENTS  
TO SALT RIVER PROJECT FOR  
COOPER / PECOS RD IMPROVEMENTS**



**MEMO NO. RE09-232**

**ORDINANCE NO. 4148**

**■ NO COST POWER DISTRIBUTION  
EASEMENT**



ORDINANCE NO. 4148

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF CHANDLER, MARICOPA COUNTY, ARIZONA, TO AUTHORIZE AND APPROVE GRANTING SIX (6) NO COST 12KV POWER DISTRIBUTION EASEMENTS TO SALT RIVER PROJECT (SRP) TO RELOCATE AND UNDERGROUND THEIR POWER FACILITIES ALONG THE NORTH AND SOUTH SIDES OF PECOS ROAD AND THE EAST AND WEST SIDES OF COOPER ROAD FOR THE COOPER/PECOS ROAD IMPROVEMENT PROJECT, ST0602

WHEREAS, the City of Chandler has completed the Cooper/Pecos Road improvements; and

WHEREAS, the road improvements require that Salt River Project relocate and underground their 12 kilovolt (kV) power lines impacted by the project; and

WHEREAS, Salt River Project requires six (6) power distribution easements along the north and south sides of Germann Road and along the east and west sides of Cooper Road for this purpose; and

WHEREAS, the City of Chandler is willing to grant the easements to Salt River Project to accommodate the relocation and undergrounding of their 12kV power facilities;

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Chandler, Arizona, as follows:

Section 1. That the City Council of the City of Chandler, Arizona authorizes and approves the granting of six (6) power distribution easements to Salt River Project, through, over, under and across that certain property described and depicted in Exhibits "A-A5" attached hereto and made a part hereof by this reference.

Section 2. That the granting of said easements shall be in the form approved by the City Attorney.

Section 3. That the Mayor of the City of Chandler, Arizona, is hereby authorized to execute the easement documents on behalf of the City.

INTRODUCED AND TENTATIVELY APPROVED by the City Council this \_\_\_\_ day of \_\_\_\_\_, 2009.

ATTEST:

\_\_\_\_\_  
CITY CLERK

\_\_\_\_\_  
MAYOR

PASSED AND ADOPTED by the City Council this \_\_\_\_\_ day of \_\_\_\_\_, 2009.

ATTEST:

\_\_\_\_\_  
CITY CLERK

\_\_\_\_\_  
MAYOR

CERTIFICATION

I HEREBY CERTIFY that the above and foregoing Ordinance No. 4148 was duly passed and adopted by the City Council of the City of Chandler, Arizona, at a regular meeting held on the \_\_\_\_\_ day of \_\_\_\_\_, 2009, and that a quorum was present thereat.

\_\_\_\_\_  
CITY CLERK

APPROVED AS TO FORM:

\_\_\_\_\_  
CITY ATTORNEY

GAB

# EXHIBIT A

## City of Chandler

### Cooper and Pecos Roads

Note: Although this description describes more than one parcel, it is one description, and should be reproduced in its entirety.

Multiple parcels of land being those parts of Sections 35 and 36, Township 1 South, Range 5 East, and Sections 1 and 2, Township 2 South, Range 5 East, Gila and Salt River Meridian, lying within road right-of-way, more particularly described as follows;

This description is based on a stationed alignment coincident with the monument lines of said Sections. The north-south alignment begins at the East Quarter corner of said Section 2 with a value of 10+00 and increases northerly. The east-west alignment begins at the Northwest corner of said Section 2 with a value of 47+11.54 and increases easterly.

Commencing at the East Quarter corner of said Section 2, a Maricopa County Engineering Department brass cap in hand hole at station 10+00, from which the Northeast corner of said Section 2, a Maricopa County Highway Department brass cap in hand hole at station 36+94.69, bears North 00 degrees 22 minutes 34 seconds West (NAD83 basis of bearings), a distance of 2694.69 feet;

thence coincident with the east line of the Northeast Quarter of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 164.97 feet to station 11+64.97 and **Point "A"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the **Point of Beginning** of Easement Parcel 1;

thence coincident with the west line of the east 65 feet of the Northeast Quarter of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 01 minutes 03 seconds East, a distance of 8.03 feet;

Thence South 00 degrees 58 minutes 57 seconds East, a distance of 8.00 feet;

Thence South 89 degrees 01 minutes 03 seconds West, a distance of 8.11 feet to the **Point of Beginning** of Easement Parcel 1;

Also,

Commencing at **Point "A"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 98.19 feet to Station 12+63.16 and **Point "B"** of this description;

thence North 89 degrees 37 minutes 26 seconds East, a distance of 55.33 feet to the **Point of Beginning** of Easement Parcel 2;

thence North 00 degrees 24 minutes 43 seconds West a distance of 459.88 feet;

thence South 89 degrees 41 minutes 23 seconds East, a distance of 5.04 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 123.16 feet;

thence South 89 degrees 37 minutes 03 seconds West, a distance of 5.15 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 8.00 feet;

thence North 89 degrees 37 minutes 03 seconds East, a distance of 5.15 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 72.80 feet;

thence South 89 degrees 39 minutes 20 seconds West, a distance of 7.00 feet;

thence North 00 degrees 20 minutes 40 seconds West, a distance of 8.00 feet;

thence North 89 degrees 39 minutes 20 seconds East, a distance of 6.99 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 167.52 feet;

thence North 15 degrees 20 minutes 44 seconds West, a distance of 7.19 feet;

thence North 00 degrees 24 minutes 41 seconds West, a distance of 45.55 feet;

thence North 89 degrees 58 minutes 38 seconds West, a distance of 5.10 feet;

thence North 00 degrees 01 minutes 22 seconds East, a distance of 8.00 feet;

thence South 89 degrees 58 minutes 38 seconds East, a distance of 5.04 feet;

thence North 00 degrees 24 minutes 41 seconds West, a distance of 123.72 feet;

thence North 44 degrees 40 minutes 09 seconds East, a distance of 6.97 feet;

thence North 00 degrees 22 minutes 45 seconds West, a distance of 91.39 feet;

thence South 89 degrees 14 minutes 08 seconds West, a distance of 9.95 feet;

thence North 00 degrees 45 minutes 52 seconds West, a distance of 8.00 feet;

thence North 89 degrees 14 minutes 08 seconds East, a distance of 10.00 feet;  
thence North 00 degrees 22 minutes 45 seconds West, a distance of 217.98 feet;  
thence South 88 degrees 33 minutes 12 seconds West, a distance of 9.91 feet;  
thence North 01 degrees 26 minutes 48 seconds West, a distance of 8.00 feet;  
thence North 88 degrees 33 minutes 12 seconds East, a distance of 10.06 feet;  
thence North 00 degrees 22 minutes 45 seconds West, a distance of 62.01 feet;  
thence South 89 degrees 36 minutes 43 seconds West, a distance of 64.97 feet;  
thence North 00 degrees 23 minutes 17 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 36 minutes 43 seconds East, a distance of 64.97 feet;  
thence North 00 degrees 22 minutes 45 seconds West, a distance of 147.99 feet;  
thence South 89 degrees 47 minutes 15 seconds West, a distance of 9.99 feet;  
thence North 00 degrees 12 minutes 45 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 47 minutes 15 seconds East, a distance of 11.99 feet to the east line of the west 65 feet of said Section 1;  
thence coincident with the east line of the west 65 feet of said Section 1, South 00 degrees 22 minutes 34 seconds East, a distance of 466.33 feet;  
thence departing said east line of the west 65 feet, South 45 degrees 42 minutes 09 seconds East, a distance of 8.44 feet;  
thence South 00 degrees 22 minutes 45 seconds East, a distance of 15.44 feet;  
thence North 89 degrees 46 minutes 23 seconds East, a distance of 14.12 feet;  
thence South 00 degrees 13 minutes 37 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 46 minutes 23 seconds West, a distance of 14.09 feet;  
thence South 00 degrees 22 minutes 45 seconds East, a distance of 58.97 feet;  
thence South 44 degrees 40 minutes 09 seconds West, a distance of 6.97 feet;  
thence South 00 degrees 24 minutes 41 seconds East, a distance of 13.36 feet;

thence North 89 degrees 25 minutes 39 seconds East, a distance of 4.91 feet to the east line of the west 71 feet of said Section 1;

thence coincident with said east line of the west 71 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 8.00 feet;

thence departing said east line of the west 71 feet, South 89 degrees 25 minutes 39 seconds West, a distance of 4.91 feet;

thence South 00 degrees 24 minutes 41 seconds East, a distance of 149.01 feet;

thence South 88 degrees 58 minutes 18 seconds West, a distance of 1.18 feet to the east line of the west 65 feet of said Section 1;

thence coincident with said east line of the west 65 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 302.02 feet;

thence departing said east line of the west 65 feet, South 45 degrees 22 minutes 34 seconds East, a distance of 4.35 feet;

thence South 00 degrees 22 minutes 57 seconds East, a distance of 83.84 feet;

thence South 44 degrees 37 minutes 26 seconds West, a distance of 4.36 feet to the east line of the west 65 feet of said Section 1;

thence coincident with said east line of the west 65 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 6.05 feet;

thence departing said east line of the west 65 feet, North 89 degrees 41 minutes 23 seconds West, a distance of 1.95 feet;

thence South 00 degrees 24 minutes 43 seconds East, a distance of 451.78 feet;

thence South 89 degrees 35 minutes 17 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 2;

Also,

Commencing at **Point "B"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 102.62 feet to Station 13+65.78 and **Point "C"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the west line of the east 65 feet of said Section 2 and the **Point of Beginning** of Easement Parcel 3;

thence coincident with the west line of the east 65 feet of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 37 minutes 26 seconds East, a distance of 10.17 feet;

thence South 00 degrees 22 minutes 34 seconds East, a distance of 8.00 feet;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 10.17 feet to the **Point of Beginning** of Easement Parcel 3;

Also,

Commencing at **Point "C"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 27.23 feet to Station 13+93.01 and **Point "D"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the west line of the east 65 feet of said Section 2 and the **Point of Beginning** of Easement Parcel 4;

thence departing the west line of the east 65 feet of said Section 2, North 89 degrees 08 minutes 35 seconds East, a distance of 12.03 feet;

thence South 00 degrees 51 minutes 25 seconds East, a distance of 8.00 feet;

thence South 89 degrees 08 minutes 35 seconds West, a distance of 12.10 feet to the west line of the east 65 feet of said Section 2;

thence coincident with said west line of the east 65 feet, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 4;

Also,

Commencing at **Point "D"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 211.96 feet to Station 16+04.97 and **Point "E"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the west line of the east 65 feet of said Section 2 and the **Point of Beginning** of Easement Parcel 5;

thence coincident with the west line of the east 65 feet of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 44 minutes 20 seconds East, a distance of 12.02 feet;

thence South 00 degrees 15 minutes 40 seconds East, a distance of 8.00 feet;

thence South 89 degrees 44 minutes 20 seconds West, a distance of 12.00 feet to the **Point of Beginning** of Easement Parcel 5;

Also,

Commencing at **Point "E"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 207.89 feet to Station 18+12.86 and **Point "F"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.97 feet to the **Point of Beginning** of Easement Parcel 6;

thence North 88 degrees 47 minutes 40 seconds West, a distance of 7.82 feet;

thence North 44 degrees 37 minutes 26 seconds East, a distance of 3.93 feet to the west line of the east 71 feet of said Section 2;

thence coincident with the west line of the east 71 feet of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 335.00 feet;

thence North 89 degrees 37 minutes 26 seconds East, a distance of 6.00 feet to the west line of the east 65 feet of said Section 2;

thence coincident with said west line of the east 65 feet, North 00 degrees 22 minutes 34 seconds West, a distance of 1273.66 feet;

thence departing said west line of the east 65 feet, South 89 degrees 37 minutes 26 seconds West, a distance of 2.87 feet;

thence North 07 degrees 45 minutes 15 seconds West, a distance of 31.48 feet;

thence North 00 degrees 22 minutes 14 seconds West, a distance of 154.88 feet;

thence South 85 degrees 20 minutes 12 seconds West, a distance of 13.25 feet;

thence North 45 degrees 26 minutes 32 seconds West, a distance of 13.94 feet to the south line of the north 75 feet of the Northeast Quarter of said Section 2;

thence coincident with said south line of the north 75 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 157.85 feet;

thence departing said south line of the north 75 feet, North 00 degrees 30 minutes 33 seconds West, a distance of 8.30 feet;

thence South 77 degrees 55 minutes 16 seconds East, a distance of 8.18 feet;

thence South 88 degrees 46 minutes 14 seconds East, a distance of 146.59 feet;

thence South 75 degrees 35 minutes 17 seconds East, a distance of 15.33 feet;

thence North 85 degrees 20 minutes 12 seconds East, a distance of 151.12 feet;

thence North 00 degrees 29 minutes 18 seconds West, a distance of 138.58 feet;

thence North 32 degrees 04 minutes 14 seconds East, a distance of 15.72 feet;

thence South 45 degrees 11 minutes 52 seconds East, a distance of 8.20 feet;

thence South 32 degrees 04 minutes 14 seconds West, a distance of 11.58 feet;

thence South 00 degrees 29 minutes 18 seconds East, a distance of 135.66 feet;

thence North 85 degrees 20 minutes 12 seconds East, a distance of 10.67 feet;

thence South 65 degrees 10 minutes 26 seconds East, a distance of 11.06 feet;

thence North 87 degrees 11 minutes 09 seconds East, a distance of 72.11 feet;

thence North 88 degrees 58 minutes 21 seconds East, a distance of 351.72 feet;

thence South 47 degrees 25 minutes 38 seconds East, a distance of 12.15 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 158.43 feet;

thence South 00 degrees 27 minutes 43 seconds East, a distance of 1.18 feet;

thence South 88 degrees 58 minutes 21 seconds West, a distance of 129.14 feet;

thence South 00 degrees 48 minutes 25 seconds East, a distance of 1.54 feet to the south line of the north 75 feet of said Section 1;

thence coincident with said south line of the north 75 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 21.18 feet;

thence departing said south line of the north 75 feet, North 00 degrees 17 minutes 29 seconds West, a distance of 1.33 feet;

thence South 88 degrees 58 minutes 21 seconds West, a distance of 51.66 feet;

thence South 87 degrees 11 minutes 09 seconds West, a distance of 20.09 feet to the south line of the north 75 feet of said Section 1;

thence coincident with said south line of the north 75 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 51.53 feet;

thence departing said south line of the north 75 feet, South 44 degrees 32 minutes 18 seconds West, a distance of 3.16 feet;

thence North 65 degrees 10 minutes 26 seconds West, a distance of 10.98 feet;

thence South 85 degrees 20 minutes 12 seconds West, a distance of 9.15 feet;

thence South 00 degrees 29 minutes 18 seconds East, a distance of 23.07 feet;

thence North 44 degrees 32 minutes 18 seconds East, a distance of 0.71 feet to the east line of the west 75 feet of said Section 1;

thence coincident with said east line of the west 75 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 291.36 feet;

thence South 33 degrees 42 minutes 20 seconds West, a distance of 14.34 feet;

thence South 00 degrees 23 minutes 27 seconds East, a distance of 1.50 feet;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 1.97 feet to the east line of the west 65 feet of said Section 1,

thence coincident with said east line of the west 65 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 273.28 feet;

thence departing said east line of the west 65 feet, North 29 degrees 05 minutes 39 seconds West, a distance of 12.42 feet;

thence North 00 degrees 23 minutes 27 seconds West, a distance of 14.09 feet;

thence South 89 degrees 47 minutes 17 seconds West, a distance of 4.84 feet;

thence North 00 degrees 12 minutes 43 seconds West, a distance of 8.00 feet;

thence North 89 degrees 47 minutes 17 seconds East, a distance of 4.82 feet;

thence North 00 degrees 23 minutes 27 seconds West, a distance of 64.26 feet;

thence South 89 degrees 21 minutes 04 seconds West, a distance of 24.94 feet;

thence North 00 degrees 38 minutes 56 seconds West, a distance of 8.00 feet;

thence North 89 degrees 21 minutes 04 seconds East, a distance of 24.97 feet;

thence North 00 degrees 23 minutes 27 seconds West, a distance of 171.99 feet;

thence North 33 degrees 42 minutes 20 seconds East, a distance of 14.45 feet;  
thence North 00 degrees 29 minutes 18 seconds West, a distance of 310.78 feet;  
thence South 85 degrees 20 minutes 12 seconds West, a distance of 130.72 feet;  
thence South 00 degrees 22 minutes 14 seconds East, a distance of 154.97 feet;  
thence South 07 degrees 45 minutes 15 seconds East, a distance of 31.23 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 243.33 feet;  
thence South 89 degrees 24 minutes 12 seconds East, a distance of 5.58 feet;  
thence South 00 degrees 35 minutes 48 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 24 minutes 12 seconds West, a distance of 5.44 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 218.01 feet;  
thence North 89 degrees 25 minutes 32 seconds East, a distance of 6.88 feet;  
thence South 00 degrees 34 minutes 28 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 25 minutes 32 seconds West, a distance of 6.91 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 217.95 feet;  
thence South 89 degrees 57 minutes 32 seconds East, a distance of 6.91 feet;  
thence South 00 degrees 02 minutes 28 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 57 minutes 32 seconds West, a distance of 6.85 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 219.01 feet;  
thence North 88 degrees 49 minutes 43 seconds East, a distance of 6.88 feet;  
thence South 01 degrees 10 minutes 17 seconds East, a distance of 8.00 feet;  
thence South 88 degrees 49 minutes 43 seconds West, a distance of 6.99 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 218.01 feet;  
thence North 89 degrees 30 minutes 27 seconds East, a distance of 6.91 feet;  
thence South 00 degrees 29 minutes 33 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 30 minutes 27 seconds West, a distance of 6.93 feet;

thence South 00 degrees 22 minutes 29 seconds East, a distance of 121.89 feet;  
thence South 89 degrees 19 minutes 07 seconds West, a distance of 6.05 feet;  
thence South 00 degrees 22 minutes 47 seconds East, a distance of 98.08 feet;  
thence North 88 degrees 40 minutes 11 seconds East, a distance of 10.70 feet;  
thence South 01 degrees 19 minutes 49 seconds East, a distance of 8.00 feet;  
thence South 88 degrees 40 minutes 11 seconds West, a distance of 10.83 feet;  
thence South 00 degrees 22 minutes 47 seconds East, a distance of 228.11 feet to the **Point of Beginning** of Easement Parcel 6;

Also,

Commencing at the Southeast corner of said Section 35, a Maricopa County Highway Department brass cap in hand hole at station 36+94.69, and from which the East Quarter corner of said Section 35, a Maricopa County Engineering Department brass cap in pot hole at station 63+53.78, bears North 00 degrees 03 minutes 53 seconds East (NAD83 basis of bearings), a distance of 2659.09 feet;

thence coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 192.24 feet to station 38+86.93 and **Point "G"** of this description;

thence North 89 degrees 56 minutes 07 seconds West, a distance of 75.00 feet to the west line of the east 75 feet of said Section 35 and the **Point of Beginning** of Easement Parcel 7;

thence coincident with said west line of the east 75 feet, North 00 degrees 03 minutes 53 seconds East, a distance of 201.70 feet;

thence departing said west line of the east 75 feet, North 45 degrees 08 minutes 44 seconds East, a distance of 9.66 feet;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 3.16 feet to the west line of the east 65 feet of said Section 35;

thence coincident with said west line of the east 65 feet, North 00 degrees 03 minutes 53 seconds East, a distance of 904.46 feet;

thence departing said west line of the east 65 feet, North 89 degrees 13 minutes 11 seconds East, a distance of 12.00 feet;

thence South 00 degrees 46 minutes 49 seconds East, a distance of 12.00 feet;

thence South 89 degrees 13 minutes 11 seconds West, a distance of 6.21 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 203.01 feet;

thence South 89 degrees 45 minutes 15 seconds East, a distance of 6.08 feet;

thence South 00 degrees 14 minutes 45 seconds West, a distance of 8.00 feet;

thence North 89 degrees 45 minutes 15 seconds West, a distance of 6.05 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 222.00 feet;

thence North 89 degrees 59 minutes 25 seconds East, a distance of 5.95 feet;

thence South 00 degrees 00 minutes 35 seconds East, a distance of 8.00 feet;

thence South 89 degrees 59 minutes 25 seconds West, a distance of 5.96 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 206.03 feet;

thence South 89 degrees 37 minutes 54 seconds East, a distance of 6.03 feet;

thence South 00 degrees 22 minutes 06 seconds West, a distance of 8.00 feet;

thence North 89 degrees 37 minutes 54 seconds West, a distance of 5.99 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 18.30 feet;

thence South 89 degrees 58 minutes 54 seconds East, a distance of 124.00 feet to the East line of the West 65 feet of said Section 36;

thence coincident with said East line of the West 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet;

thence departing said East line of the West 65 feet, North 89 degrees 58 minutes 54 seconds West, a distance of 124.00 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 213.96 feet;

thence South 45 degrees 08 minutes 44 seconds West, a distance of 14.18 feet;

thence South 00 degrees 05 minutes 23 seconds West, a distance of 196.35 feet;

thence North 89 degrees 54 minutes 37 seconds West, a distance of 5.88 feet to the **Point of Beginning** of Easement Parcel 7;

Also,

Commencing at **Point "G"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 111.02 feet to Station 39+97.95 and **Point "H"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 8;

thence departing said east line of the west 65 feet, South 89 degrees 48 minutes 50 seconds West, a distance of 7.10 feet;

thence North 00 degrees 11 minutes 10 seconds West, a distance of 8.00 feet;

thence North 89 degrees 48 minutes 50 seconds East, a distance of 7.14 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 8;

Also,

Commencing at **Point "H"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 219.02 feet to Station 42+16.97 and **Point "I"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 9;

thence departing said east line of the west 65 feet, North 89 degrees 57 minutes 36 seconds West, a distance of 11.38 feet;

thence North 00 degrees 02 minutes 24 seconds East, a distance of 8.00 feet;

thence South 89 degrees 57 minutes 36 seconds East, a distance of 11.39 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 9;

Also,

Commencing at **Point "I"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 220.00 feet to Station 44+36.97 and **Point "J"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 10;

thence departing said east line of the west 65 feet, North 89 degrees 55 minutes 01 seconds West, a distance of 12.22 feet;

thence North 00 degrees 04 minutes 59 seconds East, a distance of 8.00 feet;

thence South 89 degrees 55 minutes 01 seconds East, a distance of 12.22 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 10;

Also,

Commencing at **Point "J"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 219.96 feet to Station 46+56.93 and **Point "L"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 12;

thence departing said east line of the west 65 feet, South 89 degrees 56 minutes 27 seconds West, a distance of 12.33 feet;

thence North 00 degrees 03 minutes 33 seconds West, a distance of 8.00 feet;

thence North 89 degrees 56 minutes 27 seconds East, a distance of 12.35 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 12;

Also,

Commencing at **Point "L"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 220.06 feet to Station 48+76.99 and **Point "M"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 71.00 feet to the east line of the west 71 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 13;

thence departing said east line of the west 65 feet, North 89 degrees 50 minutes 13 seconds West, a distance of 3.99 feet;

thence North 00 degrees 09 minutes 47 seconds East, a distance of 8.00 feet;

thence South 89 degrees 50 minutes 13 seconds East, a distance of 3.97 feet to the east line of the west 71 feet of Section 36;

thence coincident with said East line of the West 71 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 13;

Also,

Commencing at **Point "M"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 26.98 feet to Station 49+03.97 and **Point "N"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 71.00 feet to the east line of the west 71 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 14;

thence coincident with said east line of the west 71 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet;

thence departing said east line of the west 71 feet, North 89 degrees 56 minutes 07 seconds West, a distance of 13.18 feet;

thence North 00 degrees 03 minutes 53 seconds East, a distance of 8.00 feet;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 13.18 feet to the **Point of Beginning** of Easement Parcel 14;

Also,

Commencing at **Point "N"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 289.92 feet to Station 51+93.89 and **Point "O"** of this description;

thence North 89 degrees 56 minutes 07 seconds West, a distance of 48.03 feet to the **Point of Beginning** of Easement Parcel 15;

thence North 89 degrees 13 minutes 59 seconds West, a distance of 13.05 feet;

thence North 00 degrees 46 minutes 01 seconds East, a distance of 8.00 feet;

thence South 89 degrees 13 minutes 59 seconds East, a distance of 4.96 feet;

thence North 00 degrees 04 minutes 18 seconds East, a distance of 182.04 feet;

thence North 89 degrees 33 minutes 20 seconds West, a distance of 5.02 feet;

thence North 00 degrees 26 minutes 40 seconds East, a distance of 8.00 feet;

thence South 89 degrees 33 minutes 20 seconds East, a distance of 4.97 feet;  
thence North 00 degrees 04 minutes 18 seconds East, a distance of 173.94 feet;  
thence South 88 degrees 53 minutes 30 seconds West, a distance of 4.90 feet;  
thence North 01 degrees 06 minutes 30 seconds West, a distance of 8.00 feet;  
thence North 88 degrees 53 minutes 30 seconds East, a distance of 5.06 feet;  
thence North 00 degrees 04 minutes 18 seconds East, a distance of 190.01 feet;  
thence South 89 degrees 35 minutes 37 seconds West, a distance of 5.04 feet;  
thence North 00 degrees 24 minutes 23 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 35 minutes 37 seconds East, a distance of 5.11 feet;  
thence North 00 degrees 02 minutes 32 seconds East, a distance of 63.62 feet;  
thence North 89 degrees 24 minutes 21 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 02 minutes 32 seconds West, a distance of 67.68 feet;  
thence South 00 degrees 04 minutes 18 seconds West, a distance of 574.12 feet to the **Point of Beginning** of Easement Parcel 15;

Also,

Commencing at **Point "O"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 471.07 feet to Station 56+64.96 and **Point "P"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 16;

thence departing said east line of the west 65 feet, South 88 degrees 55 minutes 35 seconds West, a distance of 4.97 feet;

thence North 00 degrees 03 minutes 35 seconds East, a distance of 203.15 feet;

thence North 87 degrees 19 minutes 42 seconds West, a distance of 4.46 feet;

thence North 02 degrees 40 minutes 18 seconds East, a distance of 14.00 feet;

thence South 87 degrees 19 minutes 42 seconds East, a distance of 3.82 feet;

thence North 00 degrees 03 minutes 35 seconds East, a distance of 168.92 feet;

thence South 89 degrees 21 minutes 11 seconds West, a distance of 5.32 feet;  
thence North 00 degrees 38 minutes 49 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 21 minutes 11 seconds East, a distance of 5.42 feet;  
thence North 00 degrees 03 minutes 35 seconds East, a distance of 66.31 feet;  
thence North 29 degrees 11 minutes 43 seconds West, a distance of 13.34 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 116.12 feet;  
thence North 89 degrees 20 minutes 14 seconds West, a distance of 4.75 feet;  
thence North 00 degrees 39 minutes 46 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 20 minutes 14 seconds East, a distance of 4.67 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 89.17 feet;  
thence South 88 degrees 18 minutes 40 seconds West, a distance of 8.14 feet;  
thence North 01 degrees 41 minutes 20 seconds West, a distance of 8.00 feet;  
thence North 88 degrees 18 minutes 40 seconds East, a distance of 8.39 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 22.85 feet;  
thence South 89 degrees 53 minutes 25 seconds West, a distance of 25.01 feet;  
thence North 00 degrees 06 minutes 35 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 53 minutes 25 seconds East, a distance of 25.04 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 23.11 feet;  
thence South 89 degrees 47 minutes 31 seconds West, a distance of 8.65 feet;  
thence North 00 degrees 21 minutes 00 seconds East, a distance of 26.59 feet;  
thence South 89 degrees 45 minutes 21 seconds East, a distance of 8.52 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 12.27 feet;  
thence South 89 degrees 40 minutes 57 seconds West, a distance of 8.78 feet;  
thence North 00 degrees 19 minutes 03 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 40 minutes 57 seconds East, a distance of 8.83 feet;

thence North 00 degrees 03 minutes 36 seconds East, a distance of 126.65 feet;

thence North 89 degrees 08 minutes 02 seconds West, a distance of 10.91 feet;

thence North 00 degrees 03 minutes 21 seconds East, a distance of 271.02 feet;

thence North 05 degrees 27 minutes 33 seconds West, a distance of 25.17 feet;

thence North 00 degrees 05 minutes 20 seconds East, a distance of 1200.11 feet;

thence North 89 degrees 52 minutes 34 seconds West, a distance of 73.00 feet to the west line of the east 33 feet of Section 35;

thence coincident with said west line of the east 33 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 33 feet, South 89 degrees 52 minutes 34 seconds East, a distance of 73.09 feet;

thence North 01 degrees 23 minutes 04 seconds East, a distance of 139.51 feet;

thence North 11 degrees 33 minutes 56 seconds East, a distance of 84.10 feet to the east line of the west 60 feet of said Section 36;

thence coincident with said east line of the west 60 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 40.19;

thence departing said east line of the west 60 feet, South 11 degrees 33 minutes 56 seconds West, a distance of 44.01 feet;

thence South 01 degrees 23 minutes 04 seconds West, a distance of 22.52 feet;

thence North 89 degrees 46 minutes 35 seconds East, a distance of 4.94 feet;

thence South 00 degrees 13 minutes 25 seconds East, a distance of 8.00 feet;

thence South 89 degrees 46 minutes 35 seconds West, a distance of 5.17 feet;

thence South 01 degrees 23 minutes 04 seconds West, a distance of 42.57 feet;

thence South 89 degrees 33 minutes 24 seconds East, a distance of 10.42 feet;

thence South 00 degrees 05 minutes 00 seconds West, a distance of 30.06 feet;

thence North 89 degrees 36 minutes 55 seconds West, a distance of 11.10 feet;

thence South 01 degrees 23 minutes 04 seconds West, a distance of 39.50 feet;

thence South 00 degrees 05 minutes 20 seconds West, a distance of 102.92 feet;  
thence South 89 degrees 19 minutes 29 seconds East, a distance of 4.03 feet;  
thence South 00 degrees 40 minutes 31 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 19 minutes 29 seconds West, a distance of 3.95 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 35.50 feet;  
thence South 66 degrees 02 minutes 51 seconds East, a distance of 8.59 feet;  
thence South 23 degrees 57 minutes 09 seconds West, a distance of 8.00 feet;  
thence North 66 degrees 02 minutes 51 seconds West, a distance of 5.05 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 165.73 feet;  
thence South 89 degrees 52 minutes 17 seconds East, a distance of 4.08 feet;  
thence South 00 degrees 07 minutes 43 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 52 minutes 17 seconds West, a distance of 4.07 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 106.45 feet;  
thence North 89 degrees 07 minutes 51 seconds East, a distance of 12.04 feet;  
thence South 00 degrees 05 minutes 00 seconds West, a distance of 8.00 feet;  
thence South 89 degrees 07 minutes 51 seconds West, a distance of 12.04 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 95.53 feet;  
thence North 89 degrees 06 minutes 47 seconds East, a distance of 4.02 feet;  
thence South 00 degrees 53 minutes 13 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 06 minutes 47 seconds West, a distance of 4.15 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 136.04 feet;  
thence North 89 degrees 57 minutes 08 seconds East, a distance of 6.08 feet;  
thence South 00 degrees 02 minutes 52 seconds East, a distance of 14.00 feet;  
thence South 89 degrees 57 minutes 08 seconds West, a distance of 6.11 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 59.97 feet;

thence North 89 degrees 08 minutes 09 seconds East, a distance of 4.08 feet;  
thence South 00 degrees 51 minutes 51 seconds East, a distance of 11.19 feet;  
thence South 89 degrees 39 minutes 18 seconds East, a distance of 5.71 feet;  
thence South 00 degrees 20 minutes 42 seconds West, a distance of 27.68 feet;  
thence North 88 degrees 43 minutes 38 seconds West, a distance of 9.85 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 151.28 feet;  
thence North 89 degrees 20 minutes 41 seconds East, a distance of 4.70 feet;  
thence South 00 degrees 39 minutes 19 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 20 minutes 41 seconds West, a distance of 4.80 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 20.10 feet;  
thence South 89 degrees 10 minutes 05 seconds East, a distance of 4.14 feet;  
thence South 00 degrees 49 minutes 55 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 10 minutes 05 seconds West, a distance of 4.04 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 209.98 feet;  
thence North 89 degrees 45 minutes 12 seconds East, a distance of 3.88 feet;  
thence South 00 degrees 14 minutes 48 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 45 minutes 12 seconds West, a distance of 3.92 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 2.81 feet;  
thence South 05 degrees 27 minutes 33 seconds East, a distance of 21.33 feet;  
thence North 89 degrees 55 minutes 25 seconds East, a distance of 10.06 feet;  
thence South 00 degrees 05 minutes 00 seconds West, a distance of 8.00 feet;  
thence South 89 degrees 55 minutes 25 seconds West, a distance of 9.68 feet;  
thence South 00 degrees 03 minutes 21 seconds West, a distance of 259.33 feet;  
thence South 89 degrees 08 minutes 02 seconds East, a distance of 9.56 feet to the east line of the west  
60 feet of said Section 36;

thence coincident with said east line of the west 60 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 37.35 feet;

thence departing said east line of the west 60 feet, South 45 degrees 05 minutes 58 seconds East, a distance of 1.93 feet;

thence South 00 degrees 03 minutes 36 seconds West, a distance of 103.22 feet;

thence South 44 degrees 54 minutes 02 seconds West, a distance of 2.00 feet to the east line of the west 60 feet of said Section 36;

thence coincident with said east line of the west 60 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 96.37 feet to the east-west mid-section line of said Section 36;

thence continuing coincident with said east line of the west 60 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 210.73 feet;

thence North 89 degrees 43 minutes 05 seconds East, a distance of 1.47 feet;

thence South 00 degrees 03 minutes 36 seconds West, a distance of 4.06 feet;

thence South 29 degrees 11 minutes 43 seconds East, a distance of 7.22 feet to the east line of the west 65 feet of said Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 285.50 feet;

thence departing said east line of the west 65 feet, South 44 degrees 56 minutes 07 seconds East, a distance of 4.26 feet;

thence South 00 degrees 03 minutes 35 seconds West, a distance of 83.96 feet;

thence South 45 degrees 03 minutes 53 seconds West, a distance of 4.27 feet to the east line of the west 65 feet of said Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 92.23 feet to the **Point of Beginning** of Easement Parcel 16;

Also,

Commencing at **Point "P"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 688.07 feet to Station 63+53.03 and **Point "Q"** of this description;

thence North 89 degrees 56 minutes 07 seconds West, a distance of 56.86 feet to the **Point of Beginning** of Easement Parcel 17;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 199.96 feet;

thence North 89 degrees 18 minutes 37 seconds West, a distance of 3.12 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 18 minutes 37 seconds East, a distance of 3.12 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 219.04 feet;

thence North 89 degrees 40 minutes 01 seconds West, a distance of 3.10 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 40 minutes 01 seconds East, a distance of 3.09 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 210.03 feet;

thence North 88 degrees 25 minutes 47 seconds West, a distance of 3.07 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 13.39 feet;

thence departing said west line of the east 60 feet, South 89 degrees 50 minutes 05 seconds East, a distance of 3.07 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 180.37 feet;

thence North 89 degrees 46 minutes 44 seconds West, a distance of 3.05 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 46 minutes 44 seconds East, a distance of 3.05 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 16.07 feet;

thence South 89 degrees 09 minutes 45 seconds West, a distance of 3.05 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, North 89 degrees 09 minutes 45 seconds East, a distance of 3.04 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 120.71 feet;

thence South 89 degrees 27 minutes 42 seconds West, a distance of 3.03 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 11.50 feet;

thence departing said west line of the east 60 feet, North 89 degrees 27 minutes 42 seconds East, a distance of 3.03 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 73.80 feet;

thence North 89 degrees 44 minutes 50 seconds West, a distance of 3.02 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 44 minutes 50 seconds East, a distance of 3.02 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 33.69 feet;

thence North 89 degrees 12 minutes 51 seconds West, a distance of 3.02 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 12 minutes 51 seconds East, a distance of 3.01 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 172.28 feet;

thence South 89 degrees 49 minutes 45 seconds West, a distance of 2.99 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, North 89 degrees 49 minutes 45 seconds East, a distance of 2.99 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 210.05 feet;

thence North 89 degrees 00 minutes 18 seconds West, a distance of 2.97 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 00 minutes 18 seconds East, a distance of 2.97 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 14.82 feet;

thence North 89 degrees 20 minutes 32 seconds West, a distance of 2.97 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 18.00 feet;

thence departing said west line of the east 60 feet, North 89 degrees 12 minutes 40 seconds East, a distance of 10.97 feet;

thence South 00 degrees 04 minutes 36 seconds West, a distance of 1557.89 feet;

thence South 89 degrees 18 minutes 30 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 17;

Also,

Commencing at the Northwest corner of said Section 1, also being the Southeast corner of said Section 35, a Maricopa County Highway Department brass cap in hand hole at station 100+00.00, and from which the North Quarter corner of said Section 1, a City of Chandler brass cap in hand hole at station 126+50.61, bears North 89 degrees 32 minutes 17 seconds East (NAD83 basis of bearings), a distance of 2650.61 feet;

thence coincident with the north line of the Northwest Quarter of said Section 1, North 89 degrees 32 minutes 17 seconds East, a distance of 189.14 feet to station 101+89.14 and **Point "R"** of this description;

thence North 00 degrees 27 minutes 43 seconds West, a distance of 75.00 feet to the north line of the south 75 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 18;

thence coincident with said north line of the south 75 feet, North 89 degrees 32 minutes 23 seconds East, a distance of 231.55 feet;

thence departing said north line of the south 75 feet, South 00 degrees 27 minutes 37 seconds East, a distance of 10.00 feet to the North line of the South 65 feet of said Section 36;

thence coincident with said north line of the south 65 feet, North 89 degrees 32 minutes 23 seconds East, a distance of 859.99 feet;

thence departing said north line of the south 65 feet, North 45 degrees 34 minutes 34 seconds East, a distance of 6.03 feet;

thence South 01 degrees 44 minutes 27 seconds East, a distance of 11.21 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 746.79 feet;

thence South 00 degrees 27 minutes 27 seconds East, a distance of 129.01 feet to the south line of the north 71 feet of said Section 36;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 71 feet, North 00 degrees 27 minutes 27 seconds West, a distance of 129.01 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 107.94 feet;

thence North 45 degrees 36 minutes 32 seconds West, a distance of 11.25 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 7.39 feet;

thence South 00 degrees 03 minutes 03 seconds East, a distance of 6.72 feet;

thence South 89 degrees 56 minutes 57 seconds West, a distance of 8.00 feet;

thence North 00 degrees 03 minutes 03 seconds West, a distance of 6.67 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 209.95 feet;

thence North 00 degrees 59 minutes 28 seconds West, a distance of 9.02 feet to the **Point of Beginning** of Easement Parcel 18;

Also,

Commencing at **Point "R"**, and coincident with the North line of the Northwest Quarter of said Section 1, North 89 degrees 32 minutes 17 seconds East, a distance of 821.04 feet to Station 110+10.18 and **Point "S"** of this description;

thence South 00 degrees 27 minutes 43 seconds East, a distance of 71.00 feet to the south line of the north 71 feet of said Section 1 and the **Point of Beginning** of Easement Parcel 19;

thence departing said south line of the north 71 feet, North 00 degrees 28 minutes 13 seconds West, a distance of 70.98 feet;

thence North 89 degrees 31 minutes 47 seconds East, a distance of 8.00 feet;

thence South 00 degrees 28 minutes 13 seconds East, a distance of 70.98 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 19;

Also,

Commencing at **Point "S"**, and coincident with the north line of the Northwest Quarter of said Section 1, North 89 degrees 32 minutes 17 seconds East, a distance of 12.59 feet to Station 110+22.77 and **Point "T"** of this description;

thence South 00 degrees 27 minutes 43 seconds East, a distance of 71.00 feet to the south line of the north 71 feet of said Section 1 and the **Point of Beginning** of Easement Parcel 20;

thence departing said south line of the north 71 feet, North 67 degrees 08 minutes 00 seconds East, a distance of 48.28 feet;

thence North 89 degrees 33 minutes 28 seconds East, a distance of 29.44 feet;

thence South 71 degrees 36 minutes 45 seconds East, a distance of 51.60 feet;

thence North 89 degrees 47 minutes 24 seconds East, a distance of 13.27 feet;

thence North 74 degrees 24 minutes 46 seconds East, a distance of 7.72 feet;

thence North 81 degrees 22 minutes 09 seconds East, a distance of 16.87 feet;

thence South 08 degrees 37 minutes 51 seconds East, a distance of 6.14 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 58.00 feet;

thence departing said south line of the north 71 feet, North 71 degrees 36 minutes 45 seconds West, a distance of 32.17 feet;

thence South 89 degrees 33 minutes 28 seconds West, a distance of 26.53 feet;

thence South 67 degrees 08 minutes 00 seconds West, a distance of 27.29 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 20.99 feet to the **Point of Beginning** of Easement Parcel 20;

Also,

Commencing at the Northeast corner of said Section 2, also being the Northwest corner of said Section 1, a Maricopa County Highway Department brass cap in hand hole at station 100+00.00, and from which the North Quarter corner of said Section 2, brass cap in hand hole at station 73+55.13, bears South 89 degrees 29 minutes 27 seconds West (NAD83 basis of bearings) a distance of 2644.87 feet, South 89 degrees 29 minutes 29 seconds West (Record - MCR 521-06);

Thence coincident with the north line of the Northeast Quarter of said Section 2, South 89 degrees 29 minutes 27 seconds West, a distance of 292.77 feet to station 97+07.23 and **Point "U"** of this description;

thence North 00 degrees 30 minutes 33 seconds West, a distance of 65.00 feet to the north line of the south 65 feet of said Section 35 and the **Point of Beginning** of Easement Parcel 21;

thence departing said north line of the south 65 feet, South 00 degrees 46 minutes 12 seconds West, a distance of 5.97 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 113.24 feet;

thence South 00 degrees 34 minutes 02 seconds East, a distance of 92.04 feet to the south line of the north 33 feet of said Section 2;

thence coincident with said south line of the north 33 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 33 feet, North 00 degrees 34 minutes 00 seconds West, a distance of 92.04 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 310.61 feet;

thence south 02 degrees 02 minutes 36 seconds East, a distance of 3.74 feet;

thence South 87 degrees 57 minutes 24 seconds West, a distance of 8.00 feet;

thence North 02 degrees 02 minutes 36 seconds West, a distance of 3.96 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 97.25 feet;

thence North 00 degrees 30 minutes 33 seconds West, a distance of 5.94 feet to the north line of the south 65 feet of said Section 35;

thence coincident with said north line of the south 65 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 537.23 feet to the **Point of Beginning** of Easement Parcel 21;

Also,

Commencing at **Point "U"**, and coincident with the north line of the Northwest Quarter of said Section 1, South 89 degrees 29 minutes 27 seconds West, a distance of 314.75 feet to Station 93+92.48 and **Point "V"** of this description;

thence South 00 degrees 30 minutes 33 seconds East, a distance of 66.51 feet to the **Point of Beginning** of Easement Parcel 22;

thence South 44 degrees 29 minutes 29 seconds West, a distance of 11.30 feet;

thence South 89 degrees 34 minutes 24 seconds West, a distance of 101.13 feet;

thence North 45 degrees 30 minutes 31 seconds West, a distance of 4.75 feet to the south line of the north 71 feet of said Section 2;

thence coincident with said south line of the north 71 feet, South 89 degrees 29 minutes 29 seconds West, a distance of 221.19 feet;

thence departing said south line of the north 71 feet, North 40 degrees 18 minutes 30 seconds West, a distance of 4.08 feet;

thence North 88 degrees 56 minutes 51 seconds West, a distance of 32.17 feet;

thence South 39 degrees 59 minutes 31 seconds West, a distance of 5.27 feet to the south line of the north 71 feet of said Section 2;

thence coincident with said south line of the north 71 feet, South 89 degrees 29 minutes 29 seconds West, a distance of 75.61 feet;

thence departing said south line of the north 71 feet, North 00 degrees 30 minutes 31 seconds West, a distance of 1.55 feet;

thence North 89 degrees 31 minutes 43 seconds East, a distance of 21.19 feet;

thence North 00 degrees 33 minutes 20 seconds West, a distance of 22.62 feet;

thence North 89 degrees 26 minutes 40 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 33 minutes 20 seconds East, a distance of 22.63 feet;  
thence North 89 degrees 31 minutes 43 seconds East, a distance of 37.19 feet;  
thence North 39 degrees 59 minutes 31 seconds East, a distance of 13.95 feet;  
thence North 89 degrees 31 minutes 43 seconds East, a distance of 39.60 feet;  
thence South 40 degrees 18 minutes 30 seconds East, a distance of 7.99 feet;  
thence North 89 degrees 33 minutes 55 seconds East, a distance of 114.03 feet;  
thence North 00 degrees 34 minutes 56 seconds West, a distance of 15.56 feet;  
thence North 89 degrees 25 minutes 04 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 34 minutes 56 seconds East, a distance of 15.58 feet;  
thence North 89 degrees 33 minutes 55 seconds East, a distance of 20.56 feet;  
thence South 75 degrees 08 minutes 42 seconds East, a distance of 10.91 feet;  
thence North 73 degrees 57 minutes 00 seconds East, a distance of 10.81 feet;  
thence North 89 degrees 34 minutes 24 seconds East, a distance of 163.82 feet to the **Point of Beginning** of Easement Parcel 22;

Also,

Commencing at **Point "V"**, and coincident with the north line of said Section 2, South 89 degrees 29 minutes 27 seconds West, a distance of 726.27 feet to Station 86+65.76 and **Point "W"** of this description;

thence South 00 degrees 30 minutes 33 seconds East, a distance of 65.00 feet to the intersection of the South line of the North 65 feet of said Section 1 and the east line of the Consolidated Canal as recorded in Maricopa County Records Book 134, Page 5, and the **Point of Beginning** of Easement Parcel 23;

thence coincident with said east line of the Consolidated Canal, North 23 degrees 18 minutes 29 seconds East, a distance 4.02 feet;

thence South 82 degrees 57 minutes 02 seconds East, a distance of 13.21 feet;

thence North 89 degrees 33 minutes 52 seconds East, a distance of 10.65 feet;

thence North 00 degrees 20 minutes 19 seconds West, a distance of 29.50 feet;

thence North 89 degrees 39 minutes 41 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 20 minutes 19 seconds East, a distance of 29.49 feet;  
thence North 89 degrees 33 minutes 52 seconds East, a distance of 54.07 feet;  
thence North 00 degrees 30 minutes 23 seconds West, a distance of 18.46 feet;  
thence North 89 degrees 29 minutes 37 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 30 minutes 23 seconds East, a distance of 18.47 feet;  
thence North 89 degrees 33 minutes 52 seconds East, a distance of 171.12 feet;  
thence South 59 degrees 04 minutes 02 seconds East, a distance of 3.11 feet to the south line of the north 65 feet of said Section 2;  
thence coincident with said south line of the North 65 feet, South 89 degrees 29 minutes 29 seconds West, a distance of 269.22 feet to the **Point of Beginning** of Easement Parcel 23;

Also,

Commencing at **Point "W"**, and coincident with the north line of the Northwest Quarter of said Section 1, South 89 degrees 29 minutes 27 seconds West, a distance of 102.61 feet to Station 85+63.15 and **Point "X"** of this description;

thence South 00 degrees 30 minutes 33 seconds East, a distance of 48.72 feet to the west line of the Consolidated Canal as recorded in Maricopa County Records Book 134, Page 5, and the **Point of Beginning** of Easement Parcel 24;

thence coincident with said west line, South 23 degrees 57 minutes 27 seconds West, a distance of 1.40 feet to the intersection of the south line of the north 50 feet of said Section 2 and the west line of said Consolidated Canal;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 13.64 feet;

thence departing said south line of the north 50 feet, North 61 degrees 33 minutes 13 seconds West, a distance of 6.20 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 55.66 feet;

thence South 00 degrees 30 minutes 09 seconds East, a distance of 3.00 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 28.34 feet;

thence departing said south line of the north 50 feet, North 00 degrees 30 minutes 57 seconds West, a distance of 2.99 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 100.78 feet;

thence South 00 degrees 30 minutes 49 seconds East, a distance of 2.99 feet to the south line of the south 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 50 feet, North 00 degrees 30 minutes 49 seconds West, a distance of 2.99 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 59.04 feet;

thence South 00 degrees 14 minutes 43 seconds East, a distance of 2.98 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 21.01 feet;

thence departing said south line of the north 50 feet, North 01 degrees 04 minutes 40 seconds West, a distance of 2.98 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 532.55 feet;

thence South 00 degrees 30 minutes 27 seconds East, a distance of 2.94 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 27.50 feet;

thence departing said south line of the north 50 feet, North 00 degrees 30 minutes 57 seconds West, a distance of 2.94 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 117.87 feet;

thence South 00 degrees 22 minutes 57 seconds East, a distance of 5.93 feet;

thence South 89 degrees 37 minutes 03 seconds West, a distance of 8.00 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 5.91 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 12.57 feet;

thence South 00 degrees 24 minutes 24 seconds East, a distance of 8.55 feet;

thence South 89 degrees 35 minutes 36 seconds West, a distance of 13.66 feet;

thence North 00 degrees 06 minutes 00 seconds West, a distance of 8.52 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 18.64 feet;

thence North 73 degrees 38 minutes 17 seconds West, a distance of 24.27 feet;

thence South 84 degrees 52 minutes 18 seconds West, a distance of 77.91 feet;

thence South 01 degrees 17 minutes 22 seconds West, a distance of 3.69 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 50 feet, North 01 degrees 17 minutes 22 seconds East, a distance of 3.50 feet;

thence North 89 degrees 03 minutes 43 seconds West, a distance of 66.41 feet;

thence South 85 degrees 45 minutes 58 seconds West, a distance of 9.61 feet to the west line of the Northeast Quarter of said Section 2;

thence coincident with said west line of the Northeast Quarter, North 00 degrees 23 minutes 09 seconds West, a distance of 8.02 feet;

thence North 85 degrees 45 minutes 58 seconds East, a distance of 5.54 feet;

thence North 00 degrees 04 minutes 23 seconds West, a distance of 102.08 feet to the north line of the south 65 feet of said Section 35;

thence coincident with said north line of the south 65 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 8.00 feet;

thence departing said north line of the south 65 feet, South 00 degrees 04 minutes 23 seconds East, a distance of 101.93 feet;

thence South 89 degrees 03 minutes 43 seconds East, a distance of 66.47 feet;

thence North 84 degrees 52 minutes 18 seconds East, a distance of 82.79 feet;

thence South 73 degrees 38 minutes 17 seconds East, a distance of 24.61 feet;

thence North 89 degrees 29 minutes 11 seconds East, a distance of 740.32 feet;

thence North 02 degrees 00 minutes 02 seconds West, a distance of 104.06 feet to the north line of the south 65 feet of said Section 35;

thence coincident with said north line of the south 65 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 8.00 feet;

thence departing said north line of the south 65 feet, South 02 degrees 00 minutes 02 seconds East, a distance of 104.05 feet;

thence North 89 degrees 29 minutes 11 seconds East, a distance of 256.16 feet;

thence South 61 degrees 33 minutes 13 seconds East, a distance of 20.09 feet to the **Point of Beginning** of Easement Parcel 24;

Also,

Commencing at the Northwest corner of said Section 2, a City of Chandler brass cap in hand hole at station 47+11.54, from which the North Quarter corner of said Section 2, a brass cap in hand hole at station 73+55.13, bears North 89 degrees 31 minutes 10 seconds East (NAD83 basis of bearings);

thence coincident with the north line of the Northwest Quarter of said Section 2, North 89 degrees 31 minutes 10 seconds East, a distance of 1303.20 feet to station 60+14.74 and **Point "Y"** of this description;

thence South 00 degrees 28 minutes 50 seconds East, a distance of 55.04 feet to the **Point of Beginning** of Easement Parcel 25;

thence North 89 degrees 12 minutes 58 seconds East, a distance of 14.65 feet;

thence North 00 degrees 18 minutes 09 seconds West, a distance of 11.97 feet;

thence North 89 degrees 32 minutes 15 seconds East, a distance of 98.19 feet;

thence South 67 degrees 58 minutes 54 seconds East, a distance of 33.94 feet;

thence North 89 degrees 31 minutes 03 seconds East, a distance of 344.32 feet;

thence South 00 degrees 26 minutes 40 seconds East, a distance of 9.00 feet to the south line of the north 65 feet of said Section 2;

thence coincident with said south line of the north 65 feet, South 89 degrees 31 minutes 10 seconds West, a distance of 343.53 feet;

thence departing said south line of the north 65 feet, North 67 degrees 58 minutes 54 seconds West, a distance of 36.52 feet;

thence South 89 degrees 32 minutes 15 seconds West, a distance of 42.48 feet;



thence South 00 degrees 33 minutes 37 seconds East, a distance of 10.99 feet;  
thence South 89 degrees 26 minutes 23 seconds West, a distance of 8.00 feet;  
thence North 00 degrees 33 minutes 37 seconds West, a distance of 11.00 feet;  
thence South 89 degrees 32 minutes 15 seconds West, a distance of 38.15 feet;  
thence South 00 degrees 18 minutes 09 seconds East, a distance of 8.74 feet;  
thence South 21 degrees 46 minutes 56 seconds West, a distance of 5.69 feet to the south line of the north 65 feet of said Section 2;;  
thence coincident with said south line of the north 65 feet, South 89 degrees 31 minutes 11 seconds West, a distance of 10.55 feet;  
thence departing said south line of the north 65 feet, North 68 degrees 13 minutes 04 seconds West, a distance of 5.23 feet;  
thence South 89 degrees 12 minutes 58 seconds West, a distance of 5.04 feet;  
thence North 00 degrees 47 minutes 02 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 25.

## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A"



REGISTRATION  
EXPIRES: 03-31-10

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202

IN CASE OF CONFLICT BETWEEN  
A TIE AND A STATION / OFFSET,  
THE TIE WILL HOLD

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION

- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY


DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 3000'</u>	SHEET	<u>1</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 3




- L1 N00° 22' 34" W 8.00' (C)
- L2 N89° 01' 03" E 8.03' (C)
- L3 S00° 58' 57" E 8.00' (C)
- L4 S89° 01' 03" W 8.11' (C)



SALT RIVER PROJECT A.I. & POWER DISTRICT	
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY	
DESIGNED <u>D. SMITH</u>	AGENT <u>TILLER</u>
DRAWN <u>G. GREEN</u>	APPROVED: _____
DATE <u>4-07-09</u>	APPROVED: _____
SCALE <u>1" = 50'</u>	SHEET <u>2</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 4




## MATCH SHEET 2

- L5 N00° 22' 34" W 8.00' (C)
- L6 N89° 37' 26" E 10.17' (C)
- L7 S00° 22' 34" E 8.00' (C)
- L8 S89° 37' 26" W 10.17' (C)
- L9 N00° 22' 34" W 8.00' (C)
- L10 N89° 08' 35" E 12.03' (C)
- L11 S00° 51' 25" E 8.00' (C)
- L12 S89° 08' 35" W 12.10' (C)
- L13 S89° 35' 17" W 8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>3</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 5



## MATCH SHEET 3

- L14 N00° 22' 34" W 8.00' (C)
- L15 N89° 44' 20" E 12.02' (C)
- L16 S00° 15' 40" E 8.00' (C)
- L17 S89° 44' 20" W 12.00' (C)
- L18 N88° 47' 40" W 7.82' (C)
- L19 N44° 37' 26" E 3.93' (C)
- L20 S89° 41' 23" E 5.04' (C)
- L21 S45° 22' 34" E 4.35' (C)
- L22 S44° 37' 26" W 4.36' (C)
- L23 S00° 22' 34" E 6.05' (C)
- L24 N89° 41' 23" W 1.95' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET 4 OF 40	

# EXHIBIT "A"

## MATCH SHEET 6



## MATCH SHEET 4

L25	N88° 40' 11"E	10.70' (C)
L26	S01° 19' 49"E	8.00' (C)
L27	S88° 40' 11"W	10.83' (C)
L28	N15° 20' 44"W	7.19' (C)
L29	S88° 58' 18"W	1.18' (C)
L30	S89° 37' 03"W	5.15' (C)
L31	N00° 22' 57"W	8.00' (C)
L32	N89° 37' 03"E	5.15' (C)
L33	S89° 39' 20"W	7.00' (C)
L34	N00° 20' 40"W	8.00' (C)
L35	N89° 39' 20"E	6.99' (C)



SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>5</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 7



MCR  
521-06

MCR  
506-33

FLINTLOCK  
WAY

REM.  
DKT. 2007  
-0424713  
MCR


- L36 N89° 37' 26" E 6.00' (C)
- L37 N89° 30' 27" E 6.91' (C)
- L38 S00° 29' 33" E 8.00' (C)
- L39 S89° 30' 27" W 6.93' (C)
- L40 S89° 19' 07" W 6.05' (C)
- L41 N89° 58' 38" W 5.10' (C)
- L42 N00° 01' 22" E 8.00' (C)
- L43 S89° 58' 38" E 5.04' (C)
- L44 N44° 40' 09" E 6.97' (C)
- L45 S89° 14' 08" W 9.95' (C)
- L46 N00° 45' 52" W 8.00' (C)
- L47 N89° 14' 08" E 10.00' (C)
- L48 S45° 42' 09" E 8.44' (C)
- L49 S00° 22' 45" E 15.44' (C)
- L50 N89° 46' 23" E 14.12' (C)
- L51 S00° 13' 37" E 8.00' (C)
- L52 S89° 46' 23" W 14.09' (C)
- L53 S44° 40' 09" W 6.97' (C)
- L54 S00° 24' 41" E 13.36' (C)
- L55 N89° 25' 39" E 4.91' (C)
- L56 S00° 22' 34" E 8.00' (C)
- L57 S89° 25' 39" W 4.91' (C)

## MATCH SHEET 5

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>6</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 8




## MATCH SHEET 6

L58	S89° 57' 32" E	6.91' (C)
L59	S00° 02' 28" W	8.00' (C)
L60	N89° 57' 32" W	6.85' (C)
L61	N88° 49' 43" E	6.88' (C)
L62	S01° 10' 17" E	8.00' (C)
L63	S88° 49' 43" W	6.99' (C)
L64	S88° 33' 12" W	9.91' (C)
L65	N01° 26' 48" W	8.00' (C)
L66	N88° 33' 12" E	10.06' (C)
L67	N00° 23' 17" W	8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT	
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY	
DESIGNED	D. SMITH
DRAWN	G. GREEN
DATE	4-07-09
SCALE	1" = 50'
AGENT	TILLER
APPROVED:	_____
APPROVED:	_____
SHEET <u>7</u> OF <u>40</u>	

# EXHIBIT "A"

## MATCH SHEET 9



## MATCH SHEET 7

L68	N89° 25' 32" E	6.88' (C)
L69	S00° 34' 28" E	8.00' (C)
L70	S89° 25' 32" W	6.91' (C)
L71	S89° 47' 15" W	9.99' (C)
L72	N00° 12' 45" W	8.00' (C)
L73	N89° 47' 15" E	11.99' (C)
L74	N29° 05' 39" W	12.42' (C)
L75	N00° 23' 27" W	14.09' (C)
L76	S89° 47' 17" W	4.84' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>8</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 10



## MATCH SHEET 8

L77	S89° 24' 12" E	5.58' (C)
L78	S00° 35' 48" W	8.00' (C)
L79	N89° 24' 12" W	5.44' (C)
L80	N00° 12' 43" W	8.00' (C)
L81	N89° 47' 17" E	4.82' (C)
L82	S89° 21' 04" W	24.94' (C)
L83	N00° 38' 56" W	8.00' (C)
L84	N89° 21' 04" E	24.97' (C)
L85	N33° 42' 20" E	14.45' (C)
L86	S33° 42' 20" W	14.34' (C)
L389	S00° 23' 27" E	1.50' (C)
L390	S89° 37' 26" W	1.97' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>9</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 11




- L87 S89° 37' 26" W 2.87' (C)
- L88 N07° 45' 15" W 31.48' (C)
- L89 S85° 20' 12" W 13.25' (C)
- L90 N45° 26' 32" W 13.94' (C)
- L91 S75° 35' 17" E 15.33' (C)
- L92 N85° 20' 12" E 10.67' (C)
- L93 S65° 10' 26" E 11.06' (C)
- L94 S44° 32' 18" W 3.16' (C)
- L95 N65° 10' 26" W 10.98' (C)
- L96 S85° 20' 12" W 9.15' (C)
- L97 S00° 29' 18" E 23.07' (C)
- L98 N44° 32' 18" E 0.71' (C)


SALT RIVER PROJECT A. I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>10 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 12




- L99 N32°04'14"E 15.72' (C)
- L100 S45°11'52"E 8.20' (C)
- L101 S32°04'14"W 11.58' (C)
- L102 N89°54'37"W 5.88' (C)



SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>11</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 13



## MATCH SHEET 11

L103	N45° 08' 44" E	9.66' (C)
L104	S45° 08' 44" W	14.18' (C)
L105	S89° 48' 50" W	7.10' (C)
L106	N00° 11' 10" W	8.00' (C)
L107	N89° 48' 50" E	7.14' (C)
L108	S00° 03' 53" W	8.00' (C)
L109	N89° 57' 36" W	11.38' (C)
L110	N00° 02' 24" E	8.00' (C)
L111	S89° 57' 36" E	11.39' (C)
L112	S00° 03' 53" W	8.00' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>12 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 14



## MATCH SHEET 12

L115	$S00^{\circ}03'53''W$	8.00' (C)
L116	$N89^{\circ}55'01''W$	12.22' (C)
L117	$N00^{\circ}04'59''E$	8.00' (C)
L118	$S89^{\circ}55'01''E$	12.22' (C)
L119	$S00^{\circ}03'53''W$	8.00' (C)
L395	$N89^{\circ}59'25''E$	5.95' (C)
L396	$S00^{\circ}00'35''E$	8.00' (C)
L397	$S89^{\circ}59'25''W$	5.96' (C)
L398	$S89^{\circ}37'54''E$	6.03' (C)
L399	$S00^{\circ}22'06''W$	8.00' (C)
L400	$N89^{\circ}37'54''W$	5.99' (C)
L401	$S00^{\circ}03'41''W$	18.30' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>13</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 15



## MATCH SHEET 13

L124	S89° 56' 27" W	12.33' (C)
L125	N00° 03' 33" W	8.00' (C)
L126	N89° 56' 27" E	12.35' (C)
L127	S00° 03' 53" W	8.00' (C)
L392	S89° 45' 15" E	6.08' (C)
L393	S00° 14' 45" W	8.00' (C)
L394	N89° 45' 15" W	6.05' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>14</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 16



## MATCH SHEET 14



L128	S00° 03' 53" W	8.00' (C)
L129	N89° 56' 07" W	13.18' (C)
L130	N00° 03' 53" E	8.00' (C)
L131	S89° 56' 07" E	13.18' (C)
L132	S00° 03' 53" W	10.97' (C)
L133	S00° 03' 53" W	8.00' (C)
L134	N89° 50' 13" W	3.99' (C)
L135	N00° 09' 47" E	8.00' (C)
L136	S89° 50' 13" E	3.97' (C)
L389	N89° 13' 11" E	12.00' (C)
L390	S00° 46' 49" E	12.00' (C)
L391	S89° 13' 11" W	6.21' (C)

SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>15 OF 40</u>

EXHIBIT "A"  
MATCH SHEET 17



REM. DKT.  
2003-  
1369175  
MCR

MCR  
483-48

MATCH SHEET 15

- L137 N89° 13' 59" W 13.05' (C)
- L138 N00° 46' 01" E 8.00' (C)
- L139 S89° 13' 59" E 4.96' (C)
- L140 N89° 33' 20" W 5.02' (C)
- L141 N00° 26' 40" E 8.00' (C)
- L142 S89° 33' 20" E 4.97' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>16 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 18



## MATCH SHEET 16

L143	S88°53'30"W	4.90' (C)
L144	N01°06'30"W	8.00' (C)
L145	N88°53'30"E	5.06' (C)
L146	S89°35'37"W	5.04' (C)
L147	N00°24'23"W	8.00' (C)
L148	N89°35'37"E	5.11' (C)
L149	S45°03'53"W	4.27' (C)
L150	S88°55'35"W	4.97' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>17 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 19



## MATCH SHEET 17

- L151 N89°24'21"E 8.00' (C)
- L152 N87°19'42"W 4.46' (C)
- L153 N02°40'18"E 14.00' (C)
- L154 S87°19'42"E 3.82' (C)
- L155 S89°21'11"W 5.32' (C)
- L156 N00°38'49"W 8.00' (C)
- L157 N89°21'11"E 5.42' (C)
- L158 S44°56'07"E 4.26' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>18 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 20



## MATCH SHEET 18

- L159 S89°18'30"W 8.00' (C)
- L160 N29°11'43"W 13.34' (C)
- L161 N89°20'14"W 4.75' (C)
- L162 N00°39'46"E 8.00' (C)
- L163 S89°20'14"E 4.67' (C)
- L164 S88°18'40"W 8.14' (C)
- L165 N01°41'20"W 8.00' (C)
- L166 N88°18'40"E 8.39' (C)
- L167 N00°03'36"E 22.85' (C)
- L168 N89°43'05"E 1.47' (C)
- L169 S00°03'36"W 4.06' (C)
- L170 S29°11'43"E 7.22' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>19</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 21



MATCH SHEET 19

- L171 S89° 53' 25" W 25.01' (C)
- L172 N00° 06' 35" W 8.00' (C)
- L173 N89° 53' 25" E 25.04' (C)
- L174 N00° 03' 36" E 23.11' (C)
- L175 S89° 47' 31" W 8.65' (C)
- L176 N00° 21' 00" E 26.59' (C)
- L177 S89° 45' 21" E 8.52' (C)
- L178 N00° 03' 36" E 12.27' (C)
- L179 S89° 40' 57" W 8.78' (C)
- L180 N00° 19' 03" W 8.00' (C)
- L181 N89° 40' 57" E 8.83' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	20 OF 40

# EXHIBIT "A"

## MATCH SHEET 22




## MATCH SHEET 20

L187	N89° 40' 01" W	3.10' (C)
L188	N00° 05' 00" E	8.00' (C)
L189	S89° 40' 01" E	3.09' (C)
L190	N05° 27' 33" W	25.17' (C)
L191	N89° 45' 12" E	3.88' (C)
L192	S00° 14' 48" E	8.00' (C)
L193	S89° 45' 12" W	3.92' (C)
L194	S00° 05' 20" W	2.81' (C)
L195	S05° 27' 33" E	21.33' (C)
L196	N89° 55' 25" E	10.06' (C)
L197	S00° 05' 00" W	8.00' (C)
L198	S89° 55' 25" W	9.68' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>21</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 23




## MATCH SHEET 21

L199	N88° 25' 47" W	3.07' (C)
L200	N00° 05' 00" E	13.39' (C)
L201	S89° 50' 05" E	3.07' (C)
L202	N89° 46' 44" W	3.05' (C)
L203	N00° 05' 00" E	8.00' (C)
L204	S89° 46' 44" E	3.05' (C)
L205	N00° 04' 36" E	16.07' (C)
L206	S89° 09' 45" W	3.05' (C)
L207	N00° 05' 00" E	8.00' (C)
L208	N89° 09' 45" E	3.04' (C)
L209	N89° 20' 41" E	4.70' (C)
L210	S00° 39' 19" E	8.00' (C)
L211	S89° 20' 41" W	4.80' (C)
L212	S00° 05' 20" W	20.10' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>22 OF 40</u>

L213	S89° 10' 05" E	4.14' (C)
L214	S00° 49' 55" W	8.00' (C)
L215	N89° 10' 05" W	4.04' (C)

EXHIBIT "A"  
MATCH SHEET 24



L230	S00°02'52"E	14.00' (C)
L231	S89°57'08"W	6.11' (C)
L232	S00°05'20"W	59.97' (C)
L233	N89°08'09"E	4.08' (C)
L234	S00°51'51"E	11.19' (C)
L235	S89°39'18"E	5.71' (C)
L236	S00°20'42"W	27.68' (C)
L237	N88°43'38"W	9.85' (C)

L216	S89°27'42"W	3.03' (C)
L217	N00°05'00"E	11.50' (C)
L218	N89°27'42"E	3.03' (C)
L219	N89°44'50"W	3.02' (C)
L220	N00°05'00"E	8.00' (C)
L221	S89°44'50"E	3.02' (C)
L222	N00°04'36"E	33.69' (C)
L223	N89°12'51"W	3.02' (C)
L224	N00°05'00"E	8.00' (C)
L225	S89°12'51"E	3.01' (C)
L226	N89°06'47"E	4.02' (C)
L227	S00°53'13"E	8.00' (C)
L228	S89°06'47"W	4.15' (C)
L229	N89°57'08"E	6.08' (C)


SALT RIVER PROJECT A.I. & POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	
DATE	4-07-09	APPROVED:	
SCALE	1" = 50'	SHEET	23 OF 40

# EXHIBIT "A"

## MATCH SHEET 25




## MATCH SHEET 23

L238	S89° 49' 45" W	2.99' (C)
L239	N00° 05' 00" E	8.00' (C)
L240	N89° 49' 45" E	2.99' (C)
L241	N89° 00' 18" W	2.97' (C)
L242	N00° 05' 00" E	8.00' (C)
L243	S89° 00' 18" E	2.97' (C)
L244	N00° 04' 36" E	14.82' (C)
L245	N89° 20' 32" W	2.97' (C)
L246	N00° 05' 00" E	18.00' (C)
L247	S89° 52' 17" E	4.08' (C)
L248	S00° 07' 43" W	8.00' (C)
L249	N89° 52' 17" W	4.07' (C)
L250	N89° 07' 51" E	12.04' (C)
L251	S00° 05' 00" W	8.00' (C)
L252	S89° 07' 51" W	12.04' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>24</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 26



## MATCH SHEET 24


- L253 N89°12'40"E 10.97' (C)
- L254 N00°05'00"E 8.00' (C)
- L255 S01°23'04"W 42.57' (C)
- L256 S89°33'24"E 10.42' (C)
- L257 S00°05'00"W 30.06' (C)
- L258 N89°36'55"W 11.10' (C)
- L259 S89°19'29"E 4.03' (C)
- L260 S00°40'31"W 8.00' (C)
- L261 N89°19'29"W 3.95' (C)
- L262 S00°05'20"W 35.50' (C)
- L263 S66°02'51"E 8.59' (C)
- L264 S23°57'09"W 8.00' (C)
- L265 N66°02'51"W 5.05' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET 25 OF 40	

# EXHIBIT "A"



MATCH SHEET 25

N01°23'04"E  
139.51' (C)

L266 S01°23'04"W 22.52' (C)  
L267 N89°46'35"E 4.94' (C)  
L268 S00°13'25"E 8.00' (C)  
L269 S89°46'35"W 5.17' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>26</u> OF <u>40</u>

# EXHIBIT "A"

MATCH SHEET 10



MATCH SHEET 28



- L270 N45° 36' 32" W 11.25' (C)
- L271 S89° 32' 33" W 7.39' (C)
- L272 S00° 03' 03" E 6.72' (C)
- L273 S89° 56' 57" W 8.00' (C)
- L274 N00° 03' 03" W 6.67' (C)
- L275 N00° 59' 28" W 9.02' (C)
- L276 S00° 27' 37" E 10.00' (C)
- L277 S00° 27' 43" E 1.18' (C)
- L278 S00° 48' 25" E 1.54' (C)
- L279 S89° 32' 17" W 21.18' (C)
- L280 N00° 17' 29" W 1.33' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED <u>D. SMITH</u>	AGENT <u>TILLER</u>	
DRAWN <u>G. GREEN</u>	APPROVED: _____	
DATE <u>4-07-09</u>	APPROVED: _____	
SCALE <u>1" = 50'</u>	SHEET <u>27</u> OF <u>40</u>	

# EXHIBIT "A"



MCR  
483-48

N89° 32' 23" E ..... 859.99' (C) .....

107.94' (C)  
S89° 32' 33" W

S89° 32' 33" W

746.79' (C)

65'

MATCH SHEET 27

N00° 27' 27" W  
129.01' (C)

S00° 27' 27" E  
129.01' (C)

N89° 32' 17" E  
NORTH LINE OF THE  
NW 1/4 OF SECTION 1

PECOS RD.

71'

MATCH SHEET 29

L282

105+38.47  
71.00' R

L281

105+27.62  
71.00' R

MCR  
941-43


L281 S89° 32' 17" W 8.00' (C)  
L282 S47° 25' 38" E 12.15' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>28 OF 40</u>

# EXHIBIT "A"




L283	N89° 31' 47" E	8.00' (C)
L284	S89° 32' 17" W	8.00' (C)
L285	N89° 32' 17" E	4.59' (C)
L286	N67° 08' 00" E	48.28' (C)
L287	N89° 33' 28" E	29.44' (C)
L288	S71° 36' 45" E	51.60' (C)
L289	N71° 36' 45" W	32.17' (C)
L290	S89° 33' 28" W	26.53' (C)
L291	S67° 08' 00" W	27.29' (C)
L292	S89° 32' 17" W	20.99' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>29</u> OF <u>40</u>

# EXHIBIT "A"



- L293 N45° 34' 34" E 6.03' (C)
- L294 S01° 44' 27" E 11.21' (C)
- L295 N89° 47' 24" E 13.27' (C)
- L296 N74° 24' 46" E 7.72' (C)
- L297 N81° 22' 09" E 16.87' (C)
- L298 S08° 37' 51" E 6.14' (C)
- L299 S89° 32' 17" W 58.00' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>30 OF 40</u>


# EXHIBIT "A"

MATCH SHEET 32

MATCH SHEET 10



- L300 N00° 30' 33" W 8.30' (C)
- L301 S77° 55' 16" E 8.18' (C)
- L302 S00° 46' 12" W 5.97' (C)
- L303 S89° 29' 27" W 8.00' (C)



SALT RIVER PROJECT A.1.  
& POWER DISTRICT


---

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

---

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	31 OF 40

# EXHIBIT "A"




- L304 S02° 02' 36" E 3.74' (C)
- L305 S87° 57' 24" W 8.00' (C)
- L306 N02° 02' 36" W 3.96' (C)
- L307 S75° 08' 42" E 10.91' (C)
- L308 N73° 57' 00" E 10.81' (C)
- L309 S44° 29' 29" W 11.30' (C)
- L310 N45° 30' 31" W 4.75' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>32 OF 40</u>


# EXHIBIT "A"

REM.  
DKT. 1997-  
0303781  
MCR



MATCH SHEET 34

MATCH SHEET 32





- L311 N00° 30' 33" W 5.94' (C)
- L312 N40° 18' 30" W 4.08' (C)
- L313 N88° 56' 51" W 32.17' (C)
- L314 S39° 59' 31" W 5.27' (C)
- L315 N00° 30' 31" W 1.55' (C)
- L316 N89° 31' 43" E 21.19' (C)
- L317 N00° 33' 20" W 22.62' (C)
- L318 N89° 26' 40" E 8.00' (C)
- L319 S00° 33' 20" E 22.63' (C)
- L320 N89° 31' 43" E 37.19' (C)
- L321 N39° 59' 31" E 13.95' (C)
- L322 N89° 31' 43" W 39.60' (C)
- L323 S40° 18' 30" E 7.99' (C)
- L324 N00° 34' 56" W 15.56' (C)
- L325 N89° 25' 04" E 8.00' (C)
- L326 S00° 34' 56" E 15.58' (C)
- L327 N89° 33' 55" E 20.56' (C)
- L328 S59° 04' 02" E 3.11' (C)

MCR 521-06

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>33</u> OF <u>40</u>

# EXHIBIT "A"





- L329 N23° 18' 29" E 4.02' (C)
- L330 S82° 57' 02" E 13.21' (C)
- L331 N89° 33' 52" E 10.65' (C)
- L332 N00° 20' 19" W 29.50' (C)
- L333 N89° 39' 41" E 8.00' (C)
- L334 S00° 20' 19" E 29.49' (C)
- L335 N89° 33' 52" E 54.07' (C)
- L336 N00° 30' 23" W 18.46' (C)
- L337 N89° 29' 37" E 8.00' (C)
- L338 S00° 30' 23" E 18.47' (C)
- L339 S61° 33' 13" E 20.09' (C)
- L340 S23° 57' 27" W 1.40' (C)
- L341 S89° 29' 27" W 13.64' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>34</u> OF <u>40</u>

# EXHIBIT "A"

MATCH SHEET 36

TRACT  
3  
MCR  
312-22



MATCH SHEET 34

REM. DKT. 2008-  
0286612 MCR


- L342 N61° 33' 13" W 6.20' (C)
- L343 S00° 30' 09" E 3.00' (C)
- L344 S89° 29' 27" W 28.34' (C)
- L345 N00° 30' 57" W 2.99' (C)
- L346 S00° 30' 49" E 2.99' (C)
- L347 S89° 29' 27" W 8.00' (C)
- L348 N00° 30' 49" W 2.99' (C)
- L349 S00° 14' 43" E 2.98' (C)
- L350 S89° 29' 27" E 21.01' (C)
- L351 N01° 04' 40" W 2.98' (C)
- L352 N89° 29' 27" E 8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>35 OF 40</u>

# EXHIBIT "A"


MATCH SHEET 37

MATCH SHEET 35



SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY




DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>36</u> OF <u>40</u>


# EXHIBIT "A"

MATCH SHEET 38

MATCH SHEET 36




- L353 S00° 30' 27" E 2.94' (C)
- L354 S89° 29' 27" W 27.50' (C)
- L355 N00° 30' 57" W 2.94' (C)
- L356 S00° 22' 57" E 5.93' (C)
- L357 S89° 37' 03" W 8.00' (C)



SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>37</u> OF <u>40</u>

# EXHIBIT "A"




DKT. 88-396520  
AND  
DKT. 87-749775  
MCR

MATCH SHEET 37

- L358 N00° 22' 57" W 5.91' (C)
- L359 S89° 29' 11" W 12.57' (C)
- L360 S00° 24' 24" E 8.55' (C)
- L361 S89° 35' 36" W 13.66' (C)
- L362 N00° 06' 00" W 8.52' (C)
- L363 S89° 29' 11" W 18.64' (C)
- L364 N73° 38' 17" W 24.27' (C)
- L365 S01° 17' 22" W 3.69' (C)
- L366 S89° 29' 27" W 8.00' (C)
- L367 N01° 17' 22" E 3.50' (C)
- L368 S85° 45' 58" W 9.61' (C)
- L369 N00° 23' 09" W 8.02' (C)
- L370 N85° 45' 58" E 5.54' (C)
- L371 N89° 29' 27" E 8.00' (C)
- L372 S73° 38' 17" E 24.61' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>38</u> OF <u>40</u>

# EXHIBIT "A"




MATCH SHEET 40

- L373  $N67^{\circ}58'54''W$  36.52' (C)
- L374  $S89^{\circ}32'15''W$  42.48' (C)
- L375  $S00^{\circ}33'37''E$  10.99' (C)
- L376  $S89^{\circ}26'23''W$  8.00' (C)
- L377  $N00^{\circ}33'37''W$  11.00' (C)
- L378  $S89^{\circ}32'15''W$  38.15' (C)
- L379  $S00^{\circ}18'09''E$  8.74' (C)
- L380  $S21^{\circ}46'56''W$  5.69' (C)
- L381  $S89^{\circ}31'11''W$  10.55' (C)
- L382  $N68^{\circ}13'04''W$  5.23' (C)
- L383  $S89^{\circ}12'58''W$  5.04' (C)
- L384  $N00^{\circ}47'02''W$  8.00' (C)
- L385  $N89^{\circ}12'58''E$  14.65' (C)
- L386  $N00^{\circ}18'09''W$  11.97' (C)
- L387  $S67^{\circ}58'54''E$  33.94' (C)


SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>39 OF 40</u>

# EXHIBIT "A"

MATCH SHEET 39



L388 S00° 26' 40" E 9.00' (C)



SALT RIVER PROJECT A. I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>40 OF 40</u>

## Exhibit "A1"

A parcel of land being a portion of the Southeast Quarter of Section 35, Township 1 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the East Quarter corner of said Section 35, a Maricopa County Engineering Department brass cap in hand hole, from which the Center of said Section 35, a chiseled cross, bears South 89 degrees 18 minutes 30 seconds West (NAD83 basis of bearings), a distance of 2635.59 feet;

Thence coincident with the mid-section line of said Section 35, South 89 degrees 18 minutes 30 seconds West, a distance of 48.86 feet to the **Point of Beginning** of the easement described herein;

thence departing said mid-section line, South 00 degrees 04 minutes 36 seconds West, a distance of 11.80 feet;

thence South 00 degrees 10 minutes 04 seconds East, a distance of 184.39 feet;

thence South 00 degrees 02 minutes 32 seconds West, a distance of 321.26 to the south line of "Vacant Parcel" as recorded in Docket 1997-0237662 Maricopa County Records (MCR);

thence coincident with said south line of Docket 1997-0237662, South 89 degrees 24 minutes 21 seconds West, a distance of 8.00 feet;

thence departing said south line, North 00 degrees 02 minutes 32 seconds East, a distance of 117.34 feet;

thence South 89 degrees 05 minutes 01 seconds West, a distance of 4.93 feet;

thence North 00 degrees 54 minutes 59 seconds West, a distance of 8.00 feet;

thence North 89 degrees 05 minutes 01 seconds East, a distance of 5.06 feet;

thence North 00 degrees 02 minutes 32 seconds East, a distance of 192.04 feet;

thence North 89 degrees 20 minutes 36 seconds West, a distance of 4.93 feet;

thence North 00 degrees 39 minutes 24 seconds East, a distance of 8.00 feet;

thence South 89 degrees 20 minutes 36 seconds East, a distance of 4.83 feet;

thence North 00 degrees 10 minutes 04 seconds West, a distance of 176.38 feet;

thence North 89 degrees 23 minutes 46 seconds West, a distance of 5.46 feet;

thence North 00 degrees 36 minutes 14 seconds East, a distance of 8.00 feet;

thence South 89 degrees 23 minutes 46 seconds East, a distance of 5.37 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 7.67 feet to the north line of "Vacant Parcel" as recorded in Docket 1997-0237662 MCR;

thence coincident with said north line, North 89 degrees 18 minutes 30 seconds East, a distance of 8.00 feet to the **Point of Beginning**.


## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A1"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION

- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>4</u>

# EXHIBIT "A1"


C1/4COR  
 SEC 35  
 FD.CHISELED  
 CROSS

FRYE RD.

E1/4COR  
 SEC 35  
 FD.BC FLUSH

S89° 18' 30" W 2635.59'

RESIDENCE  
 PCL  
 DKT. 1997-  
 0237662  
 MCR





VACANT PCL  
 DKT. 1997-0237662  
 MCR

S00° 03' 53" W 2659.09'

COOPER RD.

SECOR  
 SEC 35  
 FD.BCHH



SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
 COOPER / PECOS  
 SE1/4, SEC35, T1S, R5E  
 OVERHEAD AND UNDERGROUND ELECTRIC  
 POWER LINE RIGHT-OF-WAY  
 MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 200'</u>	SHEET	<u>2</u> OF <u>4</u>

# EXHIBIT "A1"

FRYE RD.  
S89° 18' 30"W  
2635.59'

E1/4COR  
SEC 35  
FD.BC FLUSH

P.O.B.

N89° 18' 30"E  
2635.59'

VACANT PCL  
DKT. 1997-  
0237662  
MCR

RESIDENCE  
PCL  
DKT. 1997-  
0237662  
MCR


33.00'  
(R)

500° 03' 53"W 2659.09'

COOPER RD.


33'

MATCH SHEET 4



NOT TO SCALE

- L1 N89° 20' 36" W 4.93' (C)
- L2 N00° 39' 24" E 8.00' (C)
- L3 S89° 20' 36" E 4.83' (C)
- L4 N89° 23' 46" W 5.46' (C)
- L5 N00° 36' 14" E 8.00' (C)
- L6 S89° 23' 46" E 5.37' (C)
- L7 N00° 04' 36" E 7.67' (C)
- L8 N89° 18' 30" E 8.00' (C)



SALT RIVER PROJECT A.1.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>3</u> OF <u>4</u>


# EXHIBIT "A1"

MATCH SHEET 3

VACANT PCL  
DKT. 1997-  
0237662  
MCR





33'  
33'  
500° 03' 53" W 2659.09'  
COOPER RD.



NOT TO SCALE

- L9 S89° 24' 21" W 8.00' (C)
- L10 S89° 05' 01" W 4.93' (C)
- L11 N00° 02' 32" E 192.04' (C)
- L12 N89° 05' 01" E 5.06' (C)



SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
SE 1/4, SEC 35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>4</u> OF <u>4</u>

## Exhibit "A2"

A parcel of land being a portion of the Northeast Quarter of Section 35, Township 1 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the East Quarter corner of said Section 35, a Maricopa County Engineering Department brass cap in hand hole, from which the Northeast corner of said Section 35, a City of Chandler brass cap in hand hole, bears North 00 degrees 05 minutes 00 seconds East (NAD83 basis of bearings), a distance of 2658.61 feet;

thence coincident with the east line of said Northeast Quarter, North 00 degrees 05 minutes 00 seconds East, a distance of 1557.97 feet;

thence departing said East line, South 89 degrees 12 minutes 40 seconds West, coincident with the south line of Docket 2007-0041981 Maricopa County Records (MCR), a distance of 49.04 feet to the **Point of Beginning** of the easement described herein;

thence continuing coincident with said south line of Docket 2007-0041981, South 89 degrees 12 minutes 40 seconds West, a distance of 8.00 feet;

thence departing said south line, North 00 degrees 04 minutes 36 seconds East, a distance of 186.49 to the Northwest line of Docket 2007-0041981;

thence coincident with said northwest line, North 27 degrees 10 minutes 00 seconds East, a distance of 5.32 feet;

thence continuing coincident with said northwest line, North 32 degrees 16 minutes 00 seconds East, a distance of 10.47 feet;

thence departing said northwest line, South 00 degrees 04 minutes 36 seconds West, a distance of 20.98 feet;


thence South 89 degrees 52 minutes 34 seconds East, a distance of 16.06 feet to the west line of the east 33 feet of said Section 35;

thence coincident with said west line of the east 33 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 33 feet, North 89 degrees 52 minutes 34 seconds West, a distance of 16.06 feet;

thence South 00 degrees 04 minutes 36 seconds West, a distance of 170.99 feet to the **Point of Beginning**.


## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A2"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

### NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

### CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUTES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

### LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION



- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NE 1/4, SEC 35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>3</u>


# EXHIBIT "A2"



SALT RIVER PROJECT A.1. & POWER DISTRICT	
CITY OF CHANDLER COOPER / PECOS NE1/4, SEC35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY	
DESIGNED	<u>D. SMITH</u> AGENT <u>TILLER</u>
DRAWN	<u>G. GREEN</u> APPROVED: _____
DATE	<u>2-04-09</u> APPROVED: _____
SCALE	<u>1" = 100'</u> SHEET <u>2</u> OF <u>3</u>

# EXHIBIT "A2"

DKT.2007-0041981  
MCR




148.95' (R)  
S 89° 12' 40" W

1557.97' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>3</u> OF <u>3</u>



## Exhibit "A3"

A parcel of land being a portion of the Northeast Quarter of Section 2, Township 2 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the Northeast corner of said Section 2, a City of Chandler brass cap in hand hole, from which the North Quarter corner of said Section 2, a brass cap in hand hole, bears South 89 degrees 29 minutes 27 seconds West (NAD83 basis of bearings), a distance of 2644.87 feet;

thence coincident with the north line of said Section 2, South 89 degrees 29 minutes 27 seconds West, a distance of 253.00 feet;

thence departing said north line, coincident with the east line of Docket 2007-0621065 Maricopa County Records (MCR), South 00 degrees 30 minutes 33 seconds East, a distance of 66.70 feet to the **Point of Beginning** of the easement described herein;

thence continuing coincident with said east line, South 00 degrees 30 minutes 33 seconds East, a distance of 8.20 feet;

thence departing said east line, North 77 degrees 55 minutes 16 seconds West, a distance of 13.39;

thence South 83 degrees 19 minutes 23 seconds West, a distance of 18.76 feet;

thence North 86 degrees 52 minutes 35 seconds West, a distance of 58.40 feet to the west line of Parcel 1 as recorded in Docket 2007-0621065 MCR;

thence departing said west line of Parcel 1, North 86 degrees 52 minutes 35 seconds West, a distance of 56.08 feet;

thence North 89 degrees 23 minutes 47 seconds West, a distance of 19.06 feet;

thence North 87 degrees 20 minutes 28 seconds West, a distance of 25.08 feet;

thence South 64 degrees 16 minutes 25 seconds West, a distance of 11.15 feet to the west line of Parcel 2 as recorded in Docket 2007-0621065 MCR;

thence coincident with said west line, North 00 degrees 22 minutes 34 seconds West, a distance of 8.85 feet;

thence departing said west line, North 64 degrees 16 minutes 25 seconds East, a distance of 9.38 feet;

thence South 87 degrees 20 minutes 28 seconds East, a distance of 26.96 feet;

thence South 89 degrees 23 minutes 47 seconds East, a distance of 3.71 feet;

thence North 00 degrees 34 minutes 02 seconds West, a distance of 25.45 feet to the south line of the north 33 feet of said Section 2;

thence coincident with said south line of the north 33 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 8.00 feet;

thence departing said south line of the north 33 feet, South 00 degrees 34 minutes 02 seconds East, a distance of 25.60 feet;

thence South 89 degrees 23 minutes 47 seconds East, a distance of 7.38 feet;

thence South 86 degrees 52 minutes 35 seconds East, a distance of 13.38 feet;

thence North 01 degrees 26 minutes 32 seconds East, a distance of 5.84 feet;

thence South 88 degrees 33 minutes 28 seconds East, a distance of 8.00 feet;

thence South 01 degrees 26 minutes 32 seconds West, a distance of 6.07 feet;


thence South 86 degrees 52 minutes 35 seconds East, a distance of 34.37 feet to the east line of said Parcel 2;

thence departing said east line of Parcel 2, South 86 degrees 52 minutes 35 seconds East, a distance of 58.22 feet;

thence North 83 degrees 19 minutes 23 seconds East, a distance of 19.40 feet;

thence South 77 degrees 55 minutes 16 seconds East, a distance of 12.93 feet to the **Point of Beginning**.

## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A3"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S

KE2-5181,  
KE2-5182,  
KE2-5183

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION



- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF GHANDLER  
COOPER / PECOS  
NE1/4, SEC2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>3</u>

# EXHIBIT "A3"



NE 1/4 COR  
SEC 2  
FD. BCHH

PECOS RD.

NE COR  
SEC 2  
FD. BCHH

2391.87' (C) S 89° 29' 27" W 2644.87' (M) 253.00' (R)

N 00° 22' 34" W  
218.00' (R)

218.00' (R)

N 00° 30' 33" W

251.00' (R)  
S 00° 30' 33" E

200.58' (R)  
N 89° 29' 29" E

2694.69' (M)  
S 00° 22' 34" E

COOPER RD.

PCL. 2  
DKT. 2007-  
0621065  
MCR

PCL. 1  
DKT. 2007-  
0621065  
MCR

E 1/4 COR  
SEC 2  
FD. BCHH

SALT RIVER PROJECT A.I.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
NE 1/4, SEC 2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 100'</u>	SHEET	<u>2 OF 3</u>

# EXHIBIT "A3"

## PECOS RD.


S89° 29' 27" W 2644.87' (M)  
2391.87' (C)



PCL. 2  
DKT. 2007-  
0621065  
MCR

PCL. 1  
DKT. 2007-  
0621065  
MCR

- L1 S00° 30' 33" E 8.20' (C)
- L2 N77° 55' 16" W 13.39' (C)
- L3 S83° 19' 23" W 18.76' (C)
- L4 S64° 16' 25" W 11.15' (C)
- L5 N00° 22' 34" W 8.85' (C)
- L6 N64° 16' 25" E 9.38' (C)
- L7 S87° 20' 28" E 26.96' (C)
- L8 N00° 34' 02" W 25.45' (C)
- L9 N89° 29' 27" E 8.00' (C)
- L10 S00° 34' 02" E 25.60' (C)
- L11 S89° 23' 47" E 7.38' (C)
- L12 S86° 52' 35" E 13.38' (C)
- L13 N01° 26' 32" E 5.84' (C)
- L14 S88° 33' 28" E 8.00' (C)
- L15 S01° 26' 32" W 6.07' (C)
- L16 S86° 52' 35" E 34.37' (C)
- L17 N83° 19' 23" E 19.40' (C)
- L18 S77° 55' 16" E 12.93' (C)
- L19 S89° 23' 47" E 3.71' (C)



SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NE1/4, SEC2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED D.SMITH AGENT TILLER  
DRAWN G.GREEN APPROVED: \_\_\_\_\_  
DATE 4-07-09 APPROVED: \_\_\_\_\_  
SCALE 1" = 30' SHEET 3 OF 3

## Exhibit "A4"

A parcel of land being a portion of the Southeast Quarter of Section 35, Township 1 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the Southeast corner of said Section 35, a City of Chandler brass cap in hand hole, and from which the South Quarter corner of said Section 35, a brass cap in hand hole, bears South 89 degrees 29 minutes 27 seconds West (NAD83 basis of bearings), a distance of 2644.87 feet;

thence coincident with the south line of said Section 35, South 89 degrees 29 minutes 27 seconds West, a distance of 1304.74 feet to the east line of the Consolidated Canal as recorded in Book 134, Page 5, Maricopa County Records (MCR);

thence departing said south line, coincident with the east line of the Consolidated Canal, North 23 degrees 18 minutes 27 seconds East, a distance of 36.07 feet to the north line of the south 33 feet of said Section 35 and the Southwest corner of the remainder of Docket 1997-0303781 MCR;

thence coincident with the north line of the south 33 feet of Section 35, North 89 degrees 29 minutes 27 seconds East, a distance of 328.86 feet to the **Point of Beginning** of the easement described herein;

thence departing said north line, North 00 degrees 22 minutes 54 seconds West, a distance of 26.07 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 24.63 feet;

thence South 60 degrees 56 minutes 46 seconds West, a distance of 12.23 feet;

thence North 65 degrees 03 minutes 50 seconds West, a distance of 13.42 feet;

thence South 89 degrees 29 minutes 52 seconds West, a distance of 155.06 feet;

thence North 00 degrees 34 minutes 46 seconds West, a distance of 2.86 feet;

thence North 89 degrees 13 minutes 31 seconds West, a distance of 51.57 feet;

thence North 00 degrees 46 minutes 29 seconds East, a distance of 8.00 feet;

thence South 89 degrees 13 minutes 31 seconds East, a distance 59.39 feet;

thence South 00 degrees 34 minutes 46 seconds East, a distance of 2.68 feet;

thence North 89 degrees 29 minutes 52 seconds East, a distance of 148.88 feet;



thence South 65 degrees 03 minutes 50 seconds East, a distance of 11.15 feet;  
thence North 60 degrees 56 minutes 46 seconds East, a distance of 10.19 feet;  
thence North 89 degrees 29 minutes 39 seconds East, a distance of 26.68 feet;  
thence North 00 degrees 22 minutes 54 seconds West, a distance of 4.91 feet;  
thence North 89 degrees 37 minutes 06 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 22 minutes 54 seconds East, a distance of 4.89 feet;  
thence North 89 degrees 29 minutes 39 seconds East, a distance of 123.24 feet;  
thence South 00 degrees 30 minutes 33 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 29 minutes 39 seconds West, a distance of 111.86 feet;  
thence South 00 degrees 01 minutes 23 seconds West, a distance of 2.57 feet;  
thence North 89 degrees 58 minutes 37 seconds West, a distance of 8.00 feet;  
thence North 00 degrees 01 minutes 23 seconds East, a distance of 2.50 feet;  
thence South 89 degrees 29 minutes 39 seconds West, a distance of 3.39 feet;  
thence South 00 degrees 22 minutes 54 seconds East, a distance of 26.07 feet to the north line of the South 33 feet of said Section 35;  
thence coincident with said north line of the south 33 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet to the **Point of Beginning**.

## END OF DESCRIPTION





REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A4"





SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS SE1/4, SEC35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>1" = 100'</u>	SHEET	<u>2</u> OF <u>5</u>

# EXHIBIT "A4"



REMAINDER  
DKT. 1997-0303781  
MCR

MATCH SHEET 4





L1	S00° 01' 23" W	2.57' (C)
L2	N89° 58' 37" W	8.00' (C)
L3	N00° 01' 23" E	2.50' (C)
L4	S89° 29' 39" W	3.39' (C)
L5	S00° 22' 54" E	26.07' (C)
L6	S89° 29' 27" W	8.00' (C)
L18	N89° 37' 06" E	8.00' (C)
L19	S00° 22' 54" E	4.89' (C)

SALT RIVER PROJECT A.1.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
SE 1/4, SEC 35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>1" = 10'</u>	SHEET	<u>3</u> OF <u>5</u>

# EXHIBIT "A4"





REMAINDER  
DKT. 1997-0303781  
MCR




- L6 S89° 29' 27" W 8.00' (C)
- L7 N00° 22' 54" W 26.07' (C)
- L8 S89° 29' 39" W 24.63' (C)
- L9 S60° 56' 46" W 12.23' (C)
- L10 N65° 03' 50" W 13.42' (C)
- L14 S65° 03' 50" E 11.15' (C)
- L15 N60° 56' 46" E 10.19' (C)
- L16 N89° 29' 39" E 26.68' (C)
- L17 N00° 22' 54" W 4.91' (C)
- L18 N89° 37' 06" E 8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS SE 1/4, SEC 35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 10'</u>	SHEET	<u>4</u> OF <u>5</u>

# EXHIBIT "A4"



REMAINDER  
DKT. 1997-0303781  
MCR



L11 N00° 34' 46" W 2.86' (C)  
L12 N00° 46' 29" E 8.00' (C)  
L13 S00° 34' 46" E 2.68' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 10'</u>	SHEET	<u>5</u> OF <u>5</u>

## Exhibit "A5"

A parcel of land being a portion of the Northwest Quarter of Section 2, Township 2 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the North Quarter corner of said Section 2, a brass cap in hand hole, from which the Northwest Corner of said Section 2, a City of Chandler brass cap in hand hole, bears South 89 degrees 31 minutes 10 seconds West (NAD83 basis of bearings), a distance of 2643.59 feet;

thence coincident with the mid-section line of said Section 2, South 00 degrees 23 minutes 09 seconds East, a distance of 37.43 feet to the **Point of Beginning** of the easement described herein;

thence continuing coincident with said mid-section line, South 00 degrees 23 minutes 09 seconds East, a distance of 8.02 feet;

thence departing said mid-section line, South 85 degrees 45 minutes 58 seconds West, a distance of 6.73;

thence South 00 degrees 28 minutes 47 seconds East, a distance of 16.19 feet;

thence South 89 degrees 31 minutes 13 seconds West, a distance of 19.34 feet;

thence North 00 degrees 28 minutes 47 seconds West, a distance of 14.92 feet;

thence South 85 degrees 45 minutes 58 seconds West, a distance of 99.71 feet;

thence South 67 degrees 25 minutes 28 seconds West, a distance of 27.35 feet;

thence South 89 degrees 31 minutes 03 seconds West, a distance of 700.86 feet to the west line of Docket 88-396520 Maricopa County Records (MCR);

thence coincident with said west line, North 00 degrees 26 minutes 40 seconds West, a distance of 8.00 feet;

thence departing said west line, North 89 degrees 31 minutes 03 seconds East, a distance of 698.29 feet;

thence North 03 degrees 33 minutes 45 seconds West, a distance of 4.77 feet;


thence North 86 degrees 26 minutes 15 seconds East, a distance of 8.00 feet;

thence South 03 degrees 33 minutes 45 seconds East, a distance of 2.41 feet;

thence North 67 degrees 25 minutes 28 seconds East, a distance of 19.67 feet;

thence North 85 degrees 45 minutes 58 seconds East, a distance of 127.66 feet to the **Point of Beginning**.


## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A5"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION

- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION



THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUTES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NW 1/4, SEC 2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>3</u>

# EXHIBIT "A5"



NWCOR  
SEC 2  
FD.BCHH

PECOS RD.

N1/4COR  
SEC 2  
FD.BCHH

S89°31'10"W 2643.59' (M)

N00°26'40"W  
437.00' (R)

DKT.88-  
396520 AND  
DKT.87-  
749775 MCR

2704.20' (M)


S00°23'09"E

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NW1/4, SEC2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 200'</u>	SHEET	<u>2</u> OF <u>3</u>

# EXHIBIT "A5"




NOT TO SCALE

N1/4COR  
SEC 2  
FD.BCHH

PECOS RD.

S89° 31' 10"W 2643.59' (M)



DKT. 88-396520 AND  
DKT. 87-749775 MCR

L1	S85° 45' 58" W	6.73' (C)
L2	S00° 28' 47" E	16.19' (C)
L3	S89° 31' 13" W	19.34' (C)
L4	N00° 28' 47" W	14.92' (C)
L5	S85° 45' 58" W	99.71' (C)
L6	N89° 31' 03" E	698.29' (C)
L7	N03° 33' 45" W	4.77' (C)
L8	N86° 26' 15" E	8.00' (C)
L9	S03° 33' 45" E	2.41' (C)
L10	N67° 25' 28" E	19.67' (C)

SALT RIVER PROJECT A. I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NW1/4, SEC2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>N.T.S.</u>	SHEET	<u>3</u> OF <u>3</u>

**WHEN RECORDED MAIL TO:**

**SALT RIVER PROJECT**

Land Department/PAB360  
P. O. Box 52025  
Phoenix, Arizona 85072-2025

---

**POWER DISTRIBUTION EASEMENT**

---

Maricopa County  
APN 303-02-009E  
SE4 Sec. 35 T01S R05E

Agt. MNT  
Job # KE2-5181, 5182, 5183  
W MNT C CSB

**CITY OF CHANDLER,  
an Arizona municipal corporation,**

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to **SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT**, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

**Grantor's Property:**

That portion of the Southeast quarter of Section 35, Township 1 South, Range 5 East of the Gila and Salt River Base and Meridian, more particularly described in Instrument No. 97-0303781, records of Maricopa County, Arizona.

**Easement Parcel:**

Said easement described on Exhibit A4, attached hereto and by this reference made a part hereof.

**CAUTION:** Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation. Notice is also hereby given that any activity performed within the Easement Parcel shall comply with the Arizona Overhead Powerline Safety Law, Arizona Revised Statutes 40-360.41-45.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings provided however, that such clear areas shall be confined to within the Easement Parcel. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or lower ground level by more than one (1) foot of cut or raise ground level by more than two (2) feet of fill, within the area of the Easement Parcel. Grantor reserves the right to use the Easement Parcel for such purposes as landscaping, paved parking, vehicle parking, sidewalks and/or driveways, provided these do not interfere with the efficient and safe operation and maintenance of Grantee's Facilities, including access thereto. Buildings, above-ground structures, or pools are prohibited.

Grantee shall have the right to construct, modify and maintain access openings, at its expense, at such locations and of such dimensions as determined by Grantee and Grantor in existing or future walls or fences within the Easement Parcel. Grantor shall not unreasonably withhold said approval. Grantor shall have the right to install gates across said openings and Grantor and Grantee shall have the right to use said gates, provided that any locked gates be subject to joint access by Grantor and Grantee by provision of a multiple locking device.

Subject to the provisions set forth herein, Grantor reserves the right to use and occupy the Easement Parcel for any purpose consistent with the rights and privileges above granted, provided, however, that such use shall not unreasonably interfere with Grantee's right and ability to construct, access, maintain and use the Facilities, or endanger any of the Facilities or the use thereof.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.

In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.

The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.



## Exhibit "A4"

A parcel of land being a portion of the Southeast Quarter of Section 35, Township 1 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the Southeast corner of said Section 35, a City of Chandler brass cap in hand hole, and from which the South Quarter corner of said Section 35, a brass cap in hand hole, bears South 89 degrees 29 minutes 27 seconds West (NAD83 basis of bearings), a distance of 2644.87 feet;

thence coincident with the south line of said Section 35, South 89 degrees 29 minutes 27 seconds West, a distance of 1304.74 feet to the east line of the Consolidated Canal as recorded in Book 134, Page 5, Maricopa County Records (MCR);

thence departing said south line, coincident with the east line of the Consolidated Canal, North 23 degrees 18 minutes 27 seconds East, a distance of 36.07 feet to the north line of the south 33 feet of said Section 35 and the Southwest corner of the remainder of Docket 1997-0303781 MCR;

thence coincident with the north line of the south 33 feet of Section 35, North 89 degrees 29 minutes 27 seconds East, a distance of 328.86 feet to the **Point of Beginning** of the easement described herein;

thence departing said north line, North 00 degrees 22 minutes 54 seconds West, a distance of 26.07 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 24.63 feet;

thence South 60 degrees 56 minutes 46 seconds West, a distance of 12.23 feet;

thence North 65 degrees 03 minutes 50 seconds West, a distance of 13.42 feet;

thence South 89 degrees 29 minutes 52 seconds West, a distance of 155.06 feet;

thence North 00 degrees 34 minutes 46 seconds West, a distance of 2.86 feet;

thence North 89 degrees 13 minutes 31 seconds West, a distance of 51.57 feet;

thence North 00 degrees 46 minutes 29 seconds East, a distance of 8.00 feet;

thence South 89 degrees 13 minutes 31 seconds East, a distance 59.39 feet;

thence South 00 degrees 34 minutes 46 seconds East, a distance of 2.68 feet;

thence North 89 degrees 29 minutes 52 seconds East, a distance of 148.88 feet;

thence South 65 degrees 03 minutes 50 seconds East, a distance of 11.15 feet;  
thence North 60 degrees 56 minutes 46 seconds East, a distance of 10.19 feet;  
thence North 89 degrees 29 minutes 39 seconds East, a distance of 26.68 feet;  
thence North 00 degrees 22 minutes 54 seconds West, a distance of 4.91 feet;  
thence North 89 degrees 37 minutes 06 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 22 minutes 54 seconds East, a distance of 4.89 feet;  
thence North 89 degrees 29 minutes 39 seconds East, a distance of 123.24 feet;  
thence South 00 degrees 30 minutes 33 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 29 minutes 39 seconds West, a distance of 111.86 feet;  
thence South 00 degrees 01 minutes 23 seconds West, a distance of 2.57 feet;  
thence North 89 degrees 58 minutes 37 seconds West, a distance of 8.00 feet;  
thence North 00 degrees 01 minutes 23 seconds East, a distance of 2.50 feet;  
thence South 89 degrees 29 minutes 39 seconds West, a distance of 3.39 feet;  
thence South 00 degrees 22 minutes 54 seconds East, a distance of 26.07 feet to the north line of the South 33 feet of said Section 35;  
thence coincident with said north line of the south 33 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet to the **Point of Beginning**.


**END OF DESCRIPTION**



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A4"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION

- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION


THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUTES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

SALT RIVER PROJECT A.I.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>5</u>

# EXHIBIT "A4"



0 50 100





SALT RIVER PROJECT A.I.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
SE 1/4, SEC 35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 100'</u>	SHEET	<u>2</u> OF <u>5</u>

# EXHIBIT "A4"




REMAINDER  
DKT. 1997-0303781  
MCR




- L1 S00° 01' 23" W 2.57' (C)
- L2 N89° 58' 37" W 8.00' (C)
- L3 N00° 01' 23" E 2.50' (C)
- L4 S89° 29' 39" W 3.39' (C)
- L5 S00° 22' 54" E 26.07' (C)
- L6 S89° 29' 27" W 8.00' (C)
- L18 N89° 37' 06" E 8.00' (C)
- L19 S00° 22' 54" E 4.89' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS SE 1/4, SEC 35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 10'</u>	SHEET	<u>3 OF 5</u>

# EXHIBIT "A4"





REMAINDER  
DKT. 1997-0303781  
MCR




- L6  $S89^{\circ}29'27''W$  8.00' (C)
- L7  $N00^{\circ}22'54''W$  26.07' (C)
- L8  $S89^{\circ}29'39''W$  24.63' (C)
- L9  $S60^{\circ}56'46''W$  12.23' (C)
- L10  $N65^{\circ}03'50''W$  13.42' (C)
- L14  $S65^{\circ}03'50''E$  11.15' (C)
- L15  $N60^{\circ}56'46''E$  10.19' (C)
- L16  $N89^{\circ}29'39''E$  26.68' (C)
- L17  $N00^{\circ}22'54''W$  4.91' (C)
- L18  $N89^{\circ}37'06''E$  8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS SE1/4, SEC35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 10'</u>	SHEET <u>4</u> OF <u>5</u>	

# EXHIBIT "A4"



REMAINDER  
DKT. 1997-0303781  
MCR



L11 N00°34'46"W 2.86' (C)  
L12 N00°46'29"E 8.00' (C)  
L13 S00°34'46"E 2.68' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS SE1/4, SEC35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>1" = 10'</u>	SHEET	<u>5</u> OF <u>5</u>

**WHEN RECORDED MAIL TO:**

**SALT RIVER PROJECT**


Land Department/PAB360  
P. O. Box 52025  
Phoenix, Arizona 85072-2025

---

**POWER DISTRIBUTION EASEMENT**

---

Maricopa County  
APN 303-29-010 & 011A  
NW4 Sec. 2 T02S R05E

Agt. MNT  
Job # KE2-5181, 5182, 5183  
W 

**CITY OF CHANDLER,  
an Arizona municipal corporation,**

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to **SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT**, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

**Grantor's Property:**

That portion of the Northwest quarter of Section 2, Township 2 South, Range 5 East of the Gila and Salt River Base and Meridian, more particularly described in Instrument No. 88-0396520 and 87-0749775, records of Maricopa County, Arizona.

**Easement Parcel:**

Said easement described on Exhibit A5, attached hereto and by this reference made a part hereof.

**CAUTION:** Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation. Notice is also hereby given that any activity performed within the Easement Parcel shall comply with the Arizona Overhead Powerline Safety Law, Arizona Revised Statutes 40-360.41-45.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings provided however, that such clear areas shall be confined to within the Easement Parcel. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or lower ground level by more than one (1) foot of cut or raise ground level by more than two (2) feet of fill, within the area of the Easement Parcel. Grantor reserves the right to use the Easement Parcel for such purposes as landscaping, paved parking, vehicle parking, sidewalks and/or driveways, provided these do not interfere with the efficient and safe operation and maintenance of Grantee's Facilities, including access thereto. Buildings, above-ground structures, or pools are prohibited.

Grantee shall have the right to construct, modify and maintain access openings, at its expense, at such locations and of such dimensions as determined by Grantee and Grantor in existing or future walls or fences within the Easement Parcel. Grantor shall not unreasonably withhold said approval. Grantor shall have the right to install gates across said openings and Grantor and Grantee shall have the right to use said gates, provided that any locked gates be subject to joint access by Grantor and Grantee by provision of a multiple locking device.

Subject to the provisions set forth herein, Grantor reserves the right to use and occupy the Easement Parcel for any purpose consistent with the rights and privileges above granted, provided, however, that such use shall not unreasonably interfere with Grantee's right and ability to construct, access, maintain and use the Facilities, or endanger any of the Facilities or the use thereof.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.

In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.

The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.



## Exhibit "A5"

A parcel of land being a portion of the Northwest Quarter of Section 2, Township 2 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the North Quarter corner of said Section 2, a brass cap in hand hole, from which the Northwest Corner of said Section 2, a City of Chandler brass cap in hand hole, bears South 89 degrees 31 minutes 10 seconds West (NAD83 basis of bearings), a distance of 2643.59 feet;

thence coincident with the mid-section line of said Section 2, South 00 degrees 23 minutes 09 seconds East, a distance of 37.43 feet to the **Point of Beginning** of the easement described herein;

thence continuing coincident with said mid-section line, South 00 degrees 23 minutes 09 seconds East, a distance of 8.02 feet;

thence departing said mid-section line, South 85 degrees 45 minutes 58 seconds West, a distance of 6.73;

thence South 00 degrees 28 minutes 47 seconds East, a distance of 16.19 feet;

thence South 89 degrees 31 minutes 13 seconds West, a distance of 19.34 feet;

thence North 00 degrees 28 minutes 47 seconds West, a distance of 14.92 feet;

thence South 85 degrees 45 minutes 58 seconds West, a distance of 99.71 feet;

thence South 67 degrees 25 minutes 28 seconds West, a distance of 27.35 feet;

thence South 89 degrees 31 minutes 03 seconds West, a distance of 700.86 feet to the west line of Docket 88-396520 Maricopa County Records (MCR);

thence coincident with said west line, North 00 degrees 26 minutes 40 seconds West, a distance of 8.00 feet;

thence departing said west line, North 89 degrees 31 minutes 03 seconds East, a distance of 698.29 feet;


thence North 03 degrees 33 minutes 45 seconds West, a distance of 4.77 feet;

thence North 86 degrees 26 minutes 15 seconds East, a distance of 8.00 feet;

thence South 03 degrees 33 minutes 45 seconds East, a distance of 2.41 feet;

thence North 67 degrees 25 minutes 28 seconds East, a distance of 19.67 feet;

# EXHIBIT "A5"




NOT TO SCALE

N1/4COR  
SEC 2  
FD.BCHH

PECOS RD.

S89° 31' 10" W 2643.59' (M)



DKT. 88-396520 AND  
DKT. 87-749775 MCR

L1	S85° 45' 58" W	6.73' (C)
L2	S00° 28' 47" E	16.19' (C)
L3	S89° 31' 13" W	19.34' (C)
L4	N00° 28' 47" W	14.92' (C)
L5	S85° 45' 58" W	99.71' (C)
L6	N89° 31' 03" E	698.29' (C)
L7	N03° 33' 45" W	4.77' (C)
L8	N86° 26' 15" E	8.00' (C)
L9	S03° 33' 45" E	2.41' (C)
L10	N67° 25' 28" E	19.67' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NW1/4, SEC2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>N.T.S.</u>	SHEET	<u>3</u> OF <u>3</u>

**WHEN RECORDED MAIL TO:**

**SALT RIVER PROJECT**


Land Department/PAB360  
P. O. Box 52025  
Phoenix, Arizona 85072-2025

---

**POWER DISTRIBUTION EASEMENT**

---

Maricopa County  
APN 303-02-025S  
SE4 Sec. 35 T01S R05E

Agt. MNT  
Job # KE2-5181, 5182, 5183  
W 

**CITY OF CHANDLER,  
an Arizona municipal corporation,**

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to **SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT**, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

**Grantor's Property:**

That portion of the Southeast quarter of Section 35, Township 1 South, Range 5 East of the Gila and Salt River Base and Meridian, more particularly described as "Vacant Parcel" in Instrument No. 1997-0237662, records of Maricopa County, Arizona.

**Easement Parcel:**

Said easement described on Exhibit A1, attached hereto and by this reference made a part hereof.

**CAUTION:** Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation. Notice is also hereby given that any activity performed within the Easement Parcel shall comply with the Arizona Overhead Powerline Safety Law, Arizona Revised Statutes 40-360.41-45.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings provided however, that such clear areas shall be confined to within the Easement Parcel. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or lower ground level by more than one (1) foot of cut or raise ground level by more than two (2) feet of fill, within the area of the Easement Parcel. Grantor reserves the right to use the Easement Parcel for such purposes as landscaping, paved parking, vehicle parking, sidewalks and/or driveways, provided these do not interfere with the efficient and safe operation and maintenance of Grantee's Facilities, including access thereto. Buildings, above-ground structures, or pools are prohibited.

Grantee shall have the right to construct, modify and maintain access openings, at its expense, at such locations and of such dimensions as determined by Grantee and Grantor in existing or future walls or fences within the Easement Parcel. Grantor shall not unreasonably withhold said approval. Grantor shall have the right to install gates across said openings and Grantor and Grantee shall have the right to use said gates, provided that any locked gates be subject to joint access by Grantor and Grantee by provision of a multiple locking device.

Subject to the provisions set forth herein, Grantor reserves the right to use and occupy the Easement Parcel for any purpose consistent with the rights and privileges above granted, provided, however, that such use shall not unreasonably interfere with Grantee's right and ability to construct, access, maintain and use the Facilities, or endanger any of the Facilities or the use thereof.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.

In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.

The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.



## Exhibit "A1"

A parcel of land being a portion of the Southeast Quarter of Section 35, Township 1 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the East Quarter corner of said Section 35, a Maricopa County Engineering Department brass cap in hand hole, from which the Center of said Section 35, a chiseled cross, bears South 89 degrees 18 minutes 30 seconds West (NAD83 basis of bearings), a distance of 2635.59 feet;

Thence coincident with the mid-section line of said Section 35, South 89 degrees 18 minutes 30 seconds West, a distance of 48.86 feet to the **Point of Beginning** of the easement described herein;

thence departing said mid-section line, South 00 degrees 04 minutes 36 seconds West, a distance of 11.80 feet;

thence South 00 degrees 10 minutes 04 seconds East, a distance of 184.39 feet;

thence South 00 degrees 02 minutes 32 seconds West, a distance of 321.26 to the south line of "Vacant Parcel" as recorded in Docket 1997-0237662 Maricopa County Records (MCR);

thence coincident with said south line of Docket 1997-0237662, South 89 degrees 24 minutes 21 seconds West, a distance of 8.00 feet;

thence departing said south line, North 00 degrees 02 minutes 32 seconds East, a distance of 117.34 feet;

thence South 89 degrees 05 minutes 01 seconds West, a distance of 4.93 feet;

thence North 00 degrees 54 minutes 59 seconds West, a distance of 8.00 feet;

thence North 89 degrees 05 minutes 01 seconds East, a distance of 5.06 feet;

thence North 00 degrees 02 minutes 32 seconds East, a distance of 192.04 feet;

thence North 89 degrees 20 minutes 36 seconds West, a distance of 4.93 feet;

thence North 00 degrees 39 minutes 24 seconds East, a distance of 8.00 feet;

thence South 89 degrees 20 minutes 36 seconds East, a distance of 4.83 feet;

thence North 00 degrees 10 minutes 04 seconds West, a distance of 176.38 feet;

thence North 89 degrees 23 minutes 46 seconds West, a distance of 5.46 feet;

thence North 00 degrees 36 minutes 14 seconds East, a distance of 8.00 feet;

thence South 89 degrees 23 minutes 46 seconds East, a distance of 5.37 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 7.67 feet to the north line of "Vacant Parcel" as recorded in Docket 1997-0237662 MCR;

thence coincident with said north line, North 89 degrees 18 minutes 30 seconds East, a distance of 8.00 feet to the **Point of Beginning**.


## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A1"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUTES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION

- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>4</u>

# EXHIBIT "A1"


C1/4COR  
SEC 35  
FD.CHISELED  
CROSS

FRYE RD.

E1/4COR  
SEC 35  
FD.BC FLUSH

S89° 18' 30"W 2635.59'

RESIDENCE  
PCL  
DKT. 1997-  
0237662  
MCR




VACANT PCL  
DKT. 1997-0237662  
MCR

S00° 03' 53"W 2659.09'

COOPER RD.

SECOR  
SEC 35  
FD.BCHH



SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 200'</u>	SHEET	<u>2</u> OF <u>4</u>

# EXHIBIT "A1"

FRYE RD.  
S89° 18' 30"W  
2635.59'

E1/4COR  
SEC 35  
FD.BC FLUSH

P.O.B.  
N89° 18' 30"E  
2635.59'

VACANT PCL  
DKT. 1997-  
0237662  
MCR

RESIDENCE  
PCL  
DKT. 1997-  
0237662  
MCR

33.00'  
(R)




500° 03' 53"W 2659.09'

COOPER RD.

33'

## MATCH SHEET 4

- L1 N89° 20' 36"W 4.93' (C)
- L2 N00° 39' 24"E 8.00' (C)
- L3 S89° 20' 36"E 4.83' (C)
- L4 N89° 23' 46"W 5.46' (C)
- L5 N00° 36' 14"E 8.00' (C)
- L6 S89° 23' 46"E 5.37' (C)
- L7 N00° 04' 36"E 7.67' (C)
- L8 N89° 18' 30"E 8.00' (C)



NOT TO SCALE

SALT RIVER PROJECT A.1.  
& POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D.SMITH	AGENT	TILLER
DRAWN	G.GREEN	APPROVED:	
DATE	2-04-09	APPROVED:	
SCALE	1" = 50'	SHEET	3 OF 4

# EXHIBIT "A1"

MATCH SHEET 3

VACANT PCL  
DKT. 1997-  
0237662  
MCR




33'

33'


500° 03' 53" W 2659.09'

COOPER RD.



NOT TO SCALE

- L9 S89° 24' 21" W 8.00' (C)
- L10 S89° 05' 01" W 4.93' (C)
- L11 N00° 54' 59" W 8.00' (C)
- L12 N89° 05' 01" E 5.06' (C)



SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
SE1/4, SEC35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>4</u> OF <u>4</u>

**WHEN RECORDED MAIL TO:**

**SALT RIVER PROJECT**


Land Department/PAB360  
P. O. Box 52025  
Phoenix, Arizona 85072-2025

---

**POWER DISTRIBUTION EASEMENT**

---

Maricopa County  
APN 303-29-022H & 022L  
NE4 Sec. 2 T02S R05E

Agt. MNT  
Job # KE2-5181, 5182, 5183  
W 

**CITY OF CHANDLER,  
an Arizona municipal corporation,**

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to **SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT**, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

**Grantor's Property:**

That portion of the Northeast quarter of Section 2, Township 2 South, Range 5 East of the Gila and Salt River Base and Meridian, more particularly described in Instrument No. 2007-0621065, records of Maricopa County, Arizona.

**Easement Parcel:**

Said easement described on Exhibit A3, attached hereto and by this reference made a part hereof.

**CAUTION:** Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation. Notice is also hereby given that any activity performed within the Easement Parcel shall comply with the Arizona Overhead Powerline Safety Law, Arizona Revised Statutes 40-360.41-45.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings provided however, that such clear areas shall be confined to within the Easement Parcel. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or lower ground level by more than one (1) foot of cut or raise ground level by more than two (2) feet of fill, within the area of the Easement Parcel. Grantor reserves the right to use the Easement Parcel for such purposes as landscaping, paved parking, vehicle parking, sidewalks and/or driveways, provided these do not interfere with the efficient and safe operation and maintenance of Grantee's Facilities, including access thereto. Buildings, above-ground structures, or pools are prohibited.

Grantee shall have the right to construct, modify and maintain access openings, at its expense, at such locations and of such dimensions as determined by Grantee and Grantor in existing or future walls or fences within the Easement Parcel. Grantor shall not unreasonably withhold said approval. Grantor shall have the right to install gates across said openings and Grantor and Grantee shall have the right to use said gates, provided that any locked gates be subject to joint access by Grantor and Grantee by provision of a multiple locking device.

Subject to the provisions set forth herein, Grantor reserves the right to use and occupy the Easement Parcel for any purpose consistent with the rights and privileges above granted, provided, however, that such use shall not unreasonably interfere with Grantee's right and ability to construct, access, maintain and use the Facilities, or endanger any of the Facilities or the use thereof.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.

In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.

The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.



thence South 89 degrees 23 minutes 47 seconds East, a distance of 3.71 feet;

thence North 00 degrees 34 minutes 02 seconds West, a distance of 25.45 feet to the south line of the north 33 feet of said Section 2;

thence coincident with said south line of the north 33 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 8.00 feet;

thence departing said south line of the north 33 feet, South 00 degrees 34 minutes 02 seconds East, a distance of 25.60 feet;

thence South 89 degrees 23 minutes 47 seconds East, a distance of 7.38 feet;

thence South 86 degrees 52 minutes 35 seconds East, a distance of 13.38 feet;

thence North 01 degrees 26 minutes 32 seconds East, a distance of 5.84 feet;

thence South 88 degrees 33 minutes 28 seconds East, a distance of 8.00 feet;

thence South 01 degrees 26 minutes 32 seconds West, a distance of 6.07 feet;


thence South 86 degrees 52 minutes 35 seconds East, a distance of 34.37 feet to the east line of said Parcel 2;

thence departing said east line of Parcel 2, South 86 degrees 52 minutes 35 seconds East, a distance of 58.22 feet;

thence North 83 degrees 19 minutes 23 seconds East, a distance of 19.40 feet;

thence South 77 degrees 55 minutes 16 seconds East, a distance of 12.93 feet to the **Point of Beginning**.

**END OF DESCRIPTION**




REGISTRATION  
EXPIRES: 03-31-10


# EXHIBIT "A3"

## PECOS RD.

S89° 29' 27" W 2644.87' (M)  
2391.87' (C)



- L1 S00° 30' 33" E 8.20' (C)
- L2 N77° 55' 16" W 13.39' (C)
- L3 S83° 19' 23" W 18.76' (C)
- L4 S64° 16' 25" W 11.15' (C)
- L5 N00° 22' 34" W 8.85' (C)
- L6 N64° 16' 25" E 9.38' (C)
- L7 S87° 20' 28" E 26.96' (C)
- L8 N00° 34' 02" W 25.45' (C)
- L9 N89° 29' 27" E 8.00' (C)
- L10 S00° 34' 02" E 25.60' (C)
- L11 S89° 23' 47" E 7.38' (C)
- L12 S86° 52' 35" E 13.38' (C)
- L13 N01° 26' 32" E 5.84' (C)
- L14 S88° 33' 28" E 8.00' (C)
- L15 S01° 26' 32" W 6.07' (C)
- L16 S86° 52' 35" E 34.37' (C)
- L17 N83° 19' 23" E 19.40' (C)
- L18 S77° 55' 16" E 12.93' (C)
- L19 S89° 23' 47" E 3.71' (C)



SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NE 1/4, SEC 2, T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 30'</u>	SHEET	<u>3</u> OF <u>3</u>

**WHEN RECORDED MAIL TO:**

**SALT RIVER PROJECT**

Land Department/PAB360  
P. O. Box 52025  
Phoenix, Arizona 85072-2025

---

**POWER DISTRIBUTION EASEMENT**

---

Maricopa County  
APN 303-02-034  
NE4 Sec. 35 T01S R05E

Agt. MNT  
Job # KE2-5181, 5182, 5183  
W  C 

**CITY OF CHANDLER,  
an Arizona municipal corporation,**

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to **SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT**, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

**Grantor's Property:**

That portion of the Northeast quarter of Section 35, Township 1 South, Range 5 East of the Gila and Salt River Base and Meridian, more particularly described in Instrument No. 2007-0041981, records of Maricopa County, Arizona.

**Easement Parcel:**

Said easement described on Exhibit A2, attached hereto and by this reference made a part hereof.

**CAUTION:** Facilities placed within the Easement Parcel may contain high voltage electrical equipment. Notice is hereby given that the location of underground electrical conductors or facilities must be verified as required by Arizona Revised Statutes, Section 40-360.21, et. seq., Arizona Blue Stake Law, prior to any excavation. Notice is also hereby given that any activity performed within the Easement Parcel shall comply with the Arizona Overhead Powerline Safety Law, Arizona Revised Statutes 40-360.41-45.

Grantor shall maintain a clear area that extends 3.00 feet from and around all edges of all transformer pads and other equipment pads, and a clear operational area that extends 12.00 feet immediately in front of all transformer and other equipment openings provided however, that such clear areas shall be confined to within the Easement Parcel. No obstruction, trees, shrubs, fixtures or permanent structures shall be placed within said areas.

Grantor shall not construct, install or place, or permit to be constructed, installed or placed any building or other structure, plant any trees, drill any well, store materials of any kind, or lower ground level by more than one (1) foot of cut or raise ground level by more than two (2) feet of fill, within the area of the Easement Parcel. Grantor reserves the right to use the Easement Parcel for such purposes as landscaping, paved parking, vehicle parking, sidewalks and/or driveways, provided these do not interfere with the efficient and safe operation and maintenance of Grantee's Facilities, including access thereto. Buildings, above-ground structures, or pools are prohibited.

Grantee shall have the right to construct, modify and maintain access openings, at its expense, at such locations and of such dimensions as determined by Grantee and Grantor in existing or future walls or fences within the Easement Parcel. Grantor shall not unreasonably withhold said approval. Grantor shall have the right to install gates across said openings and Grantor and Grantee shall have the right to use said gates, provided that any locked gates be subject to joint access by Grantor and Grantee by provision of a multiple locking device.

Subject to the provisions set forth herein, Grantor reserves the right to use and occupy the Easement Parcel for any purpose consistent with the rights and privileges above granted, provided, however, that such use shall not unreasonably interfere with Grantee's right and ability to construct, access, maintain and use the Facilities, or endanger any of the Facilities or the use thereof.

Grantee shall have the right (but not the obligation) to trim, cut and clear away trees, brush or other vegetation on the Easement Parcel whenever in its judgment the same shall be necessary for the convenient and safe exercise of the rights herein granted.

In the event Grantee records a document to formally abandon the easement granted herein, all Grantee's rights hereunder shall cease, except the right to remove any and all property placed upon the Easement Parcel within a reasonable time subsequent to such abandonment.

The covenants and agreements herein set forth shall extend and inure in favor and to the benefit of and shall be binding on the heirs, administrators, executors, personal representatives, legal representatives, successors (including successors in ownership and estate), assigns and lessees of the Grantor and Grantee.



## Exhibit "A2"

A parcel of land being a portion of the Northeast Quarter of Section 35, Township 1 South, Range 5 East, Gila and Salt River Meridian, more particularly described as follows;

Commencing at the East Quarter corner of said Section 35, a Maricopa County Engineering Department brass cap in hand hole, from which the Northeast corner of said Section 35, a City of Chandler brass cap in hand hole, bears North 00 degrees 05 minutes 00 seconds East (NAD83 basis of bearings), a distance of 2658.61 feet;

thence coincident with the east line of said Northeast Quarter, North 00 degrees 05 minutes 00 seconds East, a distance of 1557.97 feet;

thence departing said East line, South 89 degrees 12 minutes 40 seconds West, coincident with the south line of Docket 2007-0041981 Maricopa County Records (MCR), a distance of 49.04 feet to the **Point of Beginning** of the easement described herein;

thence continuing coincident with said south line of Docket 2007-0041981, South 89 degrees 12 minutes 40 seconds West, a distance of 8.00 feet;

thence departing said south line, North 00 degrees 04 minutes 36 seconds East, a distance of 186.49 to the Northwest line of Docket 2007-0041981;

thence coincident with said northwest line, North 27 degrees 10 minutes 00 seconds East, a distance of 5.32 feet;

thence continuing coincident with said northwest line, North 32 degrees 16 minutes 00 seconds East, a distance of 10.47 feet;

thence departing said northwest line, South 00 degrees 04 minutes 36 seconds West, a distance of 20.98 feet;

thence South 89 degrees 52 minutes 34 seconds East, a distance of 16.06 feet to the west line of the east 33 feet of said Section 35;

thence coincident with said west line of the east 33 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 33 feet, North 89 degrees 52 minutes 34 seconds West, a distance of 16.06 feet;

thence South 00 degrees 04 minutes 36 seconds West, a distance of 170.99 feet to the **Point of Beginning**.

## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A2"

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202



REGISTRATION  
EXPIRES: 03-31-10

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUTES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION


- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
NE 1/4, SEC 35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY


DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>2-04-09</u>	APPROVED:	_____
SCALE	<u>N.T.S.</u>	SHEET	<u>1</u> OF <u>3</u>

# EXHIBIT "A2"



SALT RIVER PROJECT A.I.  
& POWER DISTRICT



CITY OF CHANDLER  
COOPER / PECOS  
NE 1/4, SEC 35, T1S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY



DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>2-04-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 100'</u>	SHEET	<u>2</u> OF <u>3</u>

# EXHIBIT "A2"

DKT. 2007-  
0041981  
MCR



SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS NE 1/4, SEC 35, T1S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	2-04-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	3 OF 3

**WHEN RECORDED MAIL TO:**

**SALT RIVER PROJECT**


Land Department/PAB360  
P. O. Box 52025  
Phoenix, Arizona 85072-2025

---

**POWER DISTRIBUTION EASEMENT**

---

Maricopa County  
Cooper Rd / Pecos Rd Intersection Improvements

Agt. MNT  
Job # KE2-5181, 5182, 5183  
W 

**CITY OF CHANDLER,  
an Arizona municipal corporation,**

hereinafter called Grantor, for and in consideration of the sum of One Dollar, and other valuable consideration, receipt of which is hereby acknowledged, does hereby grant and convey to **SALT RIVER PROJECT AGRICULTURAL IMPROVEMENT AND POWER DISTRICT**, an agricultural improvement district organized and existing under the laws of the State of Arizona, its agents, employees, contractors and permittees and its and their respective successors and assigns, hereinafter called the Grantee, a non-exclusive easement in, upon, over, under, across, through and along the lands hereinafter described (such lands hereinafter described being sometimes referred to herein as the "Easement Parcel") to construct, install, reconstruct, replace, remove, repair, operate and maintain underground electrical conductors, conduits, pipes, cables, vaults, pads, switching equipment, enclosures, manholes and transformers and all other appliances, appurtenances and fixtures (collectively "Facilities") for the transmission and distribution of electricity and for all other purposes connected therewith at such locations and elevations, in, upon, over, under, across, through and along the Easement Parcel as Grantee may now or hereafter deem convenient or necessary from time to time, together with the right of ingress and egress to, from, across and along the Grantor's Property. Grantee is hereby authorized to permit others to use the Easement Parcel for additional Facilities jointly with or separately from the Grantee for their purposes.

The lands in, upon, over, under, across, through and along which this easement is granted are situated in the County of Maricopa, State of Arizona, and are more particularly described as:

**Grantor's Property:**

A portion of Sections 35 and 36, Township 1 South, Range 5 East AND Sections 1 and 2, Township 2 South, Range 5 East of the Gila and Salt River Base and Meridian, Maricopa County, Arizona.

**Easement Parcel:**

Said easement described on Exhibit A, attached hereto and by this reference made a part hereof.



# EXHIBIT A

## City of Chandler Cooper and Pecos Roads

Note: Although this description describes more than one parcel, it is one description, and should be reproduced in its entirety.

Multiple parcels of land being those parts of Sections 35 and 36, Township 1 South, Range 5 East, and Sections 1 and 2, Township 2 South, Range 5 East, Gila and Salt River Meridian, lying within road right-of-way, more particularly described as follows;

This description is based on a stationed alignment coincident with the monument lines of said Sections. The north-south alignment begins at the East Quarter corner of said Section 2 with a value of 10+00 and increases northerly. The east-west alignment begins at the Northwest corner of said Section 2 with a value of 47+11.54 and increases easterly.

Commencing at the East Quarter corner of said Section 2, a Maricopa County Engineering Department brass cap in hand hole at station 10+00, from which the Northeast corner of said Section 2, a Maricopa County Highway Department brass cap in hand hole at station 36+94.69, bears North 00 degrees 22 minutes 34 seconds West (NAD83 basis of bearings), a distance of 2694.69 feet;

thence coincident with the east line of the Northeast Quarter of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 164.97 feet to station 11+64.97 and **Point "A"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the **Point of Beginning** of Easement Parcel 1;

thence coincident with the west line of the east 65 feet of the Northeast Quarter of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 01 minutes 03 seconds East, a distance of 8.03 feet;

Thence South 00 degrees 58 minutes 57 seconds East, a distance of 8.00 feet;

Thence South 89 degrees 01 minutes 03 seconds West, a distance of 8.11 feet to the **Point of Beginning** of Easement Parcel 1;

Also,

# City of Chandler

## Cooper and Pecos Roads

Note: Although this description describes more than one parcel, it is one description, and should be reproduced in its entirety.

Multiple parcels of land being those parts of Sections 35 and 36, Township 1 South, Range 5 East, and Sections 1 and 2, Township 2 South, Range 5 East, Gila and Salt River Meridian, lying within road right-of-way, more particularly described as follows;

This description is based on a stationing alignment coincident with the monument lines of said Sections. The north-south alignment begins at the East Quarter corner of said Section 2 with a value of 10+00 and increases northerly. The east-west alignment begins at the Northwest corner of said Section 2 with a value of 47+11.54 and increases easterly.

Commencing at the East Quarter corner of said Section 2, a Maricopa County Engineering Department brass cap in hand hole at station 10+00, from which the Northeast corner of said Section 2, a Maricopa County Highway Department brass cap in hand hole at station 36+94.69, bears North 00 degrees 22 minutes 34 seconds West (NAD83 basis of bearings), a distance of 2694.69 feet;

thence coincident with the east line of the Northeast Quarter of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 164.97 feet to station 11+64.97 and **Point "A"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the **Point of Beginning** of Easement Parcel 1;

thence coincident with the west line of the east 65 feet of the Northeast Quarter of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 01 minutes 03 seconds East, a distance of 8.03 feet;

Thence South 00 degrees 58 minutes 57 seconds East, a distance of 8.00 feet;

Thence South 89 degrees 01 minutes 03 seconds West, a distance of 8.11 feet to the **Point of Beginning** of Easement Parcel 1;

Also,

Commencing at **Point "A"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 98.19 feet to Station 12+63.16 and **Point "B"** of this description;

thence North 89 degrees 37 minutes 26 seconds East, a distance of 55.33 feet to the **Point of Beginning** of Easement Parcel 2;

thence North 00 degrees 24 minutes 43 seconds West a distance of 459.88 feet;

thence South 89 degrees 41 minutes 23 seconds East, a distance of 5.04 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 123.16 feet;

thence South 89 degrees 37 minutes 03 seconds West, a distance of 5.15 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 8.00 feet;

thence North 89 degrees 37 minutes 03 seconds East, a distance of 5.15 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 72.80 feet;

thence South 89 degrees 39 minutes 20 seconds West, a distance of 7.00 feet;

thence North 00 degrees 20 minutes 40 seconds West, a distance of 8.00 feet;

thence North 89 degrees 39 minutes 20 seconds East, a distance of 6.99 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 167.52 feet;

thence North 15 degrees 20 minutes 44 seconds West, a distance of 7.19 feet;

thence North 00 degrees 24 minutes 41 seconds West, a distance of 45.55 feet;

thence North 89 degrees 58 minutes 38 seconds West, a distance of 5.10 feet;

thence North 00 degrees 01 minutes 22 seconds East, a distance of 8.00 feet;

thence South 89 degrees 58 minutes 38 seconds East, a distance of 5.04 feet;

thence North 00 degrees 24 minutes 41 seconds West, a distance of 123.72 feet;

thence North 44 degrees 40 minutes 09 seconds East, a distance of 6.97 feet;

thence North 00 degrees 22 minutes 45 seconds West, a distance of 91.39 feet;

thence South 89 degrees 14 minutes 08 seconds West, a distance of 9.95 feet;

thence North 00 degrees 45 minutes 52 seconds West, a distance of 8.00 feet;

thence North 89 degrees 14 minutes 08 seconds East, a distance of 10.00 feet;

thence North 00 degrees 22 minutes 45 seconds West, a distance of 217.98 feet;

thence South 88 degrees 33 minutes 12 seconds West, a distance of 9.91 feet;

thence North 01 degrees 26 minutes 48 seconds West, a distance of 8.00 feet;

thence North 88 degrees 33 minutes 12 seconds East, a distance of 10.06 feet;

thence North 00 degrees 22 minutes 45 seconds West, a distance of 62.01 feet;

thence South 89 degrees 36 minutes 43 seconds West, a distance of 64.97 feet;

thence North 00 degrees 23 minutes 17 seconds West, a distance of 8.00 feet;

thence North 89 degrees 36 minutes 43 seconds East, a distance of 64.97 feet;

thence North 00 degrees 22 minutes 45 seconds West, a distance of 147.99 feet;

thence South 89 degrees 47 minutes 15 seconds West, a distance of 9.99 feet;

thence North 00 degrees 12 minutes 45 seconds West, a distance of 8.00 feet;

thence North 89 degrees 47 minutes 15 seconds East, a distance of 11.99 feet to the east line of the west 65 feet of said Section 1;

thence coincident with the east line of the west 65 feet of said Section 1, South 00 degrees 22 minutes 34 seconds East, a distance of 466.33 feet;

thence departing said east line of the west 65 feet, South 45 degrees 42 minutes 09 seconds East, a distance of 8.44 feet;

thence South 00 degrees 22 minutes 45 seconds East, a distance of 15.44 feet;

thence North 89 degrees 46 minutes 23 seconds East, a distance of 14.12 feet;

thence South 00 degrees 13 minutes 37 seconds East, a distance of 8.00 feet;

thence South 89 degrees 46 minutes 23 seconds West, a distance of 14.09 feet;

thence South 00 degrees 22 minutes 45 seconds East, a distance of 58.97 feet;

thence South 44 degrees 40 minutes 09 seconds West, a distance of 6.97 feet;

thence South 00 degrees 24 minutes 41 seconds East, a distance of 13.36 feet;

thence North 89 degrees 25 minutes 39 seconds East, a distance of 4.91 feet to the east line of the west 71 feet of said Section 1;

thence coincident with said east line of the west 71 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 8.00 feet;

thence departing said east line of the west 71 feet, South 89 degrees 25 minutes 39 seconds West, a distance of 4.91 feet;

thence South 00 degrees 24 minutes 41 seconds East, a distance of 149.01 feet;

thence South 88 degrees 58 minutes 18 seconds West, a distance of 1.18 feet to the east line of the west 65 feet of said Section 1;

thence coincident with said east line of the west 65 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 302.02 feet;

thence departing said east line of the west 65 feet, South 45 degrees 22 minutes 34 seconds East, a distance of 4.35 feet;

thence South 00 degrees 22 minutes 57 seconds East, a distance of 83.84 feet;

thence South 44 degrees 37 minutes 26 seconds West, a distance of 4.36 feet to the east line of the west 65 feet of said Section 1;

thence coincident with said east line of the west 65 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 6.05 feet;

thence departing said east line of the west 65 feet, North 89 degrees 41 minutes 23 seconds West, a distance of 1.95 feet;

thence South 00 degrees 24 minutes 43 seconds East, a distance of 451.78 feet;

thence South 89 degrees 35 minutes 17 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 2;

Also,

Commencing at **Point "B"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 102.62 feet to Station 13+65.78 and **Point "C"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the west line of the east 65 feet of said Section 2 and the **Point of Beginning** of Easement Parcel 3;

thence coincident with the west line of the east 65 feet of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 37 minutes 26 seconds East, a distance of 10.17 feet;

thence South 00 degrees 22 minutes 34 seconds East, a distance of 8.00 feet;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 10.17 feet to the **Point of Beginning** of Easement Parcel 3;

Also,

Commencing at **Point "C"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 27.23 feet to Station 13+93.01 and **Point "D"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the west line of the east 65 feet of said Section 2 and the **Point of Beginning** of Easement Parcel 4;

thence departing the west line of the east 65 feet of said Section 2, North 89 degrees 08 minutes 35 seconds East, a distance of 12.03 feet;

thence South 00 degrees 51 minutes 25 seconds East, a distance of 8.00 feet;

thence South 89 degrees 08 minutes 35 seconds West, a distance of 12.10 feet to the west line of the east 65 feet of said Section 2;

thence coincident with said west line of the east 65 feet, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 4;

Also,

Commencing at **Point "D"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 211.96 feet to Station 16+04.97 and **Point "E"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.00 feet to the west line of the east 65 feet of said Section 2 and the **Point of Beginning** of Easement Parcel 5;

thence coincident with the west line of the east 65 feet of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 8.00 feet;

thence departing said west line of the east 65 feet, North 89 degrees 44 minutes 20 seconds East, a distance of 12.02 feet;

thence South 00 degrees 15 minutes 40 seconds East, a distance of 8.00 feet;

thence South 89 degrees 44 minutes 20 seconds West, a distance of 12.00 feet to the **Point of Beginning** of Easement Parcel 5;

Also,

Commencing at **Point "E"**, and coincident with the east line of the Northeast Quarter, North 00 degrees 22 minutes 34 seconds West, a distance of 207.89 feet to Station 18+12.86 and **Point "F"** of this description;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 65.97 feet to the **Point of Beginning** of Easement Parcel 6;

thence North 88 degrees 47 minutes 40 seconds West, a distance of 7.82 feet;

thence North 44 degrees 37 minutes 26 seconds East, a distance of 3.93 feet to the west line of the east 71 feet of said Section 2;

thence coincident with the west line of the east 71 feet of said Section 2, North 00 degrees 22 minutes 34 seconds West, a distance of 335.00 feet;

thence North 89 degrees 37 minutes 26 seconds East, a distance of 6.00 feet to the west line of the east 65 feet of said Section 2;

thence coincident with said west line of the east 65 feet, North 00 degrees 22 minutes 34 seconds West, a distance of 1273.66 feet;

thence departing said west line of the east 65 feet, South 89 degrees 37 minutes 26 seconds West, a distance of 2.87 feet;

thence North 07 degrees 45 minutes 15 seconds West, a distance of 31.48 feet;

thence North 00 degrees 22 minutes 14 seconds West, a distance of 154.88 feet;

thence South 85 degrees 20 minutes 12 seconds West, a distance of 13.25 feet;

thence North 45 degrees 26 minutes 32 seconds West, a distance of 13.94 feet to the south line of the north 75 feet of the Northeast Quarter of said Section 2;

thence coincident with said south line of the north 75 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 157.85 feet;

thence departing said south line of the north 75 feet, North 00 degrees 30 minutes 33 seconds West, a distance of 8.30 feet;

thence South 77 degrees 55 minutes 16 seconds East, a distance of 8.18 feet;

thence South 88 degrees 46 minutes 14 seconds East, a distance of 146.59 feet;

thence South 75 degrees 35 minutes 17 seconds East, a distance of 15.33 feet;

thence North 85 degrees 20 minutes 12 seconds East, a distance of 151.12 feet;

thence North 00 degrees 29 minutes 18 seconds West, a distance of 138.58 feet;

thence North 32 degrees 04 minutes 14 seconds East, a distance of 15.72 feet;

thence South 45 degrees 11 minutes 52 seconds East, a distance of 8.20 feet;

thence South 32 degrees 04 minutes 14 seconds West, a distance of 11.58 feet;

thence South 00 degrees 29 minutes 18 seconds East, a distance of 135.66 feet;

thence North 85 degrees 20 minutes 12 seconds East, a distance of 10.67 feet;

thence South 65 degrees 10 minutes 26 seconds East, a distance of 11.06 feet;

thence North 87 degrees 11 minutes 09 seconds East, a distance of 72.11 feet;

thence North 88 degrees 58 minutes 21 seconds East, a distance of 351.72 feet;

thence South 47 degrees 25 minutes 38 seconds East, a distance of 12.15 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 158.43 feet;

thence South 00 degrees 27 minutes 43 seconds East, a distance of 1.18 feet;

thence South 88 degrees 58 minutes 21 seconds West, a distance of 129.14 feet;

thence South 00 degrees 48 minutes 25 seconds East, a distance of 1.54 feet to the south line of the north 75 feet of said Section 1;

thence coincident with said south line of the north 75 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 21.18 feet;

thence departing said south line of the north 75 feet, North 00 degrees 17 minutes 29 seconds West, a distance of 1.33 feet;

thence South 88 degrees 58 minutes 21 seconds West, a distance of 51.66 feet;

thence South 87 degrees 11 minutes 09 seconds West, a distance of 20.09 feet to the south line of the north 75 feet of said Section 1;

thence coincident with said south line of the north 75 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 51.53 feet;

thence departing said south line of the north 75 feet, South 44 degrees 32 minutes 18 seconds West, a distance of 3.16 feet;

thence North 65 degrees 10 minutes 26 seconds West, a distance of 10.98 feet;

thence South 85 degrees 20 minutes 12 seconds West, a distance of 9.15 feet;

thence South 00 degrees 29 minutes 18 seconds East, a distance of 23.07 feet;

thence North 44 degrees 32 minutes 18 seconds East, a distance of 0.71 feet to the east line of the west 75 feet of said Section 1;

thence coincident with said east line of the west 75 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 291.36 feet;

thence South 33 degrees 42 minutes 20 seconds West, a distance of 14.34 feet;

thence South 00 degrees 23 minutes 27 seconds East, a distance of 1.50 feet;

thence South 89 degrees 37 minutes 26 seconds West, a distance of 1.97 feet to the east line of the west 65 feet of said Section 1,

thence coincident with said east line of the west 65 feet, South 00 degrees 22 minutes 34 seconds East, a distance of 273.28 feet;

thence departing said east line of the west 65 feet, North 29 degrees 05 minutes 39 seconds West, a distance of 12.42 feet;

thence North 00 degrees 23 minutes 27 seconds West, a distance of 14.09 feet;

thence South 89 degrees 47 minutes 17 seconds West, a distance of 4.84 feet;

thence North 00 degrees 12 minutes 43 seconds West, a distance of 8.00 feet;

thence North 89 degrees 47 minutes 17 seconds East, a distance of 4.82 feet;

thence North 00 degrees 23 minutes 27 seconds West, a distance of 64.26 feet;

thence South 89 degrees 21 minutes 04 seconds West, a distance of 24.94 feet;

thence North 00 degrees 38 minutes 56 seconds West, a distance of 8.00 feet;

thence North 89 degrees 21 minutes 04 seconds East, a distance of 24.97 feet;

thence North 00 degrees 23 minutes 27 seconds West, a distance of 171.99 feet;

thence North 33 degrees 42 minutes 20 seconds East, a distance of 14.45 feet;  
thence North 00 degrees 29 minutes 18 seconds West, a distance of 310.78 feet;  
thence South 85 degrees 20 minutes 12 seconds West, a distance of 130.72 feet;  
thence South 00 degrees 22 minutes 14 seconds East, a distance of 154.97 feet;  
thence South 07 degrees 45 minutes 15 seconds East, a distance of 31.23 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 243.33 feet;  
thence South 89 degrees 24 minutes 12 seconds East, a distance of 5.58 feet;  
thence South 00 degrees 35 minutes 48 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 24 minutes 12 seconds West, a distance of 5.44 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 218.01 feet;  
thence North 89 degrees 25 minutes 32 seconds East, a distance of 6.88 feet;  
thence South 00 degrees 34 minutes 28 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 25 minutes 32 seconds West, a distance of 6.91 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 217.95 feet;  
thence South 89 degrees 57 minutes 32 seconds East, a distance of 6.91 feet;  
thence South 00 degrees 02 minutes 28 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 57 minutes 32 seconds West, a distance of 6.85 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 219.01 feet;  
thence North 88 degrees 49 minutes 43 seconds East, a distance of 6.88 feet;  
thence South 01 degrees 10 minutes 17 seconds East, a distance of 8.00 feet;  
thence South 88 degrees 49 minutes 43 seconds West, a distance of 6.99 feet;  
thence South 00 degrees 22 minutes 29 seconds East, a distance of 218.01 feet;  
thence North 89 degrees 30 minutes 27 seconds East, a distance of 6.91 feet;  
thence South 00 degrees 29 minutes 33 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 30 minutes 27 seconds West, a distance of 6.93 feet;

thence South 00 degrees 22 minutes 29 seconds East, a distance of 121.89 feet;  
thence South 89 degrees 19 minutes 07 seconds West, a distance of 6.05 feet;  
thence South 00 degrees 22 minutes 47 seconds East, a distance of 98.08 feet;  
thence North 88 degrees 40 minutes 11 seconds East, a distance of 10.70 feet;  
thence South 01 degrees 19 minutes 49 seconds East, a distance of 8.00 feet;  
thence South 88 degrees 40 minutes 11 seconds West, a distance of 10.83 feet;  
thence South 00 degrees 22 minutes 47 seconds East, a distance of 228.11 feet to the **Point of Beginning** of Easement Parcel 6;

Also,

Commencing at the Southeast corner of said Section 35, a Maricopa County Highway Department brass cap in hand hole at station 36+94.69, and from which the East Quarter corner of said Section 35, a Maricopa County Engineering Department brass cap in pot hole at station 63+53.78, bears North 00 degrees 03 minutes 53 seconds East (NAD83 basis of bearings), a distance of 2659.09 feet;

thence coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 192.24 feet to station 38+86.93 and **Point "G"** of this description;

thence North 89 degrees 56 minutes 07 seconds West, a distance of 75.00 feet to the west line of the east 75 feet of said Section 35 and the **Point of Beginning** of Easement Parcel 7;

thence coincident with said west line of the east 75 feet, North 00 degrees 03 minutes 53 seconds East, a distance of 201.70 feet;

thence departing said west line of the east 75 feet, North 45 degrees 08 minutes 44 seconds East, a distance of 9.66 feet;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 3.16 feet to the west line of the east 65 feet of said Section 35;

thence coincident with said west line of the east 65 feet, North 00 degrees 03 minutes 53 seconds East, a distance of 904.46 feet;

thence departing said west line of the east 65 feet, North 89 degrees 13 minutes 11 seconds East, a distance of 12.00 feet;

thence South 00 degrees 46 minutes 49 seconds East, a distance of 12.00 feet;

thence South 89 degrees 13 minutes 11 seconds West, a distance of 6.21 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 203.01 feet;

thence South 89 degrees 45 minutes 15 seconds East, a distance of 6.08 feet;

thence South 00 degrees 14 minutes 45 seconds West, a distance of 8.00 feet;

thence North 89 degrees 45 minutes 15 seconds West, a distance of 6.05 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 222.00 feet;

thence North 89 degrees 59 minutes 25 seconds East, a distance of 5.95 feet;

thence South 00 degrees 00 minutes 35 seconds East, a distance of 8.00 feet;

thence South 89 degrees 59 minutes 25 seconds West, a distance of 5.96 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 206.03 feet;

thence South 89 degrees 37 minutes 54 seconds East, a distance of 6.03 feet;

thence South 00 degrees 22 minutes 06 seconds West, a distance of 8.00 feet;

thence North 89 degrees 37 minutes 54 seconds West, a distance of 5.99 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 18.30 feet;

thence South 89 degrees 58 minutes 54 seconds East, a distance of 124.00 feet to the East line of the West 65 feet of said Section 36;

thence coincident with said East line of the West 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet;

thence departing said East line of the West 65 feet, North 89 degrees 58 minutes 54 seconds West, a distance of 124.00 feet;

thence South 00 degrees 03 minutes 41 seconds West, a distance of 213.96 feet;

thence South 45 degrees 08 minutes 44 seconds West, a distance of 14.18 feet;

thence South 00 degrees 05 minutes 23 seconds West, a distance of 196.35 feet;

thence North 89 degrees 54 minutes 37 seconds West, a distance of 5.88 feet to the **Point of Beginning** of Easement Parcel 7;

Also,

Commencing at **Point "G"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 111.02 feet to Station 39+97.95 and **Point "H"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 8;

thence departing said east line of the west 65 feet, South 89 degrees 48 minutes 50 seconds West, a distance of 7.10 feet;

thence North 00 degrees 11 minutes 10 seconds West, a distance of 8.00 feet;

thence North 89 degrees 48 minutes 50 seconds East, a distance of 7.14 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 8;

Also,

Commencing at **Point "H"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 219.02 feet to Station 42+16.97 and **Point "I"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 9;

thence departing said east line of the west 65 feet, North 89 degrees 57 minutes 36 seconds West, a distance of 11.38 feet;

thence North 00 degrees 02 minutes 24 seconds East, a distance of 8.00 feet;

thence South 89 degrees 57 minutes 36 seconds East, a distance of 11.39 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 9;

Also,

Commencing at **Point "I"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 220.00 feet to Station 44+36.97 and **Point "J"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 10;

thence departing said east line of the west 65 feet, North 89 degrees 55 minutes 01 seconds West, a distance of 12.22 feet;

thence North 00 degrees 04 minutes 59 seconds East, a distance of 8.00 feet;

thence South 89 degrees 55 minutes 01 seconds East, a distance of 12.22 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 10;

Also,

Commencing at **Point "J"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 219.96 feet to Station 46+56.93 and **Point "L"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 12;

thence departing said east line of the west 65 feet, South 89 degrees 56 minutes 27 seconds West, a distance of 12.33 feet;

thence North 00 degrees 03 minutes 33 seconds West, a distance of 8.00 feet;

thence North 89 degrees 56 minutes 27 seconds East, a distance of 12.35 feet to the east line of the west 65 feet of Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 12;

Also,

Commencing at **Point "L"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 220.06 feet to Station 48+76.99 and **Point "M"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 71.00 feet to the east line of the west 71 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 13;

thence departing said east line of the west 65 feet, North 89 degrees 50 minutes 13 seconds West, a distance of 3.99 feet;

thence North 00 degrees 09 minutes 47 seconds East, a distance of 8.00 feet;

thence South 89 degrees 50 minutes 13 seconds East, a distance of 3.97 feet to the east line of the west 71 feet of Section 36;

thence coincident with said East line of the West 71 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 13;

Also,

Commencing at **Point "M"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 26.98 feet to Station 49+03.97 and **Point "N"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 71.00 feet to the east line of the west 71 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 14;

thence coincident with said east line of the west 71 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 8.00 feet;

thence departing said east line of the west 71 feet, North 89 degrees 56 minutes 07 seconds West, a distance of 13.18 feet;

thence North 00 degrees 03 minutes 53 seconds East, a distance of 8.00 feet;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 13.18 feet to the **Point of Beginning** of Easement Parcel 14;

Also,

Commencing at **Point "N"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 289.92 feet to Station 51+93.89 and **Point "O"** of this description;

thence North 89 degrees 56 minutes 07 seconds West, a distance of 48.03 feet to the **Point of Beginning** of Easement Parcel 15;

thence North 89 degrees 13 minutes 59 seconds West, a distance of 13.05 feet;

thence North 00 degrees 46 minutes 01 seconds East, a distance of 8.00 feet;

thence South 89 degrees 13 minutes 59 seconds East, a distance of 4.96 feet;

thence North 00 degrees 04 minutes 18 seconds East, a distance of 182.04 feet;

thence North 89 degrees 33 minutes 20 seconds West, a distance of 5.02 feet;

thence North 00 degrees 26 minutes 40 seconds East, a distance of 8.00 feet;

thence South 89 degrees 33 minutes 20 seconds East, a distance of 4.97 feet;  
thence North 00 degrees 04 minutes 18 seconds East, a distance of 173.94 feet;  
thence South 88 degrees 53 minutes 30 seconds West, a distance of 4.90 feet;  
thence North 01 degrees 06 minutes 30 seconds West, a distance of 8.00 feet;  
thence North 88 degrees 53 minutes 30 seconds East, a distance of 5.06 feet;  
thence North 00 degrees 04 minutes 18 seconds East, a distance of 190.01 feet;  
thence South 89 degrees 35 minutes 37 seconds West, a distance of 5.04 feet;  
thence North 00 degrees 24 minutes 23 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 35 minutes 37 seconds East, a distance of 5.11 feet;  
thence North 00 degrees 02 minutes 32 seconds East, a distance of 63.62 feet;  
thence North 89 degrees 24 minutes 21 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 02 minutes 32 seconds West, a distance of 67.68 feet;  
thence South 00 degrees 04 minutes 18 seconds West, a distance of 574.12 feet to the **Point of Beginning** of Easement Parcel 15;

Also,

Commencing at **Point "O"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 471.07 feet to Station 56+64.96 and **Point "P"** of this description;

thence South 89 degrees 56 minutes 07 seconds East, a distance of 65.00 feet to the east line of the west 65 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 16;

thence departing said east line of the west 65 feet, South 88 degrees 55 minutes 35 seconds West, a distance of 4.97 feet;

thence North 00 degrees 03 minutes 35 seconds East, a distance of 203.15 feet;

thence North 87 degrees 19 minutes 42 seconds West, a distance of 4.46 feet;

thence North 02 degrees 40 minutes 18 seconds East, a distance of 14.00 feet;

thence South 87 degrees 19 minutes 42 seconds East, a distance of 3.82 feet;

thence North 00 degrees 03 minutes 35 seconds East, a distance of 168.92 feet;

thence South 89 degrees 21 minutes 11 seconds West, a distance of 5.32 feet;  
thence North 00 degrees 38 minutes 49 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 21 minutes 11 seconds East, a distance of 5.42 feet;  
thence North 00 degrees 03 minutes 35 seconds East, a distance of 66.31 feet;  
thence North 29 degrees 11 minutes 43 seconds West, a distance of 13.34 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 116.12 feet;  
thence North 89 degrees 20 minutes 14 seconds West, a distance of 4.75 feet;  
thence North 00 degrees 39 minutes 46 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 20 minutes 14 seconds East, a distance of 4.67 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 89.17 feet;  
thence South 88 degrees 18 minutes 40 seconds West, a distance of 8.14 feet;  
thence North 01 degrees 41 minutes 20 seconds West, a distance of 8.00 feet;  
thence North 88 degrees 18 minutes 40 seconds East, a distance of 8.39 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 22.85 feet;  
thence South 89 degrees 53 minutes 25 seconds West, a distance of 25.01 feet;  
thence North 00 degrees 06 minutes 35 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 53 minutes 25 seconds East, a distance of 25.04 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 23.11 feet;  
thence South 89 degrees 47 minutes 31 seconds West, a distance of 8.65 feet;  
thence North 00 degrees 21 minutes 00 seconds East, a distance of 26.59 feet;  
thence South 89 degrees 45 minutes 21 seconds East, a distance of 8.52 feet;  
thence North 00 degrees 03 minutes 36 seconds East, a distance of 12.27 feet;  
thence South 89 degrees 40 minutes 57 seconds West, a distance of 8.78 feet;  
thence North 00 degrees 19 minutes 03 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 40 minutes 57 seconds East, a distance of 8.83 feet;

thence North 00 degrees 03 minutes 36 seconds East, a distance of 126.65 feet;

thence North 89 degrees 08 minutes 02 seconds West, a distance of 10.91 feet;

thence North 00 degrees 03 minutes 21 seconds East, a distance of 271.02 feet;

thence North 05 degrees 27 minutes 33 seconds West, a distance of 25.17 feet;

thence North 00 degrees 05 minutes 20 seconds East, a distance of 1200.11 feet;

thence North 89 degrees 52 minutes 34 seconds West, a distance of 73.00 feet to the west line of the east 33 feet of Section 35;

thence coincident with said west line of the east 33 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 33 feet, South 89 degrees 52 minutes 34 seconds East, a distance of 73.09 feet;

thence North 01 degrees 23 minutes 04 seconds East, a distance of 139.51 feet;

thence North 11 degrees 33 minutes 56 seconds East, a distance of 84.10 feet to the east line of the west 60 feet of said Section 36;

thence coincident with said east line of the west 60 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 40.19;

thence departing said east line of the west 60 feet, South 11 degrees 33 minutes 56 seconds West, a distance of 44.01 feet;

thence South 01 degrees 23 minutes 04 seconds West, a distance of 22.52 feet;

thence North 89 degrees 46 minutes 35 seconds East, a distance of 4.94 feet;

thence South 00 degrees 13 minutes 25 seconds East, a distance of 8.00 feet;

thence South 89 degrees 46 minutes 35 seconds West, a distance of 5.17 feet;

thence South 01 degrees 23 minutes 04 seconds West, a distance of 42.57 feet;

thence South 89 degrees 33 minutes 24 seconds East, a distance of 10.42 feet;

thence South 00 degrees 05 minutes 00 seconds West, a distance of 30.06 feet;

thence North 89 degrees 36 minutes 55 seconds West, a distance of 11.10 feet;

thence South 01 degrees 23 minutes 04 seconds West, a distance of 39.50 feet;

thence South 00 degrees 05 minutes 20 seconds West, a distance of 102.92 feet;  
thence South 89 degrees 19 minutes 29 seconds East, a distance of 4.03 feet;  
thence South 00 degrees 40 minutes 31 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 19 minutes 29 seconds West, a distance of 3.95 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 35.50 feet;  
thence South 66 degrees 02 minutes 51 seconds East, a distance of 8.59 feet;  
thence South 23 degrees 57 minutes 09 seconds West, a distance of 8.00 feet;  
thence North 66 degrees 02 minutes 51 seconds West, a distance of 5.05 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 165.73 feet;  
thence South 89 degrees 52 minutes 17 seconds East, a distance of 4.08 feet;  
thence South 00 degrees 07 minutes 43 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 52 minutes 17 seconds West, a distance of 4.07 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 106.45 feet;  
thence North 89 degrees 07 minutes 51 seconds East, a distance of 12.04 feet;  
thence South 00 degrees 05 minutes 00 seconds West, a distance of 8.00 feet;  
thence South 89 degrees 07 minutes 51 seconds West, a distance of 12.04 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 95.53 feet;  
thence North 89 degrees 06 minutes 47 seconds East, a distance of 4.02 feet;  
thence South 00 degrees 53 minutes 13 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 06 minutes 47 seconds West, a distance of 4.15 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 136.04 feet;  
thence North 89 degrees 57 minutes 08 seconds East, a distance of 6.08 feet;  
thence South 00 degrees 02 minutes 52 seconds East, a distance of 14.00 feet;  
thence South 89 degrees 57 minutes 08 seconds West, a distance of 6.11 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 59.97 feet;

thence North 89 degrees 08 minutes 09 seconds East, a distance of 4.08 feet;  
thence South 00 degrees 51 minutes 51 seconds East, a distance of 11.19 feet;  
thence South 89 degrees 39 minutes 18 seconds East, a distance of 5.71 feet;  
thence South 00 degrees 20 minutes 42 seconds West, a distance of 27.68 feet;  
thence North 88 degrees 43 minutes 38 seconds West, a distance of 9.85 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 151.28 feet;  
thence North 89 degrees 20 minutes 41 seconds East, a distance of 4.70 feet;  
thence South 00 degrees 39 minutes 19 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 20 minutes 41 seconds West, a distance of 4.80 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 20.10 feet;  
thence South 89 degrees 10 minutes 05 seconds East, a distance of 4.14 feet;  
thence South 00 degrees 49 minutes 55 seconds West, a distance of 8.00 feet;  
thence North 89 degrees 10 minutes 05 seconds West, a distance of 4.04 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 209.98 feet;  
thence North 89 degrees 45 minutes 12 seconds East, a distance of 3.88 feet;  
thence South 00 degrees 14 minutes 48 seconds East, a distance of 8.00 feet;  
thence South 89 degrees 45 minutes 12 seconds West, a distance of 3.92 feet;  
thence South 00 degrees 05 minutes 20 seconds West, a distance of 2.81 feet;  
thence South 05 degrees 27 minutes 33 seconds East, a distance of 21.33 feet;  
thence North 89 degrees 55 minutes 25 seconds East, a distance of 10.06 feet;  
thence South 00 degrees 05 minutes 00 seconds West, a distance of 8.00 feet;  
thence South 89 degrees 55 minutes 25 seconds West, a distance of 9.68 feet;  
thence South 00 degrees 03 minutes 21 seconds West, a distance of 259.33 feet;  
thence South 89 degrees 08 minutes 02 seconds East, a distance of 9.56 feet to the east line of the west  
60 feet of said Section 36;

thence coincident with said east line of the west 60 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 37.35 feet;

thence departing said east line of the west 60 feet, South 45 degrees 05 minutes 58 seconds East, a distance of 1.93 feet;

thence South 00 degrees 03 minutes 36 seconds West, a distance of 103.22 feet;

thence South 44 degrees 54 minutes 02 seconds West, a distance of 2.00 feet to the east line of the west 60 feet of said Section 36;

thence coincident with said east line of the west 60 feet, South 00 degrees 05 minutes 00 seconds West, a distance of 96.37 feet to the east-west mid-section line of said Section 36;

thence continuing coincident with said east line of the west 60 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 210.73 feet;

thence North 89 degrees 43 minutes 05 seconds East, a distance of 1.47 feet;

thence South 00 degrees 03 minutes 36 seconds West, a distance of 4.06 feet;

thence South 29 degrees 11 minutes 43 seconds East, a distance of 7.22 feet to the east line of the west 65 feet of said Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 285.50 feet;

thence departing said east line of the west 65 feet, South 44 degrees 56 minutes 07 seconds East, a distance of 4.26 feet;

thence South 00 degrees 03 minutes 35 seconds West, a distance of 83.96 feet;

thence South 45 degrees 03 minutes 53 seconds West, a distance of 4.27 feet to the east line of the west 65 feet of said Section 36;

thence coincident with said east line of the west 65 feet, South 00 degrees 03 minutes 53 seconds West, a distance of 92.23 feet to the **Point of Beginning** of Easement Parcel 16;

Also,

Commencing at **Point "P"**, and coincident with the east line of the Southeast Quarter of said Section 35, North 00 degrees 03 minutes 53 seconds East, a distance of 688.07 feet to Station 63+53.03 and **Point "Q"** of this description;

thence North 89 degrees 56 minutes 07 seconds West, a distance of 56.86 feet to the **Point of Beginning** of Easement Parcel 17;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 199.96 feet;

thence North 89 degrees 18 minutes 37 seconds West, a distance of 3.12 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 18 minutes 37 seconds East, a distance of 3.12 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 219.04 feet;

thence North 89 degrees 40 minutes 01 seconds West, a distance of 3.10 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 40 minutes 01 seconds East, a distance of 3.09 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 210.03 feet;

thence North 88 degrees 25 minutes 47 seconds West, a distance of 3.07 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 13.39 feet;

thence departing said west line of the east 60 feet, South 89 degrees 50 minutes 05 seconds East, a distance of 3.07 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 180.37 feet;

thence North 89 degrees 46 minutes 44 seconds West, a distance of 3.05 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 46 minutes 44 seconds East, a distance of 3.05 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 16.07 feet;

thence South 89 degrees 09 minutes 45 seconds West, a distance of 3.05 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, North 89 degrees 09 minutes 45 seconds East, a distance of 3.04 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 120.71 feet;

thence South 89 degrees 27 minutes 42 seconds West, a distance of 3.03 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 11.50 feet;

thence departing said west line of the east 60 feet, North 89 degrees 27 minutes 42 seconds East, a distance of 3.03 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 73.80 feet;

thence North 89 degrees 44 minutes 50 seconds West, a distance of 3.02 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 44 minutes 50 seconds East, a distance of 3.02 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 33.69 feet;

thence North 89 degrees 12 minutes 51 seconds West, a distance of 3.02 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 12 minutes 51 seconds East, a distance of 3.01 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 172.28 feet;

thence South 89 degrees 49 minutes 45 seconds West, a distance of 2.99 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, North 89 degrees 49 minutes 45 seconds East, a distance of 2.99 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 210.05 feet;

thence North 89 degrees 00 minutes 18 seconds West, a distance of 2.97 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 8.00 feet;

thence departing said west line of the east 60 feet, South 89 degrees 00 minutes 18 seconds East, a distance of 2.97 feet;

thence North 00 degrees 04 minutes 36 seconds East, a distance of 14.82 feet;

thence North 89 degrees 20 minutes 32 seconds West, a distance of 2.97 feet to the west line of the east 60 feet of said Section 35;

thence coincident with said west line of the east 60 feet, North 00 degrees 05 minutes 00 seconds East, a distance of 18.00 feet;

thence departing said west line of the east 60 feet, North 89 degrees 12 minutes 40 seconds East, a distance of 10.97 feet;

thence South 00 degrees 04 minutes 36 seconds West, a distance of 1557.89 feet;

thence South 89 degrees 18 minutes 30 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 17;

Also,

Commencing at the Northwest corner of said Section 1, also being the Southeast corner of said Section 35, a Maricopa County Highway Department brass cap in hand hole at station 100+00.00, and from which the North Quarter corner of said Section 1, a City of Chandler brass cap in hand hole at station 126+50.61, bears North 89 degrees 32 minutes 17 seconds East (NAD83 basis of bearings), a distance of 2650.61 feet;

thence coincident with the north line of the Northwest Quarter of said Section 1, North 89 degrees 32 minutes 17 seconds East, a distance of 189.14 feet to station 101+89.14 and **Point "R"** of this description;

thence North 00 degrees 27 minutes 43 seconds West, a distance of 75.00 feet to the north line of the south 75 feet of said Section 36 and the **Point of Beginning** of Easement Parcel 18;

thence coincident with said north line of the south 75 feet, North 89 degrees 32 minutes 23 seconds East, a distance of 231.55 feet;

thence departing said north line of the south 75 feet, South 00 degrees 27 minutes 37 seconds East, a distance of 10.00 feet to the North line of the South 65 feet of said Section 36;

thence coincident with said north line of the south 65 feet, North 89 degrees 32 minutes 23 seconds East, a distance of 859.99 feet;

thence departing said north line of the south 65 feet, North 45 degrees 34 minutes 34 seconds East, a distance of 6.03 feet;

thence South 01 degrees 44 minutes 27 seconds East, a distance of 11.21 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 746.79 feet;

thence South 00 degrees 27 minutes 27 seconds East, a distance of 129.01 feet to the south line of the north 71 feet of said Section 36;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 71 feet, North 00 degrees 27 minutes 27 seconds West, a distance of 129.01 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 107.94 feet;

thence North 45 degrees 36 minutes 32 seconds West, a distance of 11.25 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 7.39 feet;

thence South 00 degrees 03 minutes 03 seconds East, a distance of 6.72 feet;

thence South 89 degrees 56 minutes 57 seconds West, a distance of 8.00 feet;

thence North 00 degrees 03 minutes 03 seconds West, a distance of 6.67 feet;

thence South 89 degrees 32 minutes 33 seconds West, a distance of 209.95 feet;

thence North 00 degrees 59 minutes 28 seconds West, a distance of 9.02 feet to the **Point of Beginning** of Easement Parcel 18;

Also,

Commencing at **Point "R"**, and coincident with the North line of the Northwest Quarter of said Section 1, North 89 degrees 32 minutes 17 seconds East, a distance of 821.04 feet to Station 110+10.18 and **Point "S"** of this description;

thence South 00 degrees 27 minutes 43 seconds East, a distance of 71.00 feet to the south line of the north 71 feet of said Section 1 and the **Point of Beginning** of Easement Parcel 19;

thence departing said south line of the north 71 feet, North 00 degrees 28 minutes 13 seconds West, a distance of 70.98 feet;

thence North 89 degrees 31 minutes 47 seconds East, a distance of 8.00 feet;

thence South 00 degrees 28 minutes 13 seconds East. a distance of 70.98 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 19;

Also,

Commencing at **Point "S"**, and coincident with the north line of the Northwest Quarter of said Section 1, North 89 degrees 32 minutes 17 seconds East, a distance of 12.59 feet to Station 110+22.77 and **Point "T"** of this description;

thence South 00 degrees 27 minutes 43 seconds East, a distance of 71.00 feet to the south line of the north 71 feet of said Section 1 and the **Point of Beginning** of Easement Parcel 20;

thence departing said south line of the north 71 feet, North 67 degrees 08 minutes 00 seconds East, a distance of 48.28 feet;

thence North 89 degrees 33 minutes 28 seconds East, a distance of 29.44 feet;

thence South 71 degrees 36 minutes 45 seconds East. a distance of 51.60 feet;

thence North 89 degrees 47 minutes 24 seconds East, a distance of 13.27 feet;

thence North 74 degrees 24 minutes 46 seconds East, a distance of 7.72 feet;

thence North 81 degrees 22 minutes 09 seconds East, a distance of 16.87 feet;

thence South 08 degrees 37 minutes 51 seconds East, a distance of 6.14 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 58.00 feet;

thence departing said south line of the north 71 feet, North 71 degrees 36 minutes 45 seconds West, a distance of 32.17 feet;

thence South 89 degrees 33 minutes 28 seconds West, a distance of 26.53 feet;

thence South 67 degrees 08 minutes 00 seconds West, a distance of 27.29 feet to the south line of the north 71 feet of said Section 1;

thence coincident with said south line of the north 71 feet, South 89 degrees 32 minutes 17 seconds West, a distance of 20.99 feet to the **Point of Beginning** of Easement Parcel 20;

Also,

Commencing at the Northeast corner of said Section 2, also being the Northwest corner of said Section 1, a Maricopa County Highway Department brass cap in hand hole at station 100+00.00, and from which the North Quarter corner of said Section 2, brass cap in hand hole at station 73+55.13, bears South 89 degrees 29 minutes 27 seconds West (NAD83 basis of bearings) a distance of 2644.87 feet, South 89 degrees 29 minutes 29 seconds West (Record - MCR 521-06);

Thence coincident with the north line of the Northeast Quarter of said Section 2, South 89 degrees 29 minutes 27 seconds West, a distance of 292.77 feet to station 97+07.23 and **Point "U"** of this description;

thence North 00 degrees 30 minutes 33 seconds West, a distance of 65.00 feet to the north line of the south 65 feet of said Section 35 and the **Point of Beginning** of Easement Parcel 21;

thence departing said north line of the south 65 feet, South 00 degrees 46 minutes 12 seconds West, a distance of 5.97 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 113.24 feet;

thence South 00 degrees 34 minutes 02 seconds East, a distance of 92.04 feet to the south line of the north 33 feet of said Section 2;

thence coincident with said south line of the north 33 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 33 feet, North 00 degrees 34 minutes 00 seconds West, a distance of 92.04 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 310.61 feet;

thence south 02 degrees 02 minutes 36 seconds East, a distance of 3.74 feet;

thence South 87 degrees 57 minutes 24 seconds West, a distance of 8.00 feet;

thence North 02 degrees 02 minutes 36 seconds West, a distance of 3.96 feet;

thence South 89 degrees 29 minutes 39 seconds West, a distance of 97.25 feet;

thence North 00 degrees 30 minutes 33 seconds West, a distance of 5.94 feet to the north line of the south 65 feet of said Section 35;

thence coincident with said north line of the south 65 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 537.23 feet to the **Point of Beginning** of Easement Parcel 21;

Also,

Commencing at **Point "U"**, and coincident with the north line of the Northwest Quarter of said Section 1, South 89 degrees 29 minutes 27 seconds West, a distance of 314.75 feet to Station 93+92.48 and **Point "V"** of this description;

thence South 00 degrees 30 minutes 33 seconds East, a distance of 66.51 feet to the **Point of Beginning** of Easement Parcel 22;

thence South 44 degrees 29 minutes 29 seconds West, a distance of 11.30 feet;

thence South 89 degrees 34 minutes 24 seconds West, a distance of 101.13 feet;

thence North 45 degrees 30 minutes 31 seconds West, a distance of 4.75 feet to the south line of the north 71 feet of said Section 2;

thence coincident with said south line of the north 71 feet, South 89 degrees 29 minutes 29 seconds West, a distance of 221.19 feet;

thence departing said south line of the north 71 feet, North 40 degrees 18 minutes 30 seconds West, a distance of 4.08 feet;

thence North 88 degrees 56 minutes 51 seconds West, a distance of 32.17 feet;

thence South 39 degrees 59 minutes 31 seconds West, a distance of 5.27 feet to the south line of the north 71 feet of said Section 2;

thence coincident with said south line of the north 71 feet, South 89 degrees 29 minutes 29 seconds West, a distance of 75.61 feet;

thence departing said south line of the north 71 feet, North 00 degrees 30 minutes 31 seconds West, a distance of 1.55 feet;

thence North 89 degrees 31 minutes 43 seconds East, a distance of 21.19 feet;

thence North 00 degrees 33 minutes 20 seconds West, a distance of 22.62 feet;

thence North 89 degrees 26 minutes 40 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 33 minutes 20 seconds East, a distance of 22.63 feet;  
thence North 89 degrees 31 minutes 43 seconds East, a distance of 37.19 feet;  
thence North 39 degrees 59 minutes 31 seconds East, a distance of 13.95 feet;  
thence North 89 degrees 31 minutes 43 seconds East, a distance of 39.60 feet;  
thence South 40 degrees 18 minutes 30 seconds East, a distance of 7.99 feet;  
thence North 89 degrees 33 minutes 55 seconds East, a distance of 114.03 feet;  
thence North 00 degrees 34 minutes 56 seconds West, a distance of 15.56 feet;  
thence North 89 degrees 25 minutes 04 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 34 minutes 56 seconds East, a distance of 15.58 feet;  
thence North 89 degrees 33 minutes 55 seconds East, a distance of 20.56 feet;  
thence South 75 degrees 08 minutes 42 seconds East, a distance of 10.91 feet;  
thence North 73 degrees 57 minutes 00 seconds East, a distance of 10.81 feet;  
thence North 89 degrees 34 minutes 24 seconds East, a distance of 163.82 feet to the **Point of Beginning** of Easement Parcel 22;

Also,

Commencing at **Point "V"**, and coincident with the north line of said Section 2, South 89 degrees 29 minutes 27 seconds West, a distance of 726.27 feet to Station 86+65.76 and **Point "W"** of this description;

thence South 00 degrees 30 minutes 33 seconds East, a distance of 65.00 feet to the intersection of the South line of the North 65 feet of said Section 1 and the east line of the Consolidated Canal as recorded in Maricopa County Records Book 134, Page 5, and the **Point of Beginning** of Easement Parcel 23;

thence coincident with said east line of the Consolidated Canal, North 23 degrees 18 minutes 29 seconds East, a distance 4.02 feet;

thence South 82 degrees 57 minutes 02 seconds East, a distance of 13.21 feet;

thence North 89 degrees 33 minutes 52 seconds East, a distance of 10.65 feet;

thence North 00 degrees 20 minutes 19 seconds West, a distance of 29.50 feet;

thence North 89 degrees 39 minutes 41 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 20 minutes 19 seconds East, a distance of 29.49 feet;  
thence North 89 degrees 33 minutes 52 seconds East, a distance of 54.07 feet;  
thence North 00 degrees 30 minutes 23 seconds West, a distance of 18.46 feet;  
thence North 89 degrees 29 minutes 37 seconds East, a distance of 8.00 feet;  
thence South 00 degrees 30 minutes 23 seconds East, a distance of 18.47 feet;  
thence North 89 degrees 33 minutes 52 seconds East, a distance of 171.12 feet;  
thence South 59 degrees 04 minutes 02 seconds East, a distance of 3.11 feet to the south line of the north 65 feet of said Section 2;  
thence coincident with said south line of the North 65 feet, South 89 degrees 29 minutes 29 seconds West, a distance of 269.22 feet to the **Point of Beginning** of Easement Parcel 23;

Also,

Commencing at **Point "W"**, and coincident with the north line of the Northwest Quarter of said Section 1, South 89 degrees 29 minutes 27 seconds West, a distance of 102.61 feet to Station 85+63.15 and **Point "X"** of this description;

thence South 00 degrees 30 minutes 33 seconds East, a distance of 48.72 feet to the west line of the Consolidated Canal as recorded in Maricopa County Records Book 134, Page 5, and the **Point of Beginning** of Easement Parcel 24;

thence coincident with said west line, South 23 degrees 57 minutes 27 seconds West, a distance of 1.40 feet to the intersection of the south line of the north 50 feet of said Section 2 and the west line of said Consolidated Canal;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 13.64 feet;

thence departing said south line of the north 50 feet, North 61 degrees 33 minutes 13 seconds West, a distance of 6.20 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 55.66 feet;

thence South 00 degrees 30 minutes 09 seconds East, a distance of 3.00 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 28.34 feet;

thence departing said south line of the north 50 feet, North 00 degrees 30 minutes 57 seconds West, a distance of 2.99 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 100.78 feet;

thence South 00 degrees 30 minutes 49 seconds East, a distance of 2.99 feet to the south line of the south 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 50 feet, North 00 degrees 30 minutes 49 seconds West, a distance of 2.99 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 59.04 feet;

thence South 00 degrees 14 minutes 43 seconds East, a distance of 2.98 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 21.01 feet;

thence departing said south line of the north 50 feet, North 01 degrees 04 minutes 40 seconds West, a distance of 2.98 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 532.55 feet;

thence South 00 degrees 30 minutes 27 seconds East, a distance of 2.94 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 27.50 feet;

thence departing said south line of the north 50 feet, North 00 degrees 30 minutes 57 seconds West, a distance of 2.94 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 117.87 feet;

thence South 00 degrees 22 minutes 57 seconds East, a distance of 5.93 feet;

thence South 89 degrees 37 minutes 03 seconds West, a distance of 8.00 feet;

thence North 00 degrees 22 minutes 57 seconds West, a distance of 5.91 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 12.57 feet;

thence South 00 degrees 24 minutes 24 seconds East, a distance of 8.55 feet;

thence South 89 degrees 35 minutes 36 seconds West, a distance of 13.66 feet;

thence North 00 degrees 06 minutes 00 seconds West, a distance of 8.52 feet;

thence South 89 degrees 29 minutes 11 seconds West, a distance of 18.64 feet;

thence North 73 degrees 38 minutes 17 seconds West, a distance of 24.27 feet;

thence South 84 degrees 52 minutes 18 seconds West, a distance of 77.91 feet;

thence South 01 degrees 17 minutes 22 seconds West, a distance of 3.69 feet to the south line of the north 50 feet of said Section 2;

thence coincident with said south line of the north 50 feet, South 89 degrees 29 minutes 27 seconds West, a distance of 8.00 feet;

thence departing said south line of the north 50 feet, North 01 degrees 17 minutes 22 seconds East, a distance of 3.50 feet;

thence North 89 degrees 03 minutes 43 seconds West, a distance of 66.41 feet;

thence South 85 degrees 45 minutes 58 seconds West, a distance of 9.61 feet to the west line of the Northeast Quarter of said Section 2;

thence coincident with said west line of the Northeast Quarter, North 00 degrees 23 minutes 09 seconds West, a distance of 8.02 feet;

thence North 85 degrees 45 minutes 58 seconds East, a distance of 5.54 feet;

thence North 00 degrees 04 minutes 23 seconds West, a distance of 102.08 feet to the north line of the south 65 feet of said Section 35;

thence coincident with said north line of the south 65 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 8.00 feet;

thence departing said north line of the south 65 feet, South 00 degrees 04 minutes 23 seconds East, a distance of 101.93 feet;

thence South 89 degrees 03 minutes 43 seconds East, a distance of 66.47 feet;

thence North 84 degrees 52 minutes 18 seconds East, a distance of 82.79 feet;

thence South 73 degrees 38 minutes 17 seconds East, a distance of 24.61 feet;

thence North 89 degrees 29 minutes 11 seconds East, a distance of 740.32 feet;

thence North 02 degrees 00 minutes 02 seconds West, a distance of 104.06 feet to the north line of the south 65 feet of said Section 35;

thence coincident with said north line of the south 65 feet, North 89 degrees 29 minutes 27 seconds East, a distance of 8.00 feet;

thence departing said north line of the south 65 feet, South 02 degrees 00 minutes 02 seconds East, a distance of 104.05 feet;

thence North 89 degrees 29 minutes 11 seconds East, a distance of 256.16 feet;

thence South 61 degrees 33 minutes 13 seconds East, a distance of 20.09 feet to the **Point of Beginning** of Easement Parcel 24;

Also,

Commencing at the Northwest corner of said Section 2, a City of Chandler brass cap in hand hole at station 47+11.54, from which the North Quarter corner of said Section 2, a brass cap in hand hole at station 73+55.13, bears North 89 degrees 31 minutes 10 seconds East (NAD83 basis of bearings);

thence coincident with the north line of the Northwest Quarter of said Section 2, North 89 degrees 31 minutes 10 seconds East, a distance of 1303.20 feet to station 60+14.74 and **Point "Y"** of this description;

thence South 00 degrees 28 minutes 50 seconds East, a distance of 55.04 feet to the **Point of Beginning** of Easement Parcel 25;

thence North 89 degrees 12 minutes 58 seconds East, a distance of 14.65 feet;

thence North 00 degrees 18 minutes 09 seconds West, a distance of 11.97 feet;

thence North 89 degrees 32 minutes 15 seconds East, a distance of 98.19 feet;

thence South 67 degrees 58 minutes 54 seconds East, a distance of 33.94 feet;

thence North 89 degrees 31 minutes 03 seconds East, a distance of 344.32 feet;

thence South 00 degrees 26 minutes 40 seconds East, a distance of 9.00 feet to the south line of the north 65 feet of said Section 2;

thence coincident with said south line of the north 65 feet, South 89 degrees 31 minutes 10 seconds West, a distance of 343.53 feet;

thence departing said south line of the north 65 feet, North 67 degrees 58 minutes 54 seconds West, a distance of 36.52 feet;

thence South 89 degrees 32 minutes 15 seconds West, a distance of 42.48 feet;




thence South 00 degrees 33 minutes 37 seconds East, a distance of 10.99 feet;  
thence South 89 degrees 26 minutes 23 seconds West, a distance of 8.00 feet;  
thence North 00 degrees 33 minutes 37 seconds West, a distance of 11.00 feet;  
thence South 89 degrees 32 minutes 15 seconds West, a distance of 38.15 feet;  
thence South 00 degrees 18 minutes 09 seconds East, a distance of 8.74 feet;  
thence South 21 degrees 46 minutes 56 seconds West, a distance of 5.69 feet to the south line of the north 65 feet of said Section 2;;  
thence coincident with said south line of the north 65 feet, South 89 degrees 31 minutes 11 seconds West, a distance of 10.55 feet;  
thence departing said south line of the north 65 feet, North 68 degrees 13 minutes 04 seconds West, a distance of 5.23 feet;  
thence South 89 degrees 12 minutes 58 seconds West, a distance of 5.04 feet;  
thence North 00 degrees 47 minutes 02 seconds West, a distance of 8.00 feet to the **Point of Beginning** of Easement Parcel 25.

## END OF DESCRIPTION



REGISTRATION  
EXPIRES: 03-31-10

# EXHIBIT "A"



REGISTRATION  
EXPIRES: 03-31-10

BEARINGS ARE BASED ON  
NAD83 AZ SPCS ZONE 202

IN CASE OF CONFLICT BETWEEN  
A TIE AND A STATION / OFFSET,  
THE TIE WILL HOLD

SRP JOB #'S  
KE2-5181,  
KE2-5182,  
KE2-5183

## NOTE

THIS EXHIBIT IS INTENDED  
TO ACCOMPANY AN EASEMENT,  
IT IS NOT A SURVEY AND SHOULD  
NOT BE CONSTRUED AS SUCH.

EQUIPMENT PAD(S) ARE A PART  
OF THE EASEMENT UNLESS  
OTHERWISE NOTED.

## CAUTION

THE EASEMENT LOCATION AS  
HEREON DELINEATED MAY  
CONTAIN HIGH VOLTAGE ELECTRICAL  
EQUIPMENT, NOTICE IS HEREBY GIVEN  
THAT THE LOCATION OF UNDERGROUND  
ELECTRICAL CONDUCTORS OR  
FACILITIES MUST BE VERIFIED  
AS REQUIRED BY ARIZONA REVISED  
STATUTES, SECTION 40-380.21,  
ET. SEQ., ARIZONA BLUE STAKE  
LAW, PRIOR TO ANY EXCAVATION.

## LEGEND

NOTE: SYMBOLS MAY NOT BE TO DRAWING  
SCALE, SO AS TO BETTER ENHANCE  
GRAPHICAL REPRESENTATION

- SECTION AND CENTERLINE
- PROPERTY LINE
- ..... EXISTING EASEMENTS
- LIMITS OF EASEMENT


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY


DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 3000'</u>	SHEET	<u>1</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 3




- L1  $N00^{\circ} 22' 34'' W$  8.00' (C)
- L2  $N89^{\circ} 01' 03'' E$  8.03' (C)
- L3  $S00^{\circ} 58' 57'' E$  8.00' (C)
- L4  $S89^{\circ} 01' 03'' W$  8.11' (C)



SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET <u>2</u> OF <u>40</u>	

# EXHIBIT "A"

## MATCH SHEET 4




## MATCH SHEET 2

- L5 N00° 22' 34"W 8.00' (C)
- L6 N89° 37' 26"E 10.17' (C)
- L7 S00° 22' 34"E 8.00' (C)
- L8 S89° 37' 26"W 10.17' (C)
- L9 N00° 22' 34"W 8.00' (C)
- L10 N89° 08' 35"E 12.03' (C)
- L11 S00° 51' 25"E 8.00' (C)
- L12 S89° 08' 35"W 12.10' (C)
- L13 S89° 35' 17"W 8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT	
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY	
DESIGNED	D. SMITH
DRAWN	G. GREEN
DATE	4-07-09
SCALE	1" = 50'
AGENT	TILLER
APPROVED:	_____
APPROVED:	_____
SHEET 3 OF 40	

# EXHIBIT "A"

## MATCH SHEET 5



## MATCH SHEET 3

- L14 N00°22'34"W 8.00' (C)
- L15 N89°44'20"E 12.02' (C)
- L16 S00°15'40"E 8.00' (C)
- L17 S89°44'20"W 12.00' (C)
- L18 N88°47'40"W 7.82' (C)
- L19 N44°37'26"E 3.93' (C)
- L20 S89°41'23"E 5.04' (C)
- L21 S45°22'34"E 4.35' (C)
- L22 S44°37'26"W 4.36' (C)
- L23 S00°22'34"E 6.05' (C)
- L24 N89°41'23"W 1.95' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D.SMITH	AGENT	TILLER
DRAWN	G.GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	4 OF 40

# EXHIBIT "A"

## MATCH SHEET 6



## MATCH SHEET 4

- L25  $N88^{\circ}40'11''E$  10.70' (C)
- L26  $S01^{\circ}19'49''E$  8.00' (C)
- L27  $S88^{\circ}40'11''W$  10.83' (C)
- L28  $N15^{\circ}20'44''W$  7.19' (C)
- L29  $S88^{\circ}58'18''W$  1.18' (C)
- L30  $S89^{\circ}37'03''W$  5.15' (C)
- L31  $N00^{\circ}22'57''W$  8.00' (C)
- L32  $N89^{\circ}37'03''E$  5.15' (C)
- L33  $S89^{\circ}39'20''W$  7.00' (C)
- L34  $N00^{\circ}20'40''W$  8.00' (C)
- L35  $N89^{\circ}39'20''E$  6.99' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D.SMITH	AGENT	TILLER
DRAWN	G.GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	5 OF 40

# EXHIBIT "A"

## MATCH SHEET 7



- L36 N89° 37' 26" E 6.00' (C)
- L37 N89° 30' 27" E 6.91' (C)
- L38 S00° 29' 33" E 8.00' (C)
- L39 S89° 30' 27" W 6.93' (C)
- L40 S89° 19' 07" W 6.05' (C)
- L41 N89° 58' 38" W 5.10' (C)
- L42 N00° 01' 22" E 8.00' (C)
- L43 S89° 58' 38" E 5.04' (C)
- L44 N44° 40' 09" E 6.97' (C)
- L45 S89° 14' 08" W 9.95' (C)
- L46 N00° 45' 52" W 8.00' (C)
- L47 N89° 14' 08" E 10.00' (C)
- L48 S45° 42' 09" E 8.44' (C)
- L49 S00° 22' 45" E 15.44' (C)
- L50 N89° 46' 23" E 14.12' (C)
- L51 S00° 13' 37" E 8.00' (C)
- L52 S89° 46' 23" W 14.09' (C)
- L53 S44° 40' 09" W 6.97' (C)
- L54 S00° 24' 41" E 13.36' (C)
- L55 N89° 25' 39" E 4.91' (C)
- L56 S00° 22' 34" E 8.00' (C)
- L57 S89° 25' 39" W 4.91' (C)


## MATCH SHEET 5

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>6</u> OF <u>40</u>

REM.  
DKT. 2007  
-0424713  
MCR

# EXHIBIT "A"

## MATCH SHEET 8




L58	S89° 57' 32" E	6.91' (C)
L59	S00° 02' 28" W	8.00' (C)
L60	N89° 57' 32" W	6.85' (C)
L61	N88° 49' 43" E	6.88' (C)
L62	S01° 10' 17" E	8.00' (C)
L63	S88° 49' 43" W	6.99' (C)
L64	S88° 33' 12" W	9.91' (C)
L65	N01° 26' 48" W	8.00' (C)
L66	N88° 33' 12" E	10.06' (C)
L67	N00° 23' 17" W	8.00' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET <u>7</u> OF <u>40</u>	

# EXHIBIT "A"

## MATCH SHEET 9



## MATCH SHEET 7

L68	N89° 25' 32" E	6.88' (C)
L69	S00° 34' 28" E	8.00' (C)
L70	S89° 25' 32" W	6.91' (C)
L71	S89° 47' 15" W	9.99' (C)
L72	N00° 12' 45" W	8.00' (C)
L73	N89° 47' 15" E	11.99' (C)
L74	N29° 05' 39" W	12.42' (C)
L75	N00° 23' 27" W	14.09' (C)
L76	S89° 47' 17" W	4.84' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>8</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 10



## MATCH SHEET 8

L77	$S89^{\circ}24'12''E$	5.58' (C)
L78	$S00^{\circ}35'48''W$	8.00' (C)
L79	$N89^{\circ}24'12''W$	5.44' (C)
L80	$N00^{\circ}12'43''W$	8.00' (C)
L81	$N89^{\circ}47'17''E$	4.82' (C)
L82	$S89^{\circ}21'04''W$	24.94' (C)
L83	$N00^{\circ}38'56''W$	8.00' (C)
L84	$N89^{\circ}21'04''E$	24.97' (C)
L85	$N33^{\circ}42'20''E$	14.45' (C)
L86	$S33^{\circ}42'20''W$	14.34' (C)
L389	$S00^{\circ}23'27''E$	1.50' (C)
L390	$S89^{\circ}37'26''W$	1.97' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>9</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 11



## MATCH SHEET 9

- L87 S89° 37' 26" W 2.87' (C)
- L88 N07° 45' 15" W 31.48' (C)
- L89 S85° 20' 12" W 13.25' (C)
- L90 N45° 26' 32" W 13.94' (C)
- L91 S75° 35' 17" E 15.33' (C)
- L92 N85° 20' 12" E 10.67' (C)
- L93 S65° 10' 26" E 11.06' (C)
- L94 S44° 32' 18" W 3.16' (C)
- L95 N65° 10' 26" W 10.98' (C)
- L96 S85° 20' 12" W 9.15' (C)
- L97 S00° 29' 18" E 23.07' (C)
- L98 N44° 32' 18" E 0.71' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	10 OF 40


# EXHIBIT "A"

## MATCH SHEET 12



## MATCH SHEET 10

- L99 N32°04'14"E 15.72' (C)
- L100 S45°11'52"E 8.20' (C)
- L101 S32°04'14"W 11.58' (C)
- L102 N89°54'37"W 5.88' (C)




SALT RIVER PROJECT A. I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>11 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 13



## MATCH SHEET 11

L103	N45°08'44"E	9.66' (C)
L104	S45°08'44"W	14.18' (C)
L105	S89°48'50"W	7.10' (C)
L106	N00°11'10"W	8.00' (C)
L107	N89°48'50"E	7.14' (C)
L108	S00°03'53"W	8.00' (C)
L109	N89°57'36"W	11.38' (C)
L110	N00°02'24"E	8.00' (C)
L111	S89°57'36"E	11.39' (C)
L112	S00°03'53"W	8.00' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>12 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 14



## MATCH SHEET 12

L115	$S00^{\circ}03'53''W$	8.00' (C)
L116	$N89^{\circ}55'01''W$	12.22' (C)
L117	$N00^{\circ}04'59''E$	8.00' (C)
L118	$S89^{\circ}55'01''E$	12.22' (C)
L119	$S00^{\circ}03'53''W$	8.00' (C)
L395	$N89^{\circ}59'25''E$	5.95' (C)
L396	$S00^{\circ}00'35''E$	8.00' (C)
L397	$S89^{\circ}59'25''W$	5.96' (C)
L398	$S89^{\circ}37'54''E$	6.03' (C)
L399	$S00^{\circ}22'06''W$	8.00' (C)
L400	$N89^{\circ}37'54''W$	5.99' (C)
L401	$S00^{\circ}03'41''W$	18.30' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>13 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 15



MATCH SHEET 13

- L124 S89° 56' 27" W 12.33' (C)
- L125 N00° 03' 33" W 8.00' (C)
- L126 N89° 56' 27" E 12.35' (C)
- L127 S00° 03' 53" W 8.00' (C)
- L392 S89° 45' 15" E 6.08' (C)
- L393 S00° 14' 45" W 8.00' (C)
- L394 N89° 45' 15" W 6.05' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	14 OF 40

# EXHIBIT "A"

## MATCH SHEET 16




## MATCH SHEET 14

- L128 S00°03'53"W 8.00' (C)
- L129 N89°56'07"W 13.18' (C)
- L130 N00°03'53"E 8.00' (C)
- L131 S89°56'07"E 13.18' (C)
- L132 S00°03'53"W 10.97' (C)
- L133 S00°03'53"W 8.00' (C)
- L134 N89°50'13"W 3.99' (C)
- L135 N00°09'47"E 8.00' (C)
- L136 S89°50'13"E 3.97' (C)
- L389 N89°13'11"E 12.00' (C)
- L390 S00°46'49"E 12.00' (C)
- L391 S89°13'11"W 6.21' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	15 OF 40

# EXHIBIT "A"

## MATCH SHEET 17



REM. DKT.  
2003-  
1369175  
MCR

MCR  
483-48

## MATCH SHEET 15

- L137 N89° 13' 59"W 13.05' (C)
- L138 N00° 46' 01"E 8.00' (C)
- L139 S89° 13' 59"E 4.96' (C)
- L140 N89° 33' 20"W 5.02' (C)
- L141 N00° 26' 40"E 8.00' (C)
- L142 S89° 33' 20"E 4.97' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	16 OF 40

# EXHIBIT "A"

## MATCH SHEET 18



REM. DKT.  
2003-  
1369175  
MCR

P.O.B.  
EASEMENT  
PARCEL 16  
56+64.96  
65.00' R

MCR  
483-48

## MATCH SHEET 16

L143	S88° 53' 30"W	4.90' (C)
L144	N01° 06' 30"W	8.00' (C)
L145	N88° 53' 30"E	5.06' (C)
L146	S89° 35' 37"W	5.04' (C)
L147	N00° 24' 23"W	8.00' (C)
L148	N89° 35' 37"E	5.11' (C)
L149	S45° 03' 53"W	4.27' (C)
L150	S88° 55' 35"W	4.97' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>17</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 19



## MATCH SHEET 17

L151	N89° 24' 21" E	8.00' (C)
L152	N87° 19' 42" W	4.46' (C)
L153	N02° 40' 18" E	14.00' (C)
L154	S87° 19' 42" E	3.82' (C)
L155	S89° 21' 11" W	5.32' (C)
L156	N00° 38' 49" W	8.00' (C)
L157	N89° 21' 11" E	5.42' (C)
L158	S44° 56' 07" E	4.26' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT



CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>18 OF 40</u>



# EXHIBIT "A"

## MATCH SHEET 21



REM.  
PCL. 2  
DKT. 86-  
417464  
MCR

REM.  
DKT. 2007-  
1214936  
MCR  
A.K.A.  
PCL 1  
DKT. 86-  
417464  
MCR

60'

60'

COOPER RD.

N00°05'00"E  
EAST LINE OF THE  
NE 1/4 OF SECTION 35

MCR  
224-23

FRYE RD. 33'

33'

L172 L174  
L173 L175  
L176 L177  
L178 L179  
L180 L181  
L182 L183  
L184 L185  
L186

- L182 N89°08'02"W 10.91' (C)
- L183 S89°08'02"E 9.56' (C)
- L184 S00°05'00"W 37.35' (C)
- L185 S45°05'58"E 1.93' (C)
- L186 S44°54'02"W 2.00' (C)
- L391 N89°18'37"W 3.12' (C)
- L392 N00°05'00"E 8.00' (C)
- L393 S89°18'37"E 3.12' (C)

### MATCH SHEET 19

- L171 S89°53'25"W 25.01' (C)
- L172 N00°06'35"W 8.00' (C)
- L173 N89°53'25"E 25.04' (C)
- L174 N00°03'36"E 23.11' (C)
- L175 S89°47'31"W 8.65' (C)
- L176 N00°21'00"E 26.59' (C)
- L177 S89°45'21"E 8.52' (C)
- L178 N00°03'36"E 12.27' (C)
- L179 S89°40'57"W 8.78' (C)
- L180 N00°19'03"W 8.00' (C)
- L181 N89°40'57"E 8.83' (C)


SALT RIVER PROJECT A. I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>20 OF 40</u>

# EXHIBIT "A"

## MATCH SHEET 22



## MATCH SHEET 20

L187	N89°40'01"W	3.10' (C)
L188	N00°05'00"E	8.00' (C)
L189	S89°40'01"E	3.09' (C)
L190	N05°27'33"W	25.17' (C)
L191	N89°45'12"E	3.88' (C)
L192	S00°14'48"E	8.00' (C)
L193	S89°45'12"W	3.92' (C)
L194	S00°05'20"W	2.81' (C)
L195	S05°27'33"E	21.33' (C)
L196	N89°55'25"E	10.06' (C)
L197	S00°05'00"W	8.00' (C)
L198	S89°55'25"W	9.68' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>21</u> OF <u>40</u>

# EXHIBIT "A"

## MATCH SHEET 23




## MATCH SHEET 21

L199	N88° 25' 47" W	3.07' (C)
L200	N00° 05' 00" E	13.39' (C)
L201	S89° 50' 05" E	3.07' (C)
L202	N89° 46' 44" W	3.05' (C)
L203	N00° 05' 00" E	8.00' (C)
L204	S89° 46' 44" E	3.05' (C)
L205	N00° 04' 36" E	16.07' (C)
L206	S89° 09' 45" W	3.05' (C)
L207	N00° 05' 00" E	8.00' (C)
L208	N89° 09' 45" E	3.04' (C)
L209	N89° 20' 41" E	4.70' (C)
L210	S00° 39' 19" E	8.00' (C)
L211	S89° 20' 41" W	4.80' (C)
L212	S00° 05' 20" W	20.10' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET <u>22</u> OF <u>40</u>	

EXHIBIT "A"  
MATCH SHEET 24



L230	S00° 02' 52" E	14.00' (C)
L231	S89° 57' 08" W	6.11' (C)
L232	S00° 05' 20" W	59.97' (C)
L233	N89° 08' 09" E	4.08' (C)
L234	S00° 51' 51" E	11.19' (C)
L235	S89° 39' 18" E	5.71' (C)
L236	S00° 20' 42" W	27.68' (C)
L237	N88° 43' 38" W	9.85' (C)

L216	S89° 27' 42" W	3.03' (C)
L217	N00° 05' 00" E	11.50' (C)
L218	N89° 27' 42" E	3.03' (C)
L219	N89° 44' 50" W	3.02' (C)
L220	N00° 05' 00" E	8.00' (C)
L221	S89° 44' 50" E	3.02' (C)
L222	N00° 04' 36" E	33.69' (C)
L223	N89° 12' 51" W	3.02' (C)
L224	N00° 05' 00" E	8.00' (C)
L225	S89° 12' 51" E	3.01' (C)
L226	N89° 06' 47" E	4.02' (C)
L227	S00° 53' 13" E	8.00' (C)
L228	S89° 06' 47" W	4.15' (C)
L229	N89° 57' 08" E	6.08' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT


CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	
DATE	4-07-09	APPROVED:	
SCALE	1" = 50'	SHEET	23 OF 40



# EXHIBIT "A"

## MATCH SHEET 26




MCR  
224-23

## MATCH SHEET 24

- L253 N89° 12' 40" E 10.97' (C)
- L254 N00° 05' 00" E 8.00' (C)
- L255 S01° 23' 04" W 42.57' (C)
- L256 S89° 33' 24" E 10.42' (C)
- L257 S00° 05' 00" W 30.06' (C)
- L258 N89° 36' 55" W 11.10' (C)
- L259 S89° 19' 29" E 4.03' (C)
- L260 S00° 40' 31" W 8.00' (C)
- L261 N89° 19' 29" W 3.95' (C)
- L262 S00° 05' 20" W 35.50' (C)
- L263 S66° 02' 51" E 8.59' (C)
- L264 S23° 57' 09" W 8.00' (C)
- L265 N66° 02' 51" W 5.05' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>25 OF 40</u>

# EXHIBIT "A"



MATCH SHEET 25

N01°23'04"E  
139.51' (C)


L266 S01°23'04"W 22.52' (C)  
L267 N89°46'35"E 4.94' (C)  
L268 S00°13'25"E 8.00' (C)  
L269 S89°46'35"W 5.17' (C)

SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>26 OF 40</u>


# EXHIBIT "A"



MATCH SHEET 11

MATCH SHEET 10


MATCH SHEET 28



- L270 N45° 36' 32" W 11.25' (C)
- L271 S89° 32' 33" W 7.39' (C)
- L272 S00° 03' 03" E 6.72' (C)
- L273 S89° 56' 57" W 8.00' (C)
- L274 N00° 03' 03" W 6.67' (C)
- L275 N00° 59' 28" W 9.02' (C)
- L276 S00° 27' 37" E 10.00' (C)
- L277 S00° 27' 43" E 1.18' (C)
- L278 S00° 48' 25" E 1.54' (C)
- L279 S89° 32' 17" W 21.18' (C)
- L280 N00° 17' 29" W 1.33' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>27 OF 40</u>

# EXHIBIT "A"





MATCH SHEET 27

MATCH SHEET 29

L281  $S89^{\circ} 32' 17'' W$  8.00' (C)  
 L282  $S47^{\circ} 25' 38'' E$  12.15' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	D. SMITH	AGENT	TILLER
DRAWN	G. GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	28 OF 40


# EXHIBIT "A"



MCR  
483-48

MATCH SHEET 28

MATCH SHEET 30



- L283 N89° 31' 47" E 8.00' (C)
- L284 S89° 32' 17" W 8.00' (C)
- L285 N89° 32' 17" E 4.59' (C)
- L286 N67° 08' 00" E 48.28' (C)
- L287 N89° 33' 28" E 29.44' (C)
- L288 S71° 36' 45" E 51.60' (C)
- L289 N71° 36' 45" W 32.17' (C)
- L290 S89° 33' 28" W 26.53' (C)
- L291 S67° 08' 00" W 27.29' (C)
- L292 S89° 32' 17" W 20.99' (C)


SALT RIVER PROJECT A.1.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>29 OF 40</u>

# EXHIBIT "A"

MATCH SHEET 29




- L293  $N45^{\circ}34'34''E$  6.03' (C)
- L294  $S01^{\circ}44'27''E$  11.21' (C)
- L295  $N89^{\circ}47'24''E$  13.27' (C)
- L296  $N74^{\circ}24'46''E$  7.72' (C)
- L297  $N81^{\circ}22'09''E$  16.87' (C)
- L298  $S08^{\circ}37'51''E$  6.14' (C)
- L299  $S89^{\circ}32'17''W$  58.00' (C)

SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	D.SMITH	AGENT	TILLER
DRAWN	G.GREEN	APPROVED:	_____
DATE	4-07-09	APPROVED:	_____
SCALE	1" = 50'	SHEET	30 OF 40


# EXHIBIT "A"



MATCH SHEET 32


MATCH SHEET 11  
MATCH SHEET 10

- L300 N00° 30' 33"W 8.30' (C)
- L301 S77° 55' 16"E 8.18' (C)
- L302 S00° 46' 12"W 5.97' (C)
- L303 S89° 29' 27"W 8.00' (C)



SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>31 OF 40</u>

# EXHIBIT "A"



- L304 S02° 02' 36" E 3.74' (C)
- L305 S87° 57' 24" W 8.00' (C)
- L306 N02° 02' 36" W 3.96' (C)
- L307 S75° 08' 42" E 10.91' (C)
- L308 N73° 57' 00" E 10.81' (C)
- L309 S44° 29' 29" W 11.30' (C)
- L310 N45° 30' 31" W 4.75' (C)


SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
 COOPER / PECOS  
 T1S AND T2S, R5E  
 OVERHEAD AND UNDERGROUND ELECTRIC  
 POWER LINE RIGHT-OF-WAY  
 MARICOPA COUNTY

DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>32 OF 40</u>


# EXHIBIT "A"

REM.  
DKT. 1997-  
0303781  
MCR



MATCH SHEET 34

MATCH SHEET 32





- L311 N00° 30' 33"W 5.94' (C)
- L312 N40° 18' 30"W 4.08' (C)
- L313 N88° 56' 51"W 32.17' (C)
- L314 S39° 59' 31"W 5.27' (C)
- L315 N00° 30' 31"W 1.55' (C)
- L316 N89° 31' 43"E 21.19' (C)
- L317 N00° 33' 20"W 22.62' (C)
- L318 N89° 26' 40"E 8.00' (C)
- L319 S00° 33' 20"E 22.63' (C)
- L320 N89° 31' 43"E 37.19' (C)
- L321 N39° 59' 31"E 13.95' (C)
- L322 N89° 31' 43"W 39.60' (C)
- L323 S40° 18' 30"E 7.99' (C)
- L324 N00° 34' 56"W 15.56' (C)
- L325 N89° 25' 04"E 8.00' (C)
- L326 S00° 34' 56"E 15.58' (C)
- L327 N89° 33' 55"E 20.56' (C)
- L328 S59° 04' 02"E 3.11' (C)

MCR 521-06

SALT RIVER PROJECT A.I. & POWER DISTRICT	
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY	
DESIGNED <u>D. SMITH</u>	AGENT <u>TILLER</u>
DRAWN <u>G. GREEN</u>	APPROVED: _____
DATE <u>4-07-09</u>	APPROVED: _____
SCALE <u>1" = 50'</u>	SHEET <u>33</u> OF <u>40</u>

# EXHIBIT "A"




- L329 N23° 18' 29" E 4.02' (C)
- L330 S82° 57' 02" E 13.21' (C)
- L331 N89° 33' 52" E 10.65' (C)
- L332 N00° 20' 19" W 29.50' (C)
- L333 N89° 39' 41" E 8.00' (C)
- L334 S00° 20' 19" E 29.49' (C)
- L335 N89° 33' 52" E 54.07' (C)
- L336 N00° 30' 23" W 18.46' (C)
- L337 N89° 29' 37" E 8.00' (C)
- L338 S00° 30' 23" E 18.47' (C)
- L339 S61° 33' 13" E 20.09' (C)
- L340 S23° 57' 27" W 1.40' (C)
- L341 S89° 29' 27" W 13.64' (C)

SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>34</u> OF <u>40</u>

# EXHIBIT "A"

MATCH SHEET 36



MATCH SHEET 34



- L342 N61° 33' 13"W 6.20' (C)
- L343 S00° 30' 09"E 3.00' (C)
- L344 S89° 29' 27"W 28.34' (C)
- L345 N00° 30' 57"W 2.99' (C)
- L346 S00° 30' 49"E 2.99' (C)
- L347 S89° 29' 27"W 8.00' (C)
- L348 N00° 30' 49"W 2.99' (C)
- L349 S00° 14' 43"E 2.98' (C)
- L350 S89° 29' 27"E 21.01' (C)
- L351 N01° 04' 40"W 2.98' (C)
- L352 N89° 29' 27"E 8.00' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>35 OF 40</u>

# EXHIBIT "A"

MATCH SHEET 37

MATCH SHEET 35




SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	<u>                    </u>
DATE	<u>4-07-09</u>	APPROVED:	<u>                    </u>
SCALE	<u>1" = 50'</u>	SHEET	<u>36 OF 40</u>


# EXHIBIT "A"

MATCH SHEET 38

MATCH SHEET 36




- L353 S00° 30' 27" E 2.94' (C)
- L354 S89° 29' 27" W 27.50' (C)
- L355 N00° 30' 57" W 2.94' (C)
- L356 S00° 22' 57" E 5.93' (C)
- L357 S89° 37' 03" W 8.00' (C)



SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>37 OF 40</u>


# EXHIBIT "A"



L358	N00° 22' 57" W	5.91' (C)
L359	S89° 29' 11" W	12.57' (C)
L360	S00° 24' 24" E	8.55' (C)
L361	S89° 35' 36" W	13.66' (C)
L362	N00° 06' 00" W	8.52' (C)
L363	S89° 29' 11" W	18.64' (C)
L364	N73° 38' 17" W	24.27' (C)
L365	S01° 17' 22" W	3.69' (C)
L366	S89° 29' 27" W	8.00' (C)
L367	N01° 17' 22" E	3.50' (C)
L368	S85° 45' 58" W	9.61' (C)
L369	N00° 23' 09" W	8.02' (C)
L370	N85° 45' 58" E	5.54' (C)
L371	N89° 29' 27" E	8.00' (C)
L372	S73° 38' 17" E	24.61' (C)

SALT RIVER PROJECT A.1. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>38 OF 40</u>

# EXHIBIT "A"




MATCH SHEET 40

- L373 N67° 58' 54" W 36.52' (C)
- L374 S89° 32' 15" W 42.48' (C)
- L375 S00° 33' 37" E 10.99' (C)
- L376 S89° 26' 23" W 8.00' (C)
- L377 N00° 33' 37" W 11.00' (C)
- L378 S89° 32' 15" W 38.15' (C)
- L379 S00° 18' 09" E 8.74' (C)
- L380 S21° 46' 56" W 5.69' (C)
- L381 S89° 31' 11" W 10.55' (C)
- L382 N68° 13' 04" W 5.23' (C)
- L383 S89° 12' 58" W 5.04' (C)
- L384 N00° 47' 02" W 8.00' (C)
- L385 N89° 12' 58" E 14.65' (C)
- L386 N00° 18' 09" W 11.97' (C)
- L387 S67° 58' 54" E 33.94' (C)


SALT RIVER PROJECT A.I. & POWER DISTRICT			
CITY OF CHANDLER COOPER / PECOS T1S AND T2S, R5E OVERHEAD AND UNDERGROUND ELECTRIC POWER LINE RIGHT-OF-WAY MARICOPA COUNTY			
DESIGNED	<u>D. SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G. GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>39</u> OF <u>40</u>

# EXHIBIT "A"

MATCH SHEET 39



L388 S00° 26' 40" E 9.00' (C)



SALT RIVER PROJECT A.I.  
& POWER DISTRICT

CITY OF CHANDLER  
COOPER / PECOS  
T1S AND T2S, R5E  
OVERHEAD AND UNDERGROUND ELECTRIC  
POWER LINE RIGHT-OF-WAY  
MARICOPA COUNTY

DESIGNED	<u>D.SMITH</u>	AGENT	<u>TILLER</u>
DRAWN	<u>G.GREEN</u>	APPROVED:	_____
DATE	<u>4-07-09</u>	APPROVED:	_____
SCALE	<u>1" = 50'</u>	SHEET	<u>40 OF 40</u>